



professional lighting

Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro Sound & Lighting Solutions

www.pro-technica.com

EUR

Price List 3/2011

Effective March 21, 2011

Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.

Articles marked * will be discontinued soon!

EUR
Netto
(ex VAT)

EUR
+ 20% DDS
(incl VAT)

Model

Description

Moving body projectors



SHOTLIGHT WASH

with PFC electronic ballast + lamp (1500W discharge + 3000W xenon strobe)

Washlight section: 1500 W Fast-Fit discharge lamp; Power may be set to 1500 or 1200 W; 11°- 70° electronic zoom; CMY colour system + 2 colour wheels (6+6) + linear "Golden CTO"; Indexable and rotating ovalizing filter plus "diamond effect" filter; Frost filter; 0-100% hybrid dimmer (electronic + mechanical); **Strobe section:** 2 special, curved, pulsed Xenon lamps, 1500 W each Lamp life: 500 hours; Special shape mirror reflector; Each lamp is individually operated; 0-100% intensity control with blinding effect; Flash rate 0-16 Hz; Pre-set strobe effects and strobe/wash effects

More info: 9.126,00 10.951,20 EUR

Lamp: HTI 1500W/FF50/60 /OS/
Lamp: L10201

Osram Lok-it HTI 1500W/60/P50 (6000 K)
Strobe Xenon 1500W, ER 9902 CYP

More info: 180,00 216,00 EUR
89,10 106,90 EUR



ALPHA PROFILE 1500

with electronic ballast + PFC with lamp (1500W, 6000K)

1500 W Fast-Fit discharge lamp; Power may be set to 1500 or 1200 W; 95°- 59° electronic linear zoom; 7°-95° additional not-linear zoom range; Stay-Sharp-Zoom function for automatic focusing; CMY colour system + colour wheel + linear CTO; Patented framing system, adjustable over 90°; Graphic system: 14 gobos (6 rotating + 8 fixed) + rotating prism; Zoom-Tracking-Diffuser; Special 16-blade mechanical iris; 0-100% hybrid dimmer (electronic + mechanical)

More info: 10.260,00 12.312,00 EUR

Lamp: HTI 1500W/FF50/60 /OS/

Osram Lok-it HTI 1500W/60/P50 (6000 K)

More info: 180,00 216,00 EUR



ALPHA SPOT HPE 1500

with electronic ballast + PFC with lamp (1500W, 6000K)

1500 W Fast-Fit discharge lamp; Power may be set to 1500 or 1200 W; 65°- 57° electronic linear zoom; CMY colour system + colour wheel + linear CTO; Dichroic glass patterns: 20 gobos (12 rotating on 2 gobo wheels + 8 fixed); Exclusive adjustable animated star gobo; Animation disc + rotating prism; Zoom-Tracking-Diffuser; Stay-Sharp-Zoom function for automatic focusing; Special 16-blade mechanical iris; 0-100% hybrid dimmer (electronic + mechanical); Dyna-Cue-Creator on a special channel for fast artistic programming

More info: 9.720,00 11.664,00 EUR

Lamp: HTI 1500W/FF50/60 /OS/

Osram Lok-it HTI 1500W/60/P50 (6000 K)

More info: 180,00 216,00 EUR



ALPHA BEAM 1500

With electronic ballast + PFC With lamp (1500W, 6000K)

Optical unit with extremely high luminous efficiency (185,000 lux at 10 m); Narrow and parallel 4° beam; CMY colour system + colour wheel (including CTO); 15 gobos + 1 prism, to change the graphic effects and beam angle; Electronic focusing, for projecting sharp images at any distance; Linear frost effect (light/medium/heavy) on a dedicated channel; High speed mechanical iris; 0-100% hybrid dimmer: electronic (50-100%) and mechanical (50%-0)

More info: 8.100,00 9.720,00 EUR

Lamp: HTI 1500W/FF50/60 /OS/

Osram Lok-it HTI 1500W/60/P50 (6000 K)

More info: 180,00 216,00 EUR



ALPHA WASH 1500

with electronic ballast + PFC with lamp (1500W, 6000K)

1500 W Fast-Fit discharge lamp; Power may be set to 1500 or 1200 W; 11°- 70° electronic zoom; CMY colour system + 2 colour wheels (6+6) + linear "Golden CTO"; Indexable and rotating ovalizing filter plus "diamond effect" filter; Frost filter; 0-100% hybrid dimmer (electronic + mechanical); Three-phase pan/tilt motor for perfectly silent operation; High performance electronics and firmware; Modular construction for easy maintenance

More info: 8.370,00 10.044,00 EUR

Lamp: HTI 1500W/FF50/60 /OS/

Osram Lok-it HTI 1500W/60/P50 (6000 K)

More info: 180,00 216,00 EUR



ALPHA WASH 1500 LT

with electronic ballast + PFC with lamp (1500W, 6000K)

First washlight specially designed for long-throw applications; High efficiency optical system (53,000 lux at 10 m); 12°-32° linear zoom; Additional aperture range from 32° - 55° by using the diffusion filter; CMY colour system + linear CTO + colour wheel; 2 adjustable "dynamic" beam shapers; 0-100% dimmer on a dedicated channel; Silent operation; New generation high performance electronics; Modular construction for easy maintenance

More info: 7.560,00 9.072,00 EUR

Lamp: HTI 1500W/FF50/60 /OS/

Osram Lok-it HTI 1500W/60/P50 (6000 K)

More info: 180,00 216,00 EUR



ALPHA PROFILE 1200

with electronic ballast + PFC with lamp (1200W, 7500K)

1200 W discharge lamp; Patented framing system, adjustable over 90°; Projection of triangular and quadrangular shapes of various sizes; "Total curtain effect" with single blade; 10°- 30° electronic linear zoom; CMY colour system + colour wheel + linear CTO; Graphic system: 14 gobos + 1 rotating animation effect + 1 rotating prism; High quality gobos made specifically for this light; High speed mechanical iris; 2 frost filters; 0-100% dimmer on a dedicated channel; Silent operation ("Silent Version" system supplied as standard);

More info: 9.531,00 11.437,20 EUR

Lamp: HTI 1200W/D7/60 /OS/
Lamp: MSR GOLD 1200W/DE/60 /PH/

OSRAM SHARXS HTI 1200W/D7/60 SFc10-4 10X1 (1360mm)
PHILIPS MSR GOLD 1200 SA/DE 1CT/4 (1360mm)

More info: 117,00 140,40 EUR
More info: 180,00 216,00 EUR



ALPHA SPOT HPE 1200

with electronic ballast + PFC with lamp (1200W, 7500K)

1200 W discharge lamp; Optical unit with extremely high luminous efficiency; 10°- 40° electronic linear zoom; A rich range of effects designed for professional use; CMY colour system + colour wheel + linear CTO; Graphic system: 20 gobos + 1 animation disc + 2 rotating prisms; Three frost filters; High speed mechanical iris; 0-100% dimmer on a dedicated channel; Silent operation ("Silent Version" system supplied as standard)

More info: 8.424,00 10.108,80 EUR

Lamp: HTI 1200W/D7/60 /OS/
Lamp: MSR GOLD 1200W/DE/60 /PH/

OSRAM SHARXS HTI 1200W/D7/60 SFc10-4 10X1 (1360mm)
PHILIPS MSR GOLD 1200 SA/DE 1CT/4 (1360mm)

More info: 117,00 140,40 EUR
More info: 180,00 216,00 EUR



ALPHA SPOT 1200

with electronic ballast + PFC with lamp (1200W, 7500K)

1200 W discharge lamp; Optical unit with extremely high luminous efficiency; 15°- 40° electronic linear zoom; CMY colour system + linear CTO + colour wheel; Graphic system: 14 gobos + 1 "dynamic" animation disc + fixed prism; Two frost filters; High speed mechanical iris; 0-100% dimmer on a dedicated channel; Silent operation ("Silent Version" system supplied as standard)

More info: 7.317,00 8.780,40 EUR

Lamp: HTI 1200W/D7/60 /OS/
Lamp: MSR GOLD 1200W/DE/60 /PH/

OSRAM SHARXS HTI 1200W/D7/60 SFc10-4 10X1 (1360mm)
PHILIPS MSR GOLD 1200 SA/DE 1CT/4 (1360mm)

More info: 117,00 140,40 EUR
More info: 180,00 216,00 EUR



ALPHA SPOT EASY 1200

with magnetic ballast + PFC with lamp (1200W, 7500K)













1200 W discharge lamp; Optical unit with extremely high luminous efficiency; 15°- 40° electronic linear zoom; 2 colour wheels; Graphic system: 14 gobos + fixed prism; 2 frost filters; High speed mechanical iris; Silent operation ("Silent Version" system supplied as standard)










More info: 5.670,00 6.804,00 EUR



Lamp: HTI 1200W/D7/60 /OS/
Lamp: MSR GOLD 1200W/DE/60 /PH/





OSRAM SHARXS HTI 1200W/D7/60 SFc10-4 10X1 (1360mm)
PHILIPS MSR GOLD 1200 SA/DE 1CT/4 (1360mm)




More info: 117,00 140,40 EUR
More info: 180,00 216,00 EUR

Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
	with electronic ballast + PFC with lamp (1200W, 7500K) 1200 W discharge lamp; Optical unit with extremely high luminous efficiency; Exceptional brightness even at maximum beam angle; 11°- 55° electronic zoom + 3-step beam angle system; CMY colour system + colour wheel + linear CTO; Adjustable indexable ovalizer filter with 70° maximum beam angle; 2 frost filters; Spectacular new design 0-100% dimmer + stop/strobe on a dedicated channel; Silent operation ("Silent Version" system supplied as standard)	More info: 6.777,00	8.132,40	EUR
Lamp: HTI 1200W/D7/60 /OS/	OSRAM SHARXS HTI 1200W/D7/60 SFC10-4 10X1 (1360mm)	More info: 117,00	140,40	EUR
Lamp: MSR GOLD 1200W/DE/60 /PH/	PHILIPS MSR GOLD 1200 SA/DE 1CT/4 (1360mm)	More info: 180,00	216,00	EUR
	with magnetic ballast + PFC with lamp (1200W, 7500K) 1200 W discharge lamp; Optical unit with extremely high luminous efficiency; CMY colour system + linear CTO; Three fixed beam angles (11°, 20° and 30°); 2 frost filters; Optional diffusion filter, for beam angles of up to 70°; Adjustable indexable ovalizer filter; 0-100% dimmer on a dedicated channel; Silent operation ("Silent Version" system supplied as standard)	More info: 4.860,00	5.832,00	EUR
Lamp: HTI 1200W/D7/60 /OS/	OSRAM SHARXS HTI 1200W/D7/60 SFC10-4 10X1 (1360mm)	More info: 117,00	140,40	EUR
Lamp: MSR GOLD 1200W/DE/60 /PH/	PHILIPS MSR GOLD 1200 SA/DE 1CT/4 (1360mm)	More info: 180,00	216,00	EUR
	with electronic dimmer with lamp (1200W, 80V, 3300K) 1200 W (80 V) halogen lamp; Optical unit with extremely high luminous efficiency; CMY colour system; 4°-64° linear zoom; Motorized top hat; Adjustable indexable ovalizer filter; Linear frost effect; Extremely gradual electronic dimmer; Stop/strobe effect; Silent operation ("Silent Version" system supplied as standard)	More info: 4.860,00	5.832,00	EUR
Lamp: L10084	PHILIPS 7009Z 1200W G22 80V 1CT	43,20	51,80	EUR
	with electronic dimmer with lamp (1000W, 3200K) 1000 W halogen lamp; Optical unit with extremely high luminous efficiency; CMY colour system; 14°-64° linear zoom; Motorized top hat; Adjustable indexable ovalizer filter; Linear frost effect; Extremely gradual electronic dimmer; Stop/strobe effect; Silent operation ("Silent Version" system supplied as standard)	More info: 4.320,00	5.184,00	EUR
Lamp: L10076	PHILIPS 7002Y 1000W G22 230V 1CT	43,20	51,80	EUR
	with PFC electronic ballast + 700W discharge lamp MiniFast-Fit 700W lamp; Optical unit with extremely high luminous efficiency; 9 - 55° electronic linear zoom; Stay-Sharp-Zoom function for automatic focusing; CMY colour system + colour wheel + linear CTO; Patented framing system, adjustable over 90°; Graphic system: 7 rotating gobos + 9 facet prism; Special 16-blade mechanical iris; Interchangeable frost filter; 0-100% hybrid dimmer (electronic + mechanical); Extremely silent: 43 dBA (41 dBA in "half power" mode)	More info: 7.290,00	8.748,00	EUR
Lamp: MSR GOLD 700W/FF50/75	PHILIPS MSR GOLD 700/2 FastFit 1CT/4	More info: 259,00	310,80	EUR
	With electronic ballast + PFC With lamp (700W, 7500K) MiniFast-Fit 700W lamp; Optical unit with extremely high luminous efficiency (35,000 lux at 5 m); Incredibly small and lightweight; Extraordinarily wide, fast and linear pan and tilt movements; 14,7°- 35° electronic linear zoom and uniform field lens on a dedicated channel; CMY colour system + colour wheel + CTO conversion filters; Graphic system: 15 gobos + 1 rotating prism; Frost effect with adjustable projection angle; Hybrid dimmer (100-50% electronic; 50% to zero mechanical); Silent operation ("Silent Version" system supplied as standard)	More info: 5.832,00	6.998,40	EUR
Lamp: MSR GOLD 700W/FF50/75	PHILIPS MSR GOLD 700/2 FastFit 1CT/4	More info: 259,00	310,80	EUR
	With electronic ballast + PFC With lamp (700W, 7500K) MiniFast-Fit 700W lamp; The first and original 700 W "beam moving light" on the market; Optical unit with extremely high luminous efficiency (90,000 lux at 10 m); Incredibly compact and lightweight; Extraordinarily wide, fast and linear pan and tilt movements; Narrow and parallel 7° aperture beam; CMY colour system + colour wheel, including CTO and CTB filters; 15 gobos + 1 prism, to change the graphic effects and beam angle; Hybrid dimmer (100-50% electronic; 50% to zero mechanical); Electronic focusing; Linear frost effect and iris; Silent operation	More info: 5.292,00	6.350,40	EUR
Lamp: MSR GOLD 700W/FF50/75	PHILIPS MSR GOLD 700/2 FastFit 1CT/4	More info: 259,00	310,80	EUR
	With electronic ballast + PFC With lamp (700W, 7500K) MiniFast-Fit 700W lamp; Optical unit with extremely high luminous efficiency (85,000 lux at 5 m at the centre of the beam); Incredibly compact and lightweight; Extraordinarily wide, fast and linear pan and tilt movements; 9°- 50° electronic linear zoom + top hat; Hybrid dimmer (100-50% electronic; 50% to zero mechanical); CMY colour system + linear CTO + CTB + 6-colours wheel; 2 adjustable beam shapers (ovalizer filter and "diamond tips" lens) on dedicated channels; Silent operation	More info: 4.860,00	5.832,00	EUR
Lamp: MSR GOLD 700W/FF50/75	PHILIPS MSR GOLD 700/2 FastFit 1CT/4	More info: 259,00	310,80	EUR
	with electronic ballast + PFC with lamp (575W, 6000K) 575 W discharge lamp; Optical unit with extremely high luminous efficiency; 10°- 40° electronic linear zoom; A rich range of effects designed for professional use; CMY colour system + colour wheel + linear CTO; Graphic system: 20 gobos + 1 animation disc + 2 rotating prisms; Three frost filters; High speed mechanical iris; 0-100% dimmer on a dedicated channel; Silent operation ("Silent Version" system supplied as standard)	More info: 6.588,00	7.905,60	EUR
Lamp: HMI 575W/DXS /OS/	OSRAM HMI 575W/DXS 95V 10x1 (1360mm)	More info: 78,00	94,00	EUR
	with magnetic ballast + PFC with lamp (575W, 6000K) 575 W discharge lamp; Optical unit with extremely high luminous efficiency; 15°- 30° electronic linear zoom; 2 colour wheels with select pure colours (including CTO and CTB); Graphic system: 12 gobos + fixed prism; Two frost filters; High speed mechanical iris; 0-100% dimmer on a dedicated channel; Silent operation ("Silent Version" system supplied as standard)	More info: 4.698,00	5.637,60	EUR
Lamp: MSI 575 HR	PHILIPS MSI 575W/HR SFC10-4	106,00	127,20	EUR
	with electronic ballast + PFC with lamp (575W, 6000K) 575 W discharge lamp; Optical unit with extremely high luminous efficiency; Exceptional brightness even at maximum beam angle; 4°- 80° (43° - 798°) electronic linear zoom; CMY colour system + colour wheel + linear CTO; Light and heavy linear frost effects on two separate channels; 0-100% dimmer on a dedicated channel; Silent operation ("Silent Version" system supplied as standard)	More info: 5.157,00	6.188,40	EUR
Lamp: HMI 575W/SEL /OS/	OSRAM HMI 575W/SEL 575W 95V G22 10X1	More info: 101,00	121,00	EUR
Lamp: MSR 575 HR	PHILIPS MSR 575 HR 1CT/4	More info: 114,00	137,00	EUR
	with electronic ballast + PFC with lamp (575W, 6000K) 575 W discharge lamp; Optical unit with extremely high luminous efficiency; Exceptional brightness even at maximum beam angle; 4°- 50° electronic linear zoom; Motorized top hat; CMY colour system + colour wheel + linear CTO; Linear frost effects; Adjustable indexable ovalizer filter; 0-100% dimmer on a dedicated channel; Silent operation ("Silent Version" system supplied as standard)	More info: 5.427,00	6.512,40	EUR
Lamp: HMI 575W/SEL /OS/	OSRAM HMI 575W/SEL 575W 95V G22 10X1	More info: 101,00	121,00	EUR
Lamp: MSR 575 HR	PHILIPS MSR 575 HR 1CT/4	More info: 114,00	137,00	EUR


Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
 ALPHA SPOT HPE 300	with electronic ballast + PFC with lamp (300W, 8000K) Optical unit with extremely high luminous efficiency (16000 lux [15°] at 5 m); 14,7°- 35° electronic linear zoom + uniform field lens on a dedicated channel; CMY colour system + colour wheel + CTO conversion filters; The widest range of effects in the category; Graphic system: 15 gobos + 1 rotating prism; Frost effect with adjustable projection angle; Wide quick pan and tilt movements; Silent operation ("Silent Version" system supplied as standard)	More info: 4.158,00	4.989,60	EUR
Lamp: MSR GOLD 300W/FF28/86	PHILIPS MSR GOLD 300/2 MiniFastFit 1CT/4	More info: 130,00	156,00	EUR
 ALPHA SPOT 300 (E)	with electronic ballast + PFC with lamp (300W, 8000K) Extraordinary quality/price ratio; Optical unit with extremely high luminous efficiency; Natural 237° beam angle; Two colour wheels, including 2500 K CTO, 3200 K CTO and CTB; Graphic system: 15 gobos + 1 rotating prism; Wide quick pan and tilt movements; Silent operation ("Silent Version" system supplied as standard); Electronic ballast version	More info: 3.213,00	3.855,60	EUR
Lamp: MSR GOLD 300W/FF28/86	PHILIPS MSR GOLD 300/2 MiniFastFit 1CT/4	More info: 130,00	156,00	EUR
 ALPHA SPOT 300 (M)	with magnetic ballast + PFC with lamp (300W, 8000K) Extraordinary quality/price ratio; Optical unit with extremely high luminous efficiency; Natural 237° beam angle; Two colour wheels, including 2500 K CTO, 3200 K CTO and CTB; Graphic system: 15 gobos + 1 rotating prism; Wide quick pan and tilt movements; Silent operation ("Silent Version" system supplied as standard); Magnetic ballast version	More info: 2.862,00	3.434,40	EUR
Lamp: MSR GOLD 300W/FF28/86	PHILIPS MSR GOLD 300/2 MiniFastFit 1CT/4	More info: 130,00	156,00	EUR
 ALPHA BEAM 300	with electronic ballast + PFC with lamp (300W, 8000K) The first and original 300 W "beam moving light" on the market; Three times the brightness of a normal 1200 W washlight; Natural 8° beam angle; CMY colour system + colour wheel + CTO and CTB filters; 8 fixed gobos supplied as standard (4 image gobos + 4 beam angle reduction gobos); Innovative patented linear frost effect; Wide quick pan and tilt movements; Silent operation ("Silent Version" system supplied as standard); Electronic ballast fitted as standard	More info: 3.780,00	4.536,00	EUR
Lamp: MSR GOLD 300W/FF28/86	PHILIPS MSR GOLD 300/2 MiniFastFit 1CT/4	More info: 130,00	156,00	EUR
 ALPHA WASH 300 (E)	with electronic ballast + PFC with lamp (300W, 8000K) Optical unit with extremely high luminous efficiency (20,500 lux [12°] at 5 m); CMY colour mixing + colour wheel (including CTO and CTB filters); Two linear frost effects on dedicated channels; 125° to 32° beam width using frost effects; Wide quick pan and tilt movements; Silent operation ("Silent Version" system supplied as standard); Electronic ballast version	More info: 2.835,00	3.402,00	EUR
Lamp: MSR GOLD 300W/FF28/86	PHILIPS MSR GOLD 300/2 MiniFastFit 1CT/4	More info: 130,00	156,00	EUR
 ALPHA WASH 300 (M)	with magnetic ballast + PFC with lamp (300W, 8000K) Optical unit with extremely high luminous efficiency (20,500 lux [12°] at 5 m); CMY colour mixing + colour wheel (including CTO and CTB filters); Two linear frost effects on dedicated channels; 125° to 32° beam width using frost effects; Wide quick pan and tilt movements; Silent operation ("Silent Version" system supplied as standard); Electronic ballast version	More info: 2.430,00	2.916,00	EUR
Lamp: MSR GOLD 300W/FF28/86	PHILIPS MSR GOLD 300/2 MiniFastFit 1CT/4	More info: 130,00	156,00	EUR
 SHARPY	with PFC electronic ballast + MSD Platinum 5R lamp Perfectly parallel, zero-degree beam – sharp-edged without any halo; Unprecedented brightness – comparable to wattages many times higher (55,000 lx at 20m); Adjustable beam angle from 0 to 38° with zoom; Color wheel with 14 fixed colors; Gobo wheel with 17 fixed gobos; 8-facet rotating prism; Mechanical dimmer; Frost Filter; Rapid and extensive pan and tilt movements; Small, lightweight and easily transported (only 50 cm x 16 kg); Electronic ballast fitted as standard	More info: 3.942,00	4.730,40	EUR
Lamp: L10103	PHILIPS MSD Platinum 5R (189W-8000 K)	130,00	156,00	EUR
Accessories				
C61151	Wind effect disc 2 for Alpha Spot HPE 575/700/1200/HPE 1200	24,30	29,20	EUR
C61152	Wind effect disc 3 for Alpha Spot HPE 575/700/1200/HPE 1200	24,30	29,20	EUR
C61157	Interchangeable fixed gobo wheel for Alpha Spot HPE 575	16,20	19,40	EUR
C61160	Bearing kit for rotating gobos for all the Alpha Spot 575/700/1200	24,30	29,20	EUR
C61161+72	Bearing kit for decorative glass gobos (including gobo) for all the Alpha Spot 575/700/1200	24,30	29,20	EUR
C61175	Clear filter kit for Alpha Wash 575	43,20	51,80	EUR
C61178	Clear filter kit for Alpha Wash 1200	81,00	97,20	EUR
C61180	Indexed bearing kit for rotating gobos for all the Alpha Spot 575/700/1200	24,30	29,20	EUR
C61188	Kit filtro frost forte per Alpha Profile 700	27,00	32,40	EUR
080382/001	ø 205mm diffusion filter for Alpha Wash Easy 1200	36,26	43,50	EUR
Foam Shell e Flight case				
 F21180	Flight Case (+ 1 foam shell) for 1 Alpha 1500			
F21163	Flight Case (+ 2 foam shell) for 2 Alpha 1200/Halo 1200			
F21161	Flight Case (+ 2 foam shell) for 2 Alpha 575/Halo 1000			
F21175	Flight Case (+ 2 foam shell) for 2 Alpha 300/700			
F21181	Flight Case (+ 2 foam shell) for 2 Alpha Profile 700			
	Flight Case (+ 2 foam shell) for x SharpY			
 F21176	Foam Shell for Alpha Beam/Wash LT 1500	67,50	81,00	EUR
F21170	Foam Shell for Alpha 1200/Halo 1200	54,00	64,80	EUR
F21165	Foam Shell for Alpha 575/Halo 1000	54,00	64,80	EUR
F21172	Foam Shell for Alpha 300/700	54,00	64,80	EUR
F21177	Foam Shell for Alpha Profile 700	54,00	64,80	EUR
F21178	Foam Shell for SharpY	43,20	51,80	EUR

Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
Moving mirror projectors				
	ASTROSCAN 1200 with mirror head with lamp (1200W, 6000K) 1200 W discharge lamp; Rotating and oscillating head consisting of 10 mirrors; Standard lens: 1:3.3/300 mm. Optional lens: 1:2.5/250 mm; Graphic system: 4 rotating gobos; Colour wheel with 7 colours + white; Iris on a dedicated channel; Dimmer + impressive stop/strobe; Pan and tilt resolution may be set to 8 or 16 bits; May be converted into a scanner (Golden Scan 4) by replacing the head	4.050,00	4.860,00	EUR
Accessories				
C21061B	Mirror head for Goldenscan (to be fit into Astroscan)	378,00	453,60	EUR
C21031	Ceiling mounting kit for Astroscan	26,49	31,80	EUR
Lamps				
HMI 1200W/DXS /OS/	OSRAM HMI 1200W/DXS SFc15,5 1x1 (220.0mm)	More Info:	96,00	115,00 EUR
HMI 1200W/GS /XENO/	XENOPOW HMQ 1200 1200W/100V, 6000K, Metal Halide DE (220.0mm)	More Info:	61,00	73,00 EUR
	STAGE SCAN Stage Scan with mirror head 1200 W discharge lamp; MSZ (multi-step zoom) system for the beam angles of 6 different lenses (from 13° to 25°); Graphic system: 4 fixed gobos + 4 rotating gobos + 4 rotating prisms + 1 fixed prism; 10 optional gobos supplied as standard, stored inside the light casing; CMY colour system + colour wheel (including CTO and CTB filters); Special effect filters (two-colour beams, four-colour beams and ultraviolet); Three frost filters; High speed iris; 0-100% dimmer with instantaneous blackout; Independent access to the effects compartment, the lamp and the electronics	6.372,00	7.646,40	EUR
C11155	without mirror head with lamp (1200W, 6000K)	5.994,00	7.192,80	EUR
C21061G	Mirror head for Stage Scan	378,00	453,60	EUR
Lamps				
HMI 1200W/DXS /OS/	OSRAM HMI 1200W/DXS SFc15,5 1x1 (220.0mm)	More Info:	96,00	115,00 EUR
HMI 1200W/GS /XENO/	XENOPOW HMQ 1200 1200W/100V, 6000K, Metal Halide DE (220.0mm)	More Info:	61,00	73,00 EUR
	GOLDEN SCAN 4 HMI 1200 Golden Scan 4 for HMI 1200 lamp with mirror head (**) 1200 W discharge lamp; Standard lens: 1:2.5/ 250 mm (11°). Optional wide-angle lens: 1:1.6/ 160 mm; Graphic system: 4 fixed gobos + 4 rotating gobos + 1 fixed prism; Colour wheel with 7 colours + white; 2 colour temperature correction filters; Fixed frost filter; Iris on a dedicated channel; Pan and tilt resolution may be set to 8 or 16 bits; 4 side handles for transportation	2.835,00	3.402,00	EUR
Components				
C11072	without mirror head with lamp (1200W, 6000K) (**)	2.457,00	2.948,40	EUR
C21061B	Mirror head for Golden Scan 4	378,00	453,60	EUR
(**)	On request, Golden Scan 4 is available in PFC version with a price increase of	27,00	32,40	EUR
Accessories				
C31144	Kit fan protection covering for Golden Scan 4	68,58	82,30	EUR
F21120	Flight Case for Golden Scan 4 1200/Stage Scan with blue wheels	634,50	761,40	EUR
F21121	Flight Case for Golden Scan 4 1200/Stage Scan without blue wheels	585,90	703,10	EUR
Lamps				
HMI 1200W/DXS /OS/	OSRAM HMI 1200W/DXS SFc15,5 1x1 (220.0mm)	More Info:	96,00	115,00 EUR
HMI 1200W/GS /XENO/	XENOPOW HMQ 1200 1200W/100V, 6000K, Metal Halide DE (220.0mm)	More Info:	61,00	73,00 EUR
	MINI SCAN HP3 with mirror with lamp (300W, 6500K) version 220-240V 300 W discharge lamp; Extremely bright for its size and power; Standard lens: 1:2.2 / 135 mm (19°). Optional wide-angle lens: 1:1.6/ 100 mm (25°); 7 colour wheel + effects wheel (including CTO and CTB filters + UV light filter + light blue filter); Graphic system: 6 rotating gobos + 1 fixed prism; 0-100% dimmer + extremely high-speed stop/strobe (1-12 flashes/s); High precision mechanical iris; 2 frost filters	2.041,20	2.449,40	EUR
Accessories				
C31151	Wide angle 1:1,6/100 mm lens for Mini Scan HP3	37,80	45,40	EUR
Lamps				
HTI 300W/D5/57 /OS/	OSRAM Baby SharXS HTI 300W/D5/57 SFc10-4 (93.0mm)	More Info:	117,00	140,40 EUR
HTI 300W/D5/65 /OS/	OSRAM Baby SharXS HTI 300W/D5/65 SFc10-4 (93.0mm)	More Info:	117,00	140,40 EUR
	Mini Scan HPE with mirror with lamp (300W, 6500K) version 220-240V 300 W discharge lamp; Extremely bright for its size and power; Standart lens 1:1,6/100 mm (16,6°); 7 colour wheel + effects wheel (including CTO and CTB filters + UV light filter + light blue filter + 2 frost filters + fixed prism); Graphic system: 6 rotating gobos; 0-100% dimmer + extremely high-speed stop/strobe (1-12 flashes/s); High precision mechanical iris;	More info:	1.570,00	1.884,00 EUR
Lamps				
HTI 300W/D5/57 /OS/	OSRAM Baby SharXS HTI 300W/D5/57 SFc10-4 (93.0mm)	More Info:	117,00	140,40 EUR
HTI 300W/D5/65 /OS/	OSRAM Baby SharXS HTI 300W/D5/65 SFc10-4 (93.0mm)	More Info:	117,00	140,40 EUR
Color changers				
	CP COLOR 150E (IP65) outdoor, PFC version with lamp (150W, 4200K) Colour changer designed for outdoor illumination (IP65); 150W discharge lamp; CMY colour system with select pure colour filters; Utmost colour uniformity even at close range; 0-100% perfectly linear dimmer; Beam angles from 10° to 80° with optional filters; 4 optional frost filters, which may be used together in combination; Optional adjustable ovalizer filter; Adjustable over 100°; Automatic stand-alone operation (master/slave link); Optional barndoors; Optional quick mount plate and balancing plate	1.647,00	1.976,40	EUR
	CP COLOR 400 indoor, PFC version with lamp (400W, 5600K) Colour changer ideal for professional use and "architainment"; 400 W discharge lamp; CMY colour system with select pure colour filters; 0-100% perfectly linear dimmer; Beam angles from 10° to 80° with optional filters; 4 optional frost filter; Optional adjustable ovalizer filter; Adjustable over 100°; Automatic stand-alone operation (master/slave link); Optional barndoors; Optional quick mount plate and balancing plate	2.079,00	2.494,80	EUR





Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
 CP COLOR 400 SH	indoor, PFC version with lamp (400W, 5600K) Colour changer with the power supply removed from the lighting body (max distance: 300 meters); 400 W discharge lamp; CMY colour system with select pure colour filters; Utmost colour uniformity even at close range; 0-100% perfectly linear dimmer; Beam angles from 10° to 80° with optional filters; 4 optional frost filters; Optional adjustable ovalizer filter; Adjustable over 100°; Optional barndoors; Optional quick mount plate and balancing plate	2.133,00	2.559,60	EUR
	Accessories			
C31160	Holder for filter ø 205mm for CP Color 150E	41,83	50,20	EUR
C31161	Holder for filter ø 205mm for CP Color 400 and 400 SH	36,26	43,50	EUR
C31171	Barndoors kit for CP Color 150E	102,60	123,10	EUR
C31162	Barndoors kit for CP Color 400 and 400 SH	75,06	90,10	EUR
C31163	Quick mounting plate	83,70	100,40	EUR
C31164	Weight balancing plate	27,89	33,50	EUR
C31174	Rotating fixing plate	24,30	29,20	EUR
C31175	Carrying handles for CP Color 150E and 400	16,20	19,40	EUR
C31176	Mounting plate adaptor (Allows the employment of the mounting plates C31163, C31164, C31174 on Cp Color 400 SH when the unit is in the "compact configuration")	17,28	20,70	EUR
C31177	Fast clamping kit for CP Color 400 SH (Enables to sourmount and clamp the lighting body to its own power supply)	15,12	18,10	EUR
080380/001	Frost filter "90"	33,46	40,20	EUR
080380/002	Frost filter "400"	39,04	46,90	EUR
080381/001	Frost filter "C"	6,97	8,40	EUR
080382/001	Diffusion filter ø 205mm	36,26	43,50	EUR
080383/001	Ovalizer filter ø 205mm	36,26	43,50	EUR
	Lamps			
CDM 150 /MA/	PHILIPS CDM-SA/T 150W/942 1CT	More Info: 46,00	55,20	EUR
MSR 400W /PH/	PHILIPS MSR 400 1CT/4 GX9.5, 5900K, 1000h	More Info: 147,00	176,40	EUR
HSR 400W/60 /OS/	OSRAM HSR 400/60 400W GX9.5 10X1, 6000K, 1000h	More Info: 132,00	158,40	EUR
 CP COLOR 400 MH AE	Indoor, PFC version with lamp(400W, 5600K) Essential, practical, streamlined moving head colour changer (MH = moving head); 400 W discharge lamp; CMY colour system with select pure colour filters; 0-100% perfectly linear dimmer; Beam angles from 10° to 80° with optional filters; 4 optional frost filters; Optional adjustable ovalizer filter; Optional barndoors; Optional quick mount plate	2.727,00	3.272,40	EUR
	Accessories			
C31173	Barndoors kit for CP Color MH	64,80	77,80	EUR
C61110	Quick mounting plate	83,70	100,40	EUR
080382/001	Diffusion filter ø 205mm	36,26	43,50	EUR
080383/001	Ovalizer filter ø 205mm	36,26	43,50	EUR
080392/001	Frost filter 90 ø 205mm	39,42	47,30	EUR
080392/002	Frost filter 400 ø 205mm	44,82	53,80	EUR
	Lamps			
MSR 400W /PH/	PHILIPS MSR 400 1CT/4 GX9.5, 5900K, 1000h	More Info: 147,00	176,40	EUR
HSR 400W/60 /OS/	OSRAM HSR 400/60 400W GX9.5 10X1, 6000K, 1000h	More Info: 132,00	158,40	EUR
 CP COLOR 575 (IP 65)	Outdoor, PFC version with lamp (575W, 6000K) Colour changer designed for outdoor illumination (IP65); 575W discharge lamp; CMY colour system with select pure colour filters; 0-100% perfectly linear dimmer; Beam angles from 10° to 80° with optional filters; 3 optional frost filters; Optional adjustable ovalizer filter; Adjustable over 90°; Automatic stand-alone operation (master/slave link); Optional barndoors; Optional quick mount plate and balancing plate	2.484,00	2.980,80	EUR
	Accessories			
C31170	Barndoors kit for CP Color 575	75,06	90,10	EUR
080382/001	Diffusion filter ø 205mm	36,26	43,50	EUR
080383/001	Ovalizer filter ø 205mm	36,26	43,50	EUR
080392/001	Frost filter 90 ø 205mm	39,42	47,30	EUR
080392/002	Frost filter 400 ø 205mm	44,82	53,80	EUR
	Lamps			
MSR 575W/2 /PH/	PHILIPS MSR 575/2 1CT/4	More info: 111,00	133,00	EUR
MSR 575W/72 /OS/	OSRAM HSR 575W/72 GX9,5 10X1	More info: 93,00	112,00	EUR
MSD 575 /MA/	PHILIPS MSD 575 1CT/4	More info: 181,00	217,20	EUR
HSD 575W/72 /OS/	OSRAM 4ArXS HSD 575/72 575W 95V GX9,5 10X1	More info: 117,00	140,40	EUR
 COLORWAVE 300	with lamp (300W, 6500K) Quick essential colour changer, ideal for giving colour to a room at low cost; 300 W discharge lamp; Beam angles from 10° to 80° with optional filters; 3 optional frost filters, which may be used together in combination; Optional adjustable ovalizer filter; Colour wheel with 7 colours + white; 0-100% dimmer + stop/strobe; Automatic stand-alone operation; Master-slave operation; 100° adjustable bracket.	1.166,40	1.399,70	EUR
	Accessories			
080382/001	Diffusion filter ø 205mm	36,26	43,50	EUR
080383/001	Ovalizer filter ø 205mm	36,26	43,50	EUR
080392/001	Frost filter 90 ø 205mm	39,42	47,30	EUR
080392/002	Frost filter 400 ø 205mm	44,82	53,80	EUR
	Lamps			
HTI 300W/D5/57 /OS/	OSRAM Baby SharXS HTI 300W/D5/57 SFc10-4 (93.0mm)	More Info: 117,00	140,40	EUR
HTI 300W/D5/65 /OS/	OSRAM Baby SharXS HTI 300W/D5/65 SFc10-4 (93.0mm)	More Info: 117,00	140,40	EUR

Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
 POINT	with lamp (12V 50W 10°) Available in black (standard) and silver Bracket-mounted intelligent mini-colour changer; Adjustable over 195°; 50 W Dichroic Decostar 51 IRC halogen lamp; Colour wheel with 6 colours + white; Gradual electronic dimmer; Automatic stand-alone operation or from a remote control desk; Master-slave operation of up to a maximum of 100 lights; Optional lens kit for projecting images; Finishes available: black and silver	378,00	453,60	EUR
 POINT IN	with lamp (12V 50W 10°) Available in white (standard) and silver Flush-mounted colour changer; Adjustable over 60° - may be rotated through 355°; 50 W Dichroic Decostar 51 IRC halogen lamp; Colour wheel with 6 colours + white; Gradual electronic dimmer; Automatic stand-alone operation or from a remote control desk; Master-slave operation of up to a maximum of 100 lights; Optional lens kit for projecting images; Colours available: white and silver	405,00	486,00	EUR
 POINT MH	with lamp (12V 50W 10°) Available in black (standard) and silver Intelligent moving-body mini-colour changer (360° pan and 208° tilt); 50 W Dichroic Decostar 51 IRC halogen lamp; Colour wheel with 6 colours + white; Gradual electronic dimmer; Stand-alone operation or from a remote control desk; Master-slave operation of up to a maximum of 100 lights; "Sound-to-light" function for automatic synchronization with a musical rhythm; Optional lens kit for projecting images; Colours available: black and silver	729,00	874,80	EUR
Accessories				
C71101	Lens kit 1:2,8/85mm + gobo mount	48,60	58,30	EUR
C71102	Quick fixing plate kit (only for Point MH)	6,48	7,80	EUR
C71104	Wall/ceiling fixing plate kit (only for Point MH)	8,10	9,70	EUR
C71103	Spill Ring kit Available in black, white and silver	8,10	9,70	EUR
Lamps				
MM Titan 50 SP /OS/	OSRAM 46870 SP DECOSTAR 51 TITAN 50W 12V GU5.3 10° UV FILTER	More Info:	1,91	2,29 EUR
MM Titan 50 FL /OS/	OSRAM 46870 FL DECOSTAR 51 TITAN 50W 12V GU5.3 24° UV FILTER	More Info:	1,91	2,29 EUR
MM Titan 50 WFL /OS/	OSRAM 46870 WFL DECOSTAR 51 TITAN 50W 12V GU5.3 38° UV FILTER	More Info:	1,91	2,29 EUR
MM Titan 50 VWFL /OS/	OSRAM 46870 VWFL DECOSTAR 51 TITAN 50W 12V GU5.3 60° UV FILTER	More Info:	1,91	2,29 EUR

Effects projector



 RAIN SPOT 575 (IP65)	Outdoor, without lens with lamp (575W, 6000K) Effects projector designed for outdoor use (IP65); 575W discharge lamp; Colour wheel with 7 colours + white; Dimmer/stop/strobe; 4 interchangeable multi-element lenses (beam angles available: 18°, 25°, 35° and 46°); 4 rotating gobos + 4 fixed gobos for projecting images; All gobos are interchangeable and may be made of metal, monochromatic or multicoloured dichroic glass (for photographic images) or patterned glass (for decorative textures); 4 rotating prisms	3.942,00	4.730,40	EUR
Accessories				
C31180	Optional multi-element lens 1:2,8/45 mm	388,80	466,60	EUR
C31181	Optional multi-element lens 1:2,8/60 mm	291,60	349,90	EUR
C31182	Optional multi-element lens 1:2,8/85 mm	132,30	158,80	EUR
C31183	Optional multi-element lens 1:2,8/120 mm	172,80	207,40	EUR
Lamps				
MSR 575W/2 /PH/	PHILIPS MSR 575/2 1CT/4	More info:	111,00	133,00 EUR
MSR 575W/72 /OS/	OSRAM HSR 575W/72 GX9,5 10X1	More info:	93,00	112,00 EUR
MSD 575 /MA/	PHILIPS MSD 575 1CT/4	More info:	181,00	217,20 EUR
HSD 575W/72 /OS/	OSRAM 4ArXS HSD 575/72 575W 95V GX9,5 10X1	More info:	117,00	140,40 EUR

Follow-spots


 SHADOW BASIC 575	with lamp (575W, 6000K) Analogue followspot ideal for low-budget needs; 1200 W discharge lamp; Adjustable panel (90°) with practical push buttons and sliders; Standard 11.4° lens (optimal range of between 10 and 25 m); Optional 24.7° wide-angle lens (optimal range of between 5 and 10 m); Colour wheel with 7 colours; Fixed gobo holder; 0-100% iris with adjustable gradual opening speed; 0-100% mechanical linear dimmer + stop/strobe	2.538,00	3.045,60	EUR
 SHADOW BASIC 1200	with lamp (1200W, 6000K) Analogue followspot ideal for low-budget needs; 575 W discharge lamp; Adjustable panel (90°) with practical push buttons and sliders; Standard 11.4° lens (optimal range of between 10 and 25 m); Optional 24.7° wide-angle lens (optimal range of between 5 and 10 m); Colour wheel with 7 colours; Fixed gobo holder; 0-100% iris with adjustable gradual opening speed; 0-100% mechanical linear dimmer + stop/strobe	2.646,00	3.175,20	EUR
 SHADOW QS-ST	with lamp (1200W, 6000K) Intelligent short-throw followspot for medium-long range use; 1200 W discharge lamp; Adjustable electronic control panel (90°) with practical push buttons and sliders; Standard 11.4° lens (optimal range of between 10 and 25 m); Optional 24.7° wide-angle lens (optimal range of between 5 and 10 m); Colour wheel with 7 colours + CTO filter + CTB filter; Fixed gobo holder; 0-100% iris with adjustable gradual opening speed; 0-100% mechanical linear dimmer + stop/strobe	3.294,00	3.952,80	EUR
 SHADOW QS-LT	with lamp (1200W, 6000K) Intelligent long-throw followspot for long distances; 1200 W discharge lamp; Adjustable electronic control panel (90°) with practical push buttons and sliders; Standard 3.8° lens (optimal range of between 30 and 50 m); Switchable 7.6° built-in wide-angle lens (optimal range of between 15 and 38 m); Colour wheel with 7 colours + CTO filter + CTB filter; Fixed gobo holder; 0-100% iris with adjustable gradual opening speed; 12120-100% mechanical linear dimmer + stop/strobe	3.834,00	4.600,80	EUR
Accessories and flight case				
C31128	Kit for wide angle lenses for Shadow QS-ST and Basic	225,72	270,90	EUR
C31129	Side mounting kit for Shadow QS-LT panel	78,30	94,00	EUR
C31136	Side mounting kit for Shadow QS-ST panel	91,80	110,20	EUR
105029/801	M-size Gobo holder for Shadow QS-LT - QS-ST w/out wide angle and Basic	6,42	7,70	EUR
105030/801	M-size Gobo holder for Shadow QS-ST and Basic with wide angle	7,25	8,70	EUR
C31144	Kit fan protection covering for Shadow	68,58	82,30	EUR
F21125	Flight Case for Shadow QS-LT with blue wheels	712,80	855,40	EUR
F21126	Flight Case for Shadow QS-LT without blue wheels	634,50	761,40	EUR

Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
F21127	Flight Case for Shadow QS-ST with blue wheels	663,66	796,40	EUR
F21128	Flight Case for Shadow QS-ST without blue wheels	585,90	703,10	EUR
Lamps				
HMI 575W/DXS /OS/	OSRAM HMI 575W/DXS 95V 10x1 (136.0mm)	More Info:	78,00	94,00 EUR
HMI 575W/GS /XENO/	XENOPOW HMQ 575 575W/95V, 6000K, Metal Halide DE (136.0mm)	More Info:	43,00	52,00 EUR
HMI 1200W/DXS /OS/	OSRAM HMI 1200W/DXS SFc15,5 1x1 (220.0mm)	More Info:	96,00	115,00 EUR
HMI 1200W/GS /XENO/	XENOPOW HMQ 1200 1200W/100V, 6000K, Metal Halide DE (220.0mm)	More Info:	61,00	73,00 EUR


Intelligent lighting effects

	ATLAS HMI 575	with lamp (575W, 6000K) <i>Dance-floor effect with 14 narrow white beams; 575 W discharge lamp; Variable speed progressive shutter (light fan effect); Adjustable speed stop/strobe; Optional colour filters available; Beam width: 0.5°</i>	1.701,00	2.041,20	EUR
Accessories					
	080304/001+005	Color filter for Atlas * (color selection at page 9)	1,84	2,20	EUR
	081406/001	Retaining ring for color filter	0,64	0,80	EUR
Lamps					
	HMI 575W/DXS /OS/	OSRAM HMI 575W/DXS 95V 10x1 (136.0mm)	More Info:	78,00	94,00 EUR
	HMI 575W/GS /XENO/	XENOPOW HMQ 575 575W/95V, 6000K, Metal Halide DE (136.0mm)	More Info:	43,00	52,00 EUR
	ASTRORAGGI POWER HSR 400	with lamp (400W, 6000K) <i>400 W discharge lamp; 102 constantly moving pencil beams; Moving body with continuously adjustable speed (up to 60 rpm); Shutter + adjustable speed stop/strobe</i>	2.214,00	2.656,80	EUR
Lamps					
	MSR 400W /PH/	PHILIPS MSR 400 1CT/4 GX9.5, 5900K, 1000h	More Info:	147,00	176,40 EUR
	HSR 400W/60 /OS/	OSRAM HSR 400/60 400W GX9.5 10X1, 6000K, 1000h	More Info:	132,00	158,40 EUR


Ledwall



	MIRAGE	Semi-transparent led curtain <i>LED type: High Brightness full-colour SMD; Resolution: 32 x 32 pixel per module (total: 1024 pixel); LED Population: 2500 LED per square meter; Luminous flux: 2.350 cd/sqm (NIT); LED lifetime: 50.000 h; Viewing-angle: 170°; Modular architecture, also for outdoor use; A LED display designed for rental companies; SMD technology for ideal brightness even in broad daylight; Latest generation electronic control; A high use LED screen, with exceptional return on investment; Module size: 640 x 640 x 70,5 mm; Module weight: 5.75 kg; Supported load (vertical): 100 Kg (17 modules)</i>	Price available on request		
---	---------------	---	-----------------------------------	--	--

Lighting control software

	HANDS ON	Lighting control software <i>Multi-platform: compatible with all major PC operating systems: Mac OS X / Microsoft Windows / Ubuntu Linux; A clear simple graphic interface; Everything under control on one screen page; A simple cable as DMX interface; Touch Screen: you can transform your monitor into an interactive interface; Remote control using an iPhone; The programming method is the same as that used by the most famous professional lighting desks; Multilingual support; DMX Out and compatible with all existing and future fixtures; DMX 512A + Art-net protocols; 512 channels/ 48 fixtures; 64 playback faders + 64 buttons; Use your MIDI keyboard to control the lights; A library of more than 1900 fixtures of all makes; All the computer functions you are used to (Copy and Paste...Undo...): A universal DMX control: The ideal interface for your Clay Paky fixtures.</i>	351,00	421,20	EUR
---	-----------------	---	--------	---------------	-----

General and furnishing lightings

	WATER COLUMN, Black	black color base with lamp (12V 50W) (*) <i>Fascinating interplay of light and water; 50W Halogen Decostar lamp; Consumption: 110VA; Continuously rotation color wheel: red, light blue, orange, magenta, green, pink, yellow and white; Capacity: about 30 litres; Body colour: black; Optional Conversion kit (base + cover)</i>	826,20	991,40	EUR
	WATER COLUMN, Burr	simulated burr color base with lamp (12V 50W) (*) <i>Fascinating interplay of light and water; 50W Halogen Decostar lamp; Consumption: 110VA; Continuously rotation color wheel: red, light blue, orange, magenta, green, pink, yellow and white; Capacity: about 30 litres; Body colour: simulated burr veneer finish; Optional Conversion kit (base + cover)</i>	826,20	991,40	EUR
	WATER COLUMN, Marble	marble color base with lamp (12V 50W) (*) <i>Fascinating interplay of light and water; 50W Halogen Decostar lamp; Consumption: 110VA; Continuously rotation color wheel: red, light blue, orange, magenta, green, pink, yellow and white; Capacity: about 30 litres; Body colour: simulated marble finish; Optional Conversion kit (base + cover)</i>	826,20	991,40	EUR
Accessories					
	C31200	Kit base + cover for Water Column black color	75,06	90,10	EUR
	C31201	Kit base + cover for Water Column simulated burr color	195,48	234,60	EUR
	C31202	Kit base + cover for Water Column marble color	195,48	234,60	EUR
	(*)	<i>N.B. Specify color needed at the request.</i>			
Lamps					
	MM Titan 50 SP /OS/	OSRAM 46870 SP DECOSTAR 51 TITAN 50W 12V GU5.3 10° UV FILTER	More Info:	1,91	2,29 EUR
	MM Titan 50 FL /OS/	OSRAM 46870 FL DECOSTAR 51 TITAN 50W 12V GU5.3 24° UV FILTER	More Info:	1,91	2,29 EUR
	MM Titan 50 WFL /OS/	OSRAM 46870 WFL DECOSTAR 51 TITAN 50W 12V GU5.3 38° UV FILTER	More Info:	1,91	2,29 EUR
	MM Titan 50 VWFL /OS/	OSRAM 46870 VWFL DECOSTAR 51 TITAN 50W 12V GU5.3 60° UV FILTER	More Info:	1,91	2,29 EUR

Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
	adjustable position 12V 100W Max , built-in transformer with lamp (12V 100W 8°) <i>Built-in transformer spotlight; Halospot 12V, 100W, 8° (standard) Halogen lamp; Halogen lamps of 50W, 75W, 100W with 4°, 8°, 24° or 45° beam angles are available on option; Special unit comprising a parabolic reflector and a 12V/90 W lamp that gives a powerful and very narrow beam (2.5°); Optional color filters: blue, yellow, green, magenta, red, pink, dark orange; IMQ mark certified</i>	151,20	181,40	EUR
	adjustable position without transformer 100W Max , with lamp (12V 100W 8°) <i>Halospot 12V, 100W, 8° (standard) Halogen lamp; Halogen lamps of 50W, 75W, 100W with 4°, 8°, 24° or 45° beam angles are available on option; Special unit comprising a parabolic reflector and a 12V/90 W lamp that gives a powerful and very narrow beam (2.5°); Optional color filters: blue, yellow, green, magenta, red, pink, dark orange; IMQ mark certified</i>	91,80	110,20	EUR
Accessories				
C22049	Kit parabolic reflector for 2.5° beam (to be used with L10036 lamp)	14,50	17,40	EUR
C22050	Dichroic/gel color filter holder kit	6,42	7,70	EUR
080317/...	Diam. 96 mm pirez dichroic color filter (see Color Filters). Color tolerance ± 7,5 nm	50,20	60,20	EUR
C23045/...	Preassembled dichroic color filter with holder (see Color Filters)	57,78	69,30	EUR
C23045TS	Kit transparent protection pirez filter	23,71	28,40	EUR
Lamps				
L10057	41835SSP HALOSPOT® 111, 50W, 12V, 4°, G53, 3000h, UV filter	9,76	11,72	EUR
L10058	41835SP HALOSPOT® 111, 50W, 12V, 8°, G53, 3000h, UV filter	9,76	11,72	EUR
L10059	41835FL HALOSPOT® 111, 50W, 12V, 24°, G53, 3000h, UV filter	9,76	11,72	EUR
L10037	41840SP HALOSPOT® 111, 75W, 12V, 8°, G53, 3000h, UV filter	9,76	11,72	EUR
L10038	41840FL HALOSPOT® 111, 75W, 12V, 24°, G53, 3000h, UV filter	9,76	11,72	EUR
L10039	41840WFL HALOSPOT® 111, 75W, 12V, 45°, G53, 3000h, UV filter	9,76	11,72	EUR
L10060	41850SP HALOSPOT® 111, 100W, 12V, 8°, G53, 3000h, UV filter - supplied	10,60	12,72	EUR
L10061	41850FL HALOSPOT® 111, 100W, 12V, 24°, G53, 3000h, UV filter	10,60	12,72	EUR
L10062	41850WFL HALOSPOT® 111, 100W, 12V, 45°, G53, 3000h, UV filter	10,60	12,72	EUR
L10036	Lampada 12V/90W 2,5° GY6.35 super-concentrated - to be used with parabolic reflector (code C22049)	2,51	3,01	EUR
Miscellaneous				
Stands				
C21029	Floor stand for Stage Scan - Golden Scan 4 - Astroscan	54,54	65,40	EUR
C21030	Adjustable wheel mounted floorstand (for all the projectors with body like Stage Scan - Astroscan)	132,30	158,80	EUR
Plugs and connectors				
C31111	DMX terminal connector	12,55	15,10	EUR
F21112	DMX - 5 pins Cannon connector (male)	4,46	5,40	EUR
F21113	DMX - 5 pins Cannon connector (female)	3,35	4,00	EUR
F21114	Cannon 3 pins connector (male)	3,90	4,70	EUR
F21115	Cannon 3 pins connector (female)	4,74	5,70	EUR
Accessories for the use of dichroic/photographic gobos				
C21025	Adaptor kit holder for dichroic/photographic gobos diam. 51,8 mm, for use on fixed gobos wheel (Golden Scan 4 - Stage Scan - Astroscan)	8,93	10,70	EUR
C21026	Adaptor kit holder for dichroic/photographic gobos diam. 45 mm, for use on fixed gobos wheel (Golden Scan 4 - Stage Scan - Astroscan)	8,93	10,70	EUR
C21027	Adaptor kit holder for photographic/dichroic gobos diam. 51,8 mm, to use on rotating gobo wheels (Golden Scan 4 - Stage Scan - Astroscan)	8,93	10,70	EUR
C21028	Adaptor kit holder for photographic/dichroic gobos diam. 45 mm, to use on rotating gobo wheels (Golden Scan 4 - Stage Scan - Astroscan)	8,93	10,70	EUR
Color Filters				
Pirez Dichroic color filters ø 96 mm for CP SPOT PIN SCAN (color tolerance ± 7,5 nm) - Filter only -				
080317/001	Blue	50,20	60,20	EUR
080317/002	Yellow	50,20	60,20	EUR
080317/003	Green	50,20	60,20	EUR
080317/004	Magenta/Violet	50,20	60,20	EUR
080317/005	Red	50,20	60,20	EUR
080317/006	Pink	50,20	60,20	EUR
080317/007	Deep orange	50,20	60,20	EUR
Pirez dichroic COLOR filter ø 96 mm with support (color tolerance ± 7,5 nm) -				
C23045B	Blue	57,78	69,30	EUR
C23045Y	Yellow	57,78	69,30	EUR
C23045G	Green	57,78	69,30	EUR
C23045V	Magenta/Violet	57,78	69,30	EUR
C23045R	Red	57,78	69,30	EUR
C23045P	Pink	57,78	69,30	EUR
C23045O	Deep orange	57,78	69,30	EUR
Color filters in plexiglas Ø60 mm for ATLAS - Filter only -				
080304/003	Blue	1,84	2,20	EUR
080304/004	Yellow	1,84	2,20	EUR
080304/002	Green	1,84	2,20	EUR
080304/005	Magenta/Violet	1,84	2,20	EUR
080304/001	Red	1,84	2,20	EUR