



PC communication Set's

Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions

www.pro-technica.com

Price List

5/2010





Effective May 20th, 2010
Subject to change without prior notice.
All former price lists expire with the
publishing of this version.

EUR





Articles marked * will be discontinued soon!




E C P B R	Model	Description	EUR	EUR
			Netto (ex. VAT)	+ 20% DDS (incl. VAT)

Bluetooth Mobile Headsets

Y H Y Y B	 VMX 100 Titanium	VMX 100 Titanium - includes wall charger and USB charge cable; Microphone types 2 Electret paired/balanced; Freq. response 100Hz – 8 KHz; Sensitivity 36dBV Distortion 0.1% (Typical) Speaker type Dynamic bi directional – Neodymium Magnet; Sensitivity 94dB SPL @ 1mW / 1kHz Freq. response 100Hz – 8KHz (**) Distortion Less than 1% (Typical); Max output 105db measured at HATS-Ear; DSP (Digital Signal Processing) 18bit signal processing with up to 33 bit internal 1 Bit D/A Converter (Sigma-Delta) 92dB SNR; 1 Bit A/D Converter (Sigma-Delta) 84dB SNR Equalizer 9 Band equalizer; Signal Path Speech optimized signal path	78,00	94,00 EUR
Y H Y Y B	 VMX 100 Black 3in1	VMX 100 Black 3 in 1 - travel kit solution - Black - includes wall charger, USB charge cable, car charger and carry case; Microphone types 2 Electret paired/balanced; Freq. response 100Hz – 8 KHz; Sensitivity 36dBV Distortion 0.1% (Typical) Speaker type Dynamic bi directional – Neodymium Magnet; Sensitivity 94dB SPL @ 1mW / 1kHz Freq. response 100Hz – 8KHz (**) Distortion Less than 1% (Typical); Max output 105db measured at HATS-Ear; DSP (Digital Signal Processing) 18bit signal processing with up to 33 bit internal 1 Bit D/A Converter (Sigma-Delta) 92dB SNR; 1 Bit A/D Converter (Sigma-Delta) 84dB SNR Equalizer 9 Band equalizer; Signal Path Speech optimized signal path	92,00	110,00 EUR
Y H Y Y B	 EZX 60	EZX 60 - The easy-to-use EZX 60 gives you everything you could ever desire in an affordable, super-light headset: superior Sennheiser sound with digital noise and echo cancellation, one-hand convenience and a discreet, smart design that won't ruin your look. Technology Bluetooth® 2.1+ / supported profiles HSP + HFP --- Wearing style Over-the-ear with ear hook Talk time Up to 7.5 hours Charging Time 2 hours Standby time Up to 300 hours Range 10m Weight of headset 12g Headphone Speaker type Dynamic – Neodymium magnet Frequency response 300 – 3,400Hz Microphone type Omni-directional electret microphone	40,00	48,00 EUR
Y H Y Y B	 FLX 70	FLX 70 - The included three sizes of speaker silicone covers allow for a more personal fit. In addition, a semi-open acoustic system keeps your ears from feeling plugged. The integrated DSP optimizes speech intelligibility and reduces noise. Mic: Freq. response 200Hz – 4 KHz; Sensitivity 36dBV Distortion 0.1% (Typical) Speaker type Dynamic bi directional – Neodymium Magnet; Sensitivity 94dB SPL @ 1mW / 1kHz Freq. response 200Hz – 4KHz (**) Distortion Less than 1% (Typical); Max output 105db measured at HATS-Ear;	55,00	66,00 EUR





Mobile Multimedia Headsets

Y H Y Y B	 MM 50	MM 50 - The MM 50 reproduces outstanding, professional quality stereo acoustics to ensure you gain maximum pleasure from your mobile entertainment tool! Headphones: Freq. response - 18 – 22,000 Hz, Impedance - 16 Ω, SPL 106 dB, Mic: Freq. response - 80 – 15,000 Hz, Pick-up pattern - Omni-directional, Ear coupling - In-the-ear, Connector plugs: 3,5mm for Nokia and 3,5mm 4-pole for iPhone (iPhone variants can be black or white)	37,00	44,00 EUR
Y H Y Y B	 MM 60	MM 60 - With outstanding sound reproduction, the MM 60 iPhone does justice to great music and makes every call go smoothly. First-class music sound quality – dynamic open headset for outstanding sound reproduction; Easy-2-GO – award-winning, foldable design, ideal for travel; Comfort – lightweight headband with split padding Convenience – integrated in-line microphone with one-touch call answer/hang-up button; Connector - 3,5mm for Nokia or 4-poled, 3,5mm stereo plug ideal for Apple's iPhone (all generations) and iPod	37,00	44,00 EUR
Y H Y Y B	 MM 80 for iPhone	MM 80 IP - This stylish headset does justice to the high-end design of next-generation Mac devices – and has the hi-fi performance to match. Its advanced ear-canal buds effectively reduce ambient noise interference when you're traveling by plane or train, so you can enjoy MP3s at sensible volumes in excellent Sennheiser stereo sound and won't have to shout when you take a call. Wearing style Ear-canal Cable length 1.3m Connector plugs Detachable 3,5mm, 4-poled plug for iPhone and iPod Headphones Frequency response 10 – 18,000Hz Impedance 16Ω Sound pressure level 104dB (at 1mW, 1kHz) Microphone Frequency response 80 – 15,000Hz Pick-up pattern Omni directional Sensitivity -40dBV/Pa	111,00	133,00 EUR
Y H Y Y B	 MM 100	MM 100 - The MM 100 Stereo Bluetooth® headset lets you enjoy music on your mobile phone in Sennheiser sound quality – and take calls at the press of a button. With its lightweight neckband design and wireless technology, the MM 100 is perfect for sports, walking the streets or just relaxing in the park without getting tangled up in a cord.	85,00	102,00 EUR







E C P B R	Model	Description	EUR	EUR
			Netto (ex. VAT)	+ 20% DDS (incl. VAT)
Y H Y Y B	 MM 200	MM 200 - Excellent premium sound quality to maximize enjoyment of your modern mobile multimedia tool; Superb stereo sound, with high dynamics and excellent bass response; Latest Bluetooth® technology for maximum freedom; Subtle in-ear monitors which effectively block out surrounding noise; 3 ear pad sizes allow for superior individual fit and optimal acoustics	90,00	108,00 EUR
Y H Y Y B	 MM 400	MM 400 - Blending new technology and hi-fi design skills, Sennheiser Communications gives you the market's best quality Bluetooth communications headset. In short, you get the best of both worlds with excellent sound and fully mature implementation of Bluetooth 2.1 and A2DP combined in one high-performance headset. You'll be wowed by the benefits of the built-in microphone, and the detailed sound and excellent bass provided by Sennheiser's Hi-Fi quality headphone drivers. And now, thanks to the closed-back capsule design of the acoustic ear-caps which enhances passive noise reduction, you can keep your music entirely personal and relax in the knowledge that you won't be disturbing your neighbors.	141,00	169,00 EUR
Y H Y Y B	 MM 450	MM 450 - the world's first high-end noise canceling headset and a great hi-fi headphone which comes in one easy-to-use and smartly designed package. Wireless or wired, you can relax to superb Sennheiser audio perfection from any Bluetooth enabled device, while enjoying the benefits of a sophisticated communication headset to take and make cellular calls on mobile phones and VoIP calls on PCs and Macs. Technology Bluetooth® 2.1 + A2DP Play time with / without NoiseGard™* 8 hours / 10 hours Talk time without NoiseGard™* Up to 20 hours Charging time 3 hours Weight 105g Headphones Frequency response 15 – 22,000Hz Sound pressure level 107dB (at 1mW, 1kHz) Distortion Less than 0.1% (typical at 1kHz)	228,00	274,00 EUR

PC Analogue Headset Range



Y H Y Y B	 PC 100	PC100 The PC 100 is the ideal all-in-one Headset 2 Go. It combines an ultra-light in-ear design with excellent sound quality – so you can enjoy internet telephony, entertainment and gaming all day long. Cable length 1.2m Connector plugs 2 x 3.5mm (1/8 inch) Headphones Frequency response 22 – 20,000Hz Impedance 32Ω Sound pressure level (SPL) 109dB Microphone Frequency response 80 – 15,000Hz Pick-up pattern Omni-directional	14,20	17,00 EUR
Y H Y Y B	 PC 11	PC11 - Ultra-light and comfortable on either ear, the discreet PC 11 is the ideal headset for making calls over the net wherever you take your laptop. Wearing style Over the ear, mono Cable length 2m Connector plugs 2 x 3.5mm (1/8 inch) Headphones Frequency response 45 – 18,000Hz Impedance 32Ω Sound pressure level (SPL) 113dB Microphone Frequency response 80 – 15,000Hz Pick-up pattern Omni-directional	12,70	15,00 EUR
Y H Y Y B	 PC 21 (PC 20)	PC21 (PC 20) - for VoIP, voice recognition and internet telephony; Cable length - 3 m; Connector Plug - 2 x 3.5 mm; Headphones:Freq. response - 40 – 18,000 Hz, Impedance - 32 Ω, SPL - 109 dB,Mic: Freq. response 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional;	17,00	20,00 EUR
Y H Y Y B	 PC 31 (PC 30)	PC31 (PC 30) - for VoIP, voice recognition and internet telephony / Cable length .3 m; Connector Plug - 2 x 3.5 mm; Headphones:Freq. response - 40 – 18,000 Hz, Impedance - 32 Ω, SPL - 109 dB, Mic:Freq. response - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional,	23,00	28,00 EUR
Y H Y Y B	 PC 110	PC 110 - inexpensive internet telephony and laptop use; Headphone Freq. response - 45 – 18,000 Hz, Impedance - 32 Ω, SPL - 113 dB, Cable length - 3 m; Connector Plug - 2 x 3.5 mm; Mic. Freq. response - 80 Hz – 15,000 Hz, Pick-up pattern - Omni-directional;	14,40	17,00 EUR
Y H Y Y B	 PC 121 (PC 120)	PC 121 (PC 120) - inexpensive internet telephony and laptop use; Headphone Freq. response - 50 – 18,000 Hz, Impedance - 32 Ω, SPL - 114 dB, Cable length - 3 m; Connector Plug - 2 x 3.5 mm; Mic. Freq. response - 80 Hz – 15,000 Hz, Pick-up pattern - Omni-directional;	23,00	28,00 EUR
Y H Y Y B	 PC 131 (PC 130)	PC 131 (PC 130) - for gaming, voice recognition, internet telephony and other voice over IP applications, Headphones:Freq. response - 30 – 18,000 Hz, Impedance - 32 Ω, SPL - 112 dB, Cable length - 3 m; Connector Plug - 2 x 3.5mm, Microphone: Freq. response - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional;	31,00	37,00 EUR
Y H Y Y B	 PC 141 (PC 140)	PC 141 (PC 140) - Ideal for gaming, internet telephony and other voice over IP applications / Headphones: Freq. response - 40 – 20,000 Hz, Impedance - 32 Ω, SPL - 109 dB, Cable length - 3 m; Connector Plug - 2 x 3.5mm/ Mic: Freq. response - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional;	24,00	29,00 EUR
Y H Y Y B	 PC 151 (PC 150)	PC 151 (PC 150) - Headphones: Freq. response - 18 – 22,000 Hz Impedance - 32 Ω, SPL - 114 dB Cable length - 3 m; Connector Plug - 2 x 3.5mm jack, Microphone: Freq. response - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional;	46,00	55,00 EUR
Y H Y Y B	 PC 161	PC 161 - Open air speaker system Headphones: Frequency response - 15 – 23,000 Hz Impedance - 32 Ω SPL - 114 dB Cable length. - 3 m; Connector plug - 2 x 3.5mm, Microphone: Frequency response - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional;	75,00	90,00 EUR
Y H Y Y B	 PC 230	PC 230 - Over the head binaural headset	37,00	44,00 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Y H Y Y B	 PC 300 G4ME	PC 300 - With its comfortable, in-ear design and superb speakers, the PC 300 G4ME enables you to get the most out of your gaming, music and voice chats wherever you are. Fitted sleeves in three sizes help block out distracting background noise even at low volumes – so it's perfect for gaming at LAN parties and gaming conventions. And its compact size make it ideal for traveling.	50,00	60,00 EUR
Y H Y Y B	 PC 330	PC 330 - The high-performance headset for ambitious global gamers, the PC 330 has all you need to stay in the game, like a closed design that keeps you focused on the win and right DJ Hinge ear cup for talking directly with your teammates. Headphones: Frequency response - 14 – 22,000 Hz Impedance - 32 Ω SPL - 112 dB Cable length. - 3 m; Connector plug - 2 x 3.5mm, Microphone: Frequency response - 70 Hz – 15,000 Hz, Pick-up pattern - Noise Cancelling;	81,00	97,00 EUR
Y H Y Y B	 PC 350	PC 350 - Premium gaming headset with circumaural passive noise damping; Headphones: Frequency response - 10 – 26,000 Hz Impedance - 32 Ω SPL - 108 dB Cable length. - 3 m; Connector plug - 2 x 3.5mm, Microphone: Frequency response - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional;	136,00	163,00 EUR
Y H Y Y B	 PC 360	PC 360 - A new flagship for pro gaming. It has an open design that makes sure you keep a cool head – and delivers a natural listening experience so you can stay in touch with your surroundings. Headphones: open; Frequency response - 15 – 28,000 Hz Impedance - 32 Ω SPL - 112 dB Cable length. - 3 m; Connector plug - 2 x 3.5mm, Microphone: Frequency response - 50 Hz – 16,000 Hz, Pick-up pattern - Noise cancelling;	165,00	198,00 EUR


PC USB Headset Range

Y H Y Y B	 PC 26 USB	PC 26 USB - fThe PC 26 USB is a single-sided headset that lets you enjoy internet communication while you keep one ear on what's going on around you. On both PC and Mac, the detachable USB adapter's soundcard guarantees crystal-clear Sennheiser sound. Cable length 3m Connector plug 2 x 3.5mm Detachable USB adapter with integrated soundcard; Headphones Frequency response 40 – 18,000Hz Impedance 32Ω Sound pressure level (SPL) 109dB Microphone Pick-up pattern Noise canceling Frequency response 80 – 15,000Hz	34,00	41,00 EUR
Y H Y Y B	 PC 36 USB	PC 36 USB - The double-sided PC 36 USB headset lets you focus on your internet communication and enjoy music and movies in quality stereo sound. On both PC and Mac, the detachable USB adapter's integrated soundcard guarantees crystal-clear Sennheiser sound. Cable length 3m Connector plug 2 x 3.5mm Detachable USB adapter with integrated soundcard Headphones Frequency response 40 – 18,000Hz Impedance 32Ω Sound pressure level 109dB Microphone Frequency response 80 – 15,000Hz Pick-up pattern Noise canceling	38,00	46,00 EUR
Y H Y Y B	 PC 135 USB	PC 135 USB - For gaming, voice recognition internet telephony and other voice over IP applications. Headphones: Freq. response -30 – 18,000 Hz, Impedance - 32 Ω, SPL - 112 dB, Cable length - 3 m; Connector Plug - USB adapter and 2 x 3.5mm jack, Mic: Freq. resp. - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional, Incl.: Detachable USB adapter,	49,00	59,00 EUR
Y H Y Y B	 PC 146 USB (PC 145 USB)	PC 146 USB (PC 145 USB) - Headphones for gaming, internet telephony and other voice over IP applications :Freq. response - 40 – 20,000 Hz, Impedance - 32 Ω, SPL - 109 dB, Cable length - 3 m; Connector Plug - USB adapter and 2 x 3.5mm jack, Mic: Freq. response - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional, Included: Detachable USB adapter;	40,00	48,00 EUR
Y H Y Y B	 PC 155 USB	PC 155 USB - Freq. response - 18 – 22,000 Hz Impedance - 32 Ω SPL- 114 dB, Cable length - 3 m; Connector Plug - USB adapter and 2 x 3.5mm jack, Mic: Freq. response - 80 Hz – 15,000 Hz, Pick-up pattern - Uni-directional; Incl: Detachable USB adapter;	69,00	83,00 EUR
Y H Y Y B	 PC 166 USB	PC 166 USB - Headphones: Frequency response - 15 – 23,000 Hz Impedance - 32 Ω Sound pressure - 114 dB Cable length - 3 m; Connector plug - 2 x 3.5mm and USB adapter;.: Mic: Frequency response - 80 Hz – 15,000Hz Pick-up pattern - Uni-directional Included: USB adapter;	90,00	108,00 EUR

Bluetooth Office Headsets


Y H Y Y B	 BW 900	BW 900 - Business class wireless office headset It is the office headset with intelligent sound quality, 100 meter range and mobile phone compatibility. You can use the BW 900 headset with your regular office desktop (up to 100 meters) and mobile phones, as well as alternative telephone types such as smart phones, soft phones, etc	271,00	325,00 EUR
Y H Y Y B	 VMX Office	VMX Office - Setting new standards in listening and wearing comfort, the VMX Office is a lightweight Bluetooth® headset ideal for professionals on the go. One headset does it all: use Bluetooth® to call up to 10m from your mobile or any Bluetooth® compatible device; and use the VMX Office's base station to make calls in a 35m radius of your PC, laptop, MacBook or desk phone. You're free to switch from one device to the other at the push of a button – and hold your conversations wherever you want.	192,00	230,00 EUR

DW 800 Intercom System



Y H Y Y B	 DW 800	DW 800 - With DW 800 you can take any Sennheiser Communications telecom headset and make it wireless. With the telephone controlling interface TCI 01 and your the integrated electronic or mechanical handset lifter, you can even take and hang up calls while on the move Allows up to 5 people to communicate in a group; System can connect via docking station to external audio equipment; Push-to-talk function (PTT) as a default; Batteries charge faster than they deplete; Delivery Includes: 1 master- and 4 slave-mobile units; 3 docking stations; 1 AUX-cable and an extension-cable for 8 users	2.237,00	2.684,00 EUR
-----------	---	---	----------	---------------------

E C P B R	Model	Description	EUR	EUR
			Netto (ex. VAT)	+ 20% DDS (incl. VAT)





DW Office

Y H Y Y B		DW Office	DW Office - DECT Wireless Office headset with base station, for desk phone and PC, convertible (headband or earhook); DW Office is an all new single-sided DECT headset for your desk phone and softphone. The elegant design places a premium on comfort and effectiveness, allowing you to move freely around without any wires to hold you back. You'll warm to HD voice clarity and high-end sound quality, personalized wearing styles, simplicity of use, intuitive and easy pairing for desk sharing or phone conferencing, and full workday talk time with intelligent fast charging.	271,00	325,00 EUR
-----------	---	------------------	--	--------	-------------------







SH 200 Series Headset Range




Y H Y Y B		SH 230	SH 230 - premium quality over-the-head monaural headset. Mic - Omni.Freq. response - 300 Hz – 3.400 Hz Distortion - Less than 1% Noise cancelling - 0 dB Speaker impedance - 300 ohm Freq. response -300 Hz – 3.400 Hz SPL max.104 dB / ActiveGard™ Ear-cap - regular ø 42 mm Cable - 1 m Kevlar™* reinforced, Easy Disconnect	68,00	82,00 EUR
Y H Y Y B		SH 250	SH 250 - Premium quality over the head, binaural headset.Mic:Omni, Freq. response - 300 Hz – 3400 Hz, Speaker impedance - 300 Ω, Freq. response - 300 Hz – 3400 Hz, SPL Max. 103 dB/ActiveGard™, Cable 1 m Kevlar™* reinforced, Easy Disconnect	90,00	108,00 EUR

SH 300 Series Headset Range







Y H Y Y B		SH 300	SH 300 - Ultra lightweight headset, all purpose monaural solution for longer conversations. Mic:Noise Cancelling, Freq. response - 100 Hz – 3400 Hz, Distortion - Less than 1%, Speaker impedance - ~300 Ω. Freq. response - 300 Hz – 3400 Hz, SPL Max. 104 dB - ActiveGard™, Ear-cap size -Regular ø 20 mm, Cable- 1 m Kevlar®* , Easy Disconnect	99,00	119,00 EUR
Y H Y Y B		SH 330	SH 330 - Over the head, monaural headset supplied with noise cancelling microphone and Activegard protection technology.Mic:Ultra Noise Cancelling, Freq. response -300 Hz – 3400 Hz,Speaker impedance ~300 Ω, Freq. response - 300 Hz – 3400 Hz, SPLMax. 103 dB ActiveGard™, Cable - 1 m Kevlar®, Easy Disconnect	92,00	110,00 EUR
Y H Y Y B		SH 335	SH 335 - The SH 335 is a flexible headset which enables users to switch between ear-clip and headband wearing stylesd.Mic: Noise Canceling.Freq. response - 200 Hz – 4500 Hz, Distortion - Less than 1%, Speaker impedance - ~2 kΩ, Freq. response -100 Hz – 4500 Hz, SPL Max. 104 dB ActiveGard™, Ear-cap size- Regular ø 42 mm, Cable - 1 m Kevlar Easy Disconnect	107,00	128,00 EUR
Y H Y Y B		SH 350	SH 350 - Over the head, binaural headset with large ear cups supplied with noise cancelling microphone and Activegard protection technology; Mic: Noise Cancelling, Freq. response - 300 Hz – 3400 Hzp Speaker impedance ~300 Ω Freq. response - 300 Hz – 3400 Hz, SPL Max. 103 dB limited by ActiveGard™, Cable length -1 m Kevlar®* reinforced connector - Easy Disconnect	115,00	138,00 EUR

CC 500 Series Headset Range

Y H Y Y B		CC 510	CC 510 - Over the head, monaural headset supplied with ultra noise cancelling microphone and Activegard protection technology.Mic:Ultra Noise Canceling, Freq. response -300 Hz – 3400 Hz, Speaker impedance - ~300 Ω, Freq. response - 300 Hz – 3400 Hz, SPL Max. 103 dB limited by ActiveGard™, Ear-cap size - 42mm, Cable length -1 m Kevlar®* reinforced, Easy Disconnect	110,00	132,00 EUR
Y H Y Y B		CC 515	CC 515 - Over the head, monaural headset with extra-large ear caps supplied with ultra noise cancelling microphone and Activegard protection technology; Mic: Ultra Noise Cancelling, Freq. response - 300 Hz – 3400 Hz,Speaker impedance ~300 Ω, Frequency response - 300 Hz – 3400 Hz, SPL Max. 103 dB limited by ActiveGard™, Ear-cap size -Regular ø 51 mm, Cable length - 1 m Kevlar®, Connector - Easy Disconnect	125,00	150,00 EUR
Y H Y Y B		CC 520	CC 520 - Over the head, binaural headset supplied with ultra noise cancelling microphone and Activegard protection technology. Mic: - Ultra Noise Canceling, Freq. response - 300 Hz – 3400 Hz, Speaker impedance - ~300 Ω, Freq. response -300 Hz – 3400 Hz, SPL Max. 103 dB limited by ActiveGard™,Cable length- 1 m Kevlar®* reinforced.Connector - Easy Disconnect	125,00	150,00 EUR
Y H Y Y B		CC 530	CC 530 - 2-in-1 Solution - Ear clip or Headband. Mic: - Ultra Noise Canceling, Freq. response - 300 Hz – 3400 Hz, Speaker impedance - ~300 Ω, Freq. response -300 Hz – 3400 Hz, SPL Max. 103 dB limited by ActiveGard™,Cable length- 1 m Kevlar®* reinforced.Connector - Easy Disconnect	133,00	160,00 EUR
Y H Y Y B		CC 540	CC 540 - Over the head, binaural headset with large ear caps supplied with ultra noise cancelling microphone and Activegard protection technology.Mic:-Ultra Noise Cancelling, Freq. response -300 Hz – 3400 Hz, Distortion - Less than 1%, Speaker impedance - ~300 Ω, Freq. response - 300 Hz – 3400 Hz, SPL - Max. 103 dB(ActiveGard™), Ear-cap size - Large ø 46 mm Easy Disconnect	133,00	160,00 EUR
Y H Y Y B		CC 550	CC 550 - Over the head, binaural headset with extra-large ear caps supplied with ultra noise cancelling microphone and Activegard protection technology.Mic: - Ultra Noise Cancelling, Freq. response - 300 Hz – 3400 Hz, Distortion - Less than 1%, Speaker impedance - ~300 Ω, Freq. response - 300 Hz – 3400 Hz, SPL - Max. 103 dB; Ear-cap size X-large ø 51 mm; Easy Disconnect	141,00	169,00 EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
CC 500 IP Series Headset Range				
Y H Y Y B	 CC 515 IP	CC 515 IP - Wearing style Headband, monoaural (single-sided) Cable length 1m (3.3 feet) Kevlar® reinforced Connection Easy Disconnect Headphones Frequency response 150 - 6800 Hz Impedance ~180 Ω Sound pressure level (SPL) Max. 103dB limited by ActiveGard™** Ear-cup size X-Large ø 51mm (2.0 inches) Microphone Frequency response 150 - 6800 Hz Pick-up pattern Ultra noise canceling Distortion Less than 1%	125,00	150,00 EUR
Y H Y Y B	 CC 520 IP	CC 520 IP - Wearing style Headband, binaural (double-sided speakers) Cable length 1m (3.3 feet) Kevlar® reinforced Connection Easy Disconnect Headphones Frequency response 150 - 6800 Hz Impedance 180 Ω Sound pressure level (SPL) Max. 103dB limited by ActiveGard™** Ear-cup size X-Large ø 51mm (2.0 inches) Microphone Frequency response 150 - 6800 Hz Pick-up pattern Ultra noise canceling Distortion Less than 1%	125,00	150,00 EUR
Y H Y Y B	 CC 550 IP	CC 550 IP - Wearing style Headband, binaural (double-sided speakers) Cable length 1m (3.3 feet) Kevlar® reinforced Connection Easy Disconnect Headphones Frequency response 150 - 6800 Hz Impedance 180 Ω Sound pressure level (SPL) Max. 103dB limited by ActiveGard™** Ear-cup size X-Large ø 51mm (2.0 inches) Microphone Frequency response 150 - 6800 Hz Pick-up pattern Ultra noise canceling Distortion Less than 1%	141,00	169,00 EUR

Interface Boxes

Y H Y Y B	 UI 710	UI 710 - connects telephone and headset cables. Allows you quickly switching between headset or the telephone handset at the touch of a button. Line powered, therefore no battery or AC transformer required, Compatible with all Sennheiser Communications telecom headsets	24,00	29,00 EUR
Y H Y Y B	 HSL 10	HSL 10 - Handset Lifter Accessory for: BW 900, DW Office, VMX Office	63,00	76,00 EUR
Y H Y Y B	 TCI 01	TCI 01 - Interface box for telephones featuring electronic hook switch Accessory for: BW 900, DW Office	45,00	54,00 EUR
Y H Y Y B	 UI 760	UI 760 - Features Dynamic Volume Control™, Sound Clarity System™, microphone volume control and mute, handset-/headset switch, easy installation switch, power save function, integrated headset stand and more, Output limited	82,00	98,00 EUR
Y H Y Y B	 UUSB 8	UUSB 8 - Sennheiser UUSB 8 Wired Call Control offers more functionality, easy handling, and convenient usage – all on one device. Connect a USB soundcard to a wideband wired headset and appreciate the Sennheiser quality acoustic standard. linking a PC softphone to Wired Call Control and HeadSetup enables all calls to be managed seamlessly by one device.	61,00	73,00 EUR
Y H Y Y B	 THA 01	THA 01 - THA 01 is recommended for Avaya-Tenovis phones featuring an integrated AEI port, such as the T1 series of telephones	74,00	89,00 EUR