



Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions

www.pro-technica.com

buy online at www.musicworld.bg

Price List 3/2010

Effective March 3, 2010


Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.

EUR


Articles marked * will be discontinued soon!

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
-----------	-------	-------------	---------------------------	---------------------------------


INTENSE!

Y H N N B		INT-152 15" 2-way Full Range Speaker • Frequency Response: 50 Hz - 20 kHz • Peak Power Handling: 600 watts • Program Power Handling: 300 watts • Max SPL: 126 • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 98 dB • Crossover Frequency: 2 kHz • Connections: 2 x 1/4" Phone, Neutrik Speakon™ 45.72 cm x 48.26 cm x 76.2 cm, 28kg	220,00	264,00 EUR
Y H N N B		INT-252 Dual 15" 2.5-way Full Range Speaker • Frequency Response: 45 Hz - 20 kHz • Peak Power Handling: 1000 watts • Program Power Handling: 500 watts • Max SPL: 130 dB • Nominal Impedance: 4 Ohms • Sensitivity (1w/1m): 100 dB • Crossover Frequency: 2 kHz • Connections: 2 x 1/4" Phone, 1 x Neutrik 45.72 cm x 48.26 cm x 116.8 cm, 39kg	310,00	372,00 EUR
Y H N N B		INT-118S 18" Passive Subwoofer • Frequency Response: 38 Hz - 500 Hz • Peak Power Handling: 1000 watts • Program Power Handling: 500 watts • Max SPL: 128 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 98 dB • Suggested Crossover Frequency: 60Hz to 160Hz Low Pass 58.5 cm x 60.96 cm x 63.5 cm, 39kg	290,00	348,00 EUR



Design Series™

		new SDS-525B-T SDS-525W-T Cerwin Vega 5-1/4" 2-way weather-resistant speaker (black & White) • Frequency Response: 90 Hz to 20 kHz • Peak Power Handling: 150 watts • Max SPL: 110 dB • Nominal Impedance: 4 ohms • Sensitivity (1w/1m): 88db • Crossover Frequency: 5 kHz • 5.25" Woofer with Co-Polymer Cone & Butyl Rubber Surround • 1" Mylar-Dome Tweeter • Mounting Brackets Included • Internal Transformer for use in 100V / 70.7V constant voltage distribution systems or 4 Ohm	50,00	60,00 EUR
--	--	--	-------	------------------



VEGA! Active

Y H N N B		new CVA-28X Cerwin-Vega Active High Performance Dual 8-inch full range speaker • Compact, High-Performance, Powered, 3-Way System • Dual 8" woofers with 1.4" HF concentric driver • 60 Hz - 20 Hz (±3 dB) • Built-in Tri-Amped Module with 380 watt RMS , 800 watt peak power • Flyable Capabilities • Cast Aluminum Grille • Hardwood Enclosure with Coolex™ Paint Finish • Stage Monitor Capabilities • Cluster "Array-like" Configurations • Compact & Light Enclosure Design	460,00	552,00 EUR
-----------	---	---	--------	-------------------

VEGA! Passive

Y H N N B		new CVP-1152 15" 2-way Passive Speaker/Floor Monitor w/ high SPL! • Bi-ampable 2-Way Monitor Wedge w/ multiple fly points • Frequency Response: 59Hz - 18.5kHz (+/- 3dB) • Power Handling: 500 watts RMS - 1000 watts Peak • Max SPL: 130 dB w/ Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 99 dB • Connections: 1/4"Phone, Neutrik Speakon™ • 15" SW15C Woofer w/ Cast Alum. Frame • Durable Multi-Ply Construction • High Quality & Durable Coolex(R) paint • Rotatable Cast aluminum grill • Rotatable Mylar HF Horn for precise directivity 71.4x46.2x40.7 (cm), 30.3kg	520,00	624,00 EUR
Y H N N B		new CVP-2153 Dual 15" 3-way Passive Speaker w/ Mylar HF & extreme SPL! • Bi-ampable 3-Way w/ multiple flypoints • Frequency Response: 48Hz - 18.5kHz (+/- 3dB) • Power Handling: 1000 watts RMS - 2000 watts Peak • Max SPL: 134 dB w/ Nominal Impedance: 4 Ohms • Sensitivity (1w/1m): 101 dB • Connections: 1/4"Phone, Neutrik Speakon™ • Two 15" SW15C Woofers w/ Cast Alum. Frame • Durable Multi-Ply Construction • High Quality & Durable Coolex(R) paint • Rotatable Cast aluminum grill • Rotatable Mylar HF Horn for precise directivity 114.3x46.2x48.3 (cm), 51.2kg	730,00	876,00 EUR

VEGA! BASS Passive





Y H N N B		new CVP-118X Cerwin-Vega Passive High Performance 18-inch subwoofer • Legendary Cerwin-Vega Bass Performance • Custom 18-inch Cerwin-Vega Woofer • 700 watts RMS , 1,400 watt peak power • Cast Aluminum Grille • Hardwood Enclosure with Coolex™ Paint Finish • Top-mount 35 mm Pole Socket	450,00	540,00 EUR
Y H N N B		new CVP-121X Cerwin-Vega Passive High Performance Dual 21-inch subwoofer • Legendary Cerwin-Vega Bass Performance • Custom 21-inch Strocker Cerwin-Vega Woofer • 2000 watts RMS , 4000 watt peak power • Cast Aluminum Grille • Hardwood Enclosure with Coolex™ Paint Finish • 3 Top-mount 35 mm Pole Sockets	775,00	930,00 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
-----------	-------	-------------	---------------------------	---------------------------------


VEGA! BASS Active

Y H N N B	 new CVA-115X	Cerwin-Vega Active High Performance 15-inch subwoofer • Legendary Cerwin-Vega Bass Performance • Custom 18-inch Cerwin-Vega Woofer • Built-in Amplification with 700 watts RMS , 1,400 watt peak power • Master/Slave Output • Cast Aluminum Grille • Hardwood Enclosure with Coolex™ Paint Finish • Top-mount 35 mm Pole Socket	630,00	756,00 EUR
Y H N N B	 new CVA-118X	Cerwin-Vega Active High Performance 18-inch subwoofer • Legendary Cerwin-Vega Bass Performance • Custom 18-inch Cerwin-Vega Woofer • Built-in Amplification with 700 watts RMS , 1,400 watt peak power • Master/Slave Output • Cast Aluminum Grille • Hardwood Enclosure with Coolex™ Paint Finish • Top-mount 35 mm Pole Socket	700,00	840,00 EUR
Y H N N B	 new CVA-121X	Cerwin-Vega Active High Performance Dual 21-inch subwoofer • Legendary Cerwin-Vega Bass Performance • Custom 21-inch Stroker Cerwin-Vega Woofer • Built-in Amplification 1200 watts RMS , 2,400 watt peak power • Onboard parametric equalize for adjusting gain, frequency, and Q • Master/Slave Output • Cast Aluminum Grille • Hardwood Enclosure with Coolex™ Paint Finish • 3 Top-mount 35 mm Pole Sockets	1.200,00	1.440,00 EUR

VEGA! BASS


Y H N N B	 JE-36	18" Folded Horn, 3" Voice Coil • Frequency Response: 35 Hz - 300 Hz • Peak Power Handling: 1000 watts • Program Power Handling: 500 watts • Max SPL: 136 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 106 dB • Suggested Crossover Frequency: 60Hz to 160Hz Low Pass • Connections: 1/4"Phone, Neutrik Speakon™ • 18" Woofer with 3" Voice Coil • Durable Multi-Ply Construction • High Quality Black Carpet for Durability 607 x 609 x 914 (mm), 64kg	599,00	719,00 EUR
Y H N N B	 EL-36	18" Folded Horn, 3" Voice Coil • Frequency Response: 30 Hz - 300 Hz • Peak Power Handling: 1000 watts • Program Power Handling: 500 watts • Max SPL: 136 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 106 dB • Suggested Crossover Frequency: 60Hz to 160Hz Low Pass • Connections: 1/4"Phone, Neutrik Speakon™ • 18" Woofer with 3" Voice Coil • Durable Multi-Ply Construction • High Quality Black Carpet for Durability 914 x 609 x 914 (mm), 72kg	680,00	816,00 EUR
Y H N N B	 AB-36	18" Stroker Folded Horn, 4" Voice Coil • Frequency Response: 30 Hz - 300 Hz • Peak Power Handling: 1500 watts • Program Power Handling: 750 watts • Max SPL: 140 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 108 dB • Suggested Crossover Frequency: 60Hz to 160Hz Low Pass • Connections: 1/4"Phone, Neutrik Speakon™ • Stroker 18" Woofer with 4" Voice Coil • Durable Multi-Ply Construction • High Quality Black Carpet for Durability 914 x 609 x 914 (mm), 71kg	800,00	960,00 EUR
Y H N N B	 TS-42	21" Stroker Folded Horn, 4" Voice Coil & extreme low end bass!!! • Unprecedented 21" Woofer using Stroker™ Technology for increased power handling with less distortion. • Frequency Response: 25Hz - 135Hz (+/- 3dB) • Peak Power Handling: 4000 watts • Program Power Handling: 2000 watts • Max SPL: 144 dB • Nominal Impedance: 8 Ohms • Sensitivity (1w/1m): 108 dB • Connections: Neutrik Speakon™ • Stroker® 21" Woofer with 4" Voice Coil • Durable Multi-Ply Construction • High Quality Black Carpet for Durability • New cast aluminum door & steel cabinet bracing 1080 x 610 x 1150 (mm), 104kg	1.300,00	1.560,00 EUR

STROKER®



- Double spider cancels non-linearity for smooth excursion
- Third spider for another plane of support increases performance
- Upper shorting ring and aluminum tube provide enhanced cooling
- High carbon fiber content in cone for enhanced strength, toughness and rigidity

Double inverted spider cancels non-linearities for smooth excursion performance
 Upper shorting ring provides enhanced cooling effects of the voice coil
 Lower shorting ring dramatically reduces distortion for extremely accurate audio reproduction
 Vent in the Aluminum tube
 The spider is mounted to an aluminum tube that acts as a heat sink pumping air through the vented pole
 The third spider provides another plane of support for extremely reliable performance and high SPL levels
 High carbon fiber content in cone provides enhanced strength, toughness and rigidity



E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
-----------	-------	-------------	---------------------------	---------------------------------

**Original
Hot Cabs® by
Dan Armstrong
!!!**

DAN ARMSTRONG
THE MAN AND HIS GUITARS






The Legendary Speaker Cab

By the mid 1990's Dan Armstrong collaborated with Cerwin Vega® - a company that produces professional audio components as well as home speakers & car audio components. For Dan, it was the former as he, along with the engineers at Cerwin Vega worked for nearly five years designing a line of guitar loudspeakers that could handle great amounts of power and deliver it efficiently. In addition, these newly designed loudspeakers were housed in unique, lightweight cabinets that would come to be known by musicians as Hot Cabs®.

It is unknown for sure how Dan hooked up with Cerwin Vega on such a project, though some have pointed out that former Ampeg employee Rich Mandella - who worked for Cerwin Vega during the 1990's may have been a factor. But whatever the reason, the collaboration continued until the late 1990's during which time several different types of Hot Cabs were produced. Everything from a cabinet housing a single 12" speaker to the usual 4x12 design was available.

More Info on <http://www.danarmstrong.org/hotcabs.html>

Y H N N B		112G Dan Armstrong	1 x 12" Dan Armstrong Hot Cabs® Guitar Box	69,00	83,00 EUR
			"Cerwin-Vega have devised a system that causes the cabinet to be as much a part of the sound producing process as the speaker. Just like the body of an acoustic guitar!" (Ashton News) 12" 112G guitar speaker for \$363.00 inc GST		special price
			Original and New - smal qty. still Avialable		
Y H N N B		115G Dan Armstrong	1 x 15" Dan Armstrong Hot Cabs® Guitar Box	79,00	95,00 EUR
			"Cerwin-Vega have devised a system that causes the cabinet to be as much a part of the sound producing process as the speaker. Just like the body of an acoustic guitar!" (Ashton News) 15" 115G \$423.00 inc GST		special price
			Original and New - smal qty. still Avialable		
Y H N N B		210G Dan Armstrong	2 x 10" Dan Armstrong Hot Cabs® Guitar Box	89,00	107,00 EUR
			"Cerwin-Vega have devised a system that causes the cabinet to be as much a part of the sound producing process as the speaker. Just like the body of an acoustic guitar!" (Ashton News) 2 x 10" 210G \$463.00 inc GST		special price
			Original and New - smal qty. still Avialable		

