



ERSO indulux

Net Price List PROFESSIONAL USER
ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions
www.pro-technica.com

Price List 12/2009

Effective December 7, 2009














Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.

EUR

Articles marked * will be discontinued soon!



















| E C P B R | Model | Description | EUR | EUR |
|-----------|-------|-------------|--------------------|--------------------------|
| | | | Netto (ex. VAT) | + 20% DDS (incl. VAT) |

Rubber Schuko plug and socket combinations 230V/16A





| | | | | | |
|-----------|---|--|--|-------|------------------|
| Y N Y Y A |  | Schuko P-BS (1211) | Type BS Rubber plug with earthing contact, with non-breakable insert. | 3,20 | 3,80 EUR |
| Y N Y Y A |  | Schuko S-BK (1221) | Type BK Rubber coupling socket with earthing contact, with non-breakable insert. | 5,17 | 6,20 EUR |
| Y N Y Y A |  | Schuko S-BKD (1223) | Type BKD Design as for BK, however with protection lid in splash-water-proof design. | 6,56 | 7,90 EUR |
| Y N Y Y A |  | Schuko P-VSB (2212) | Type VSB All-rubber plug, suitable for rough workshop and industrial use, light-weight, with ample room for cable connection, thermal-shock-resistant pull relief inlet, suitable for cords from 6 mm - 16 mm ø. | 4,50 | 5,40 EUR |
| Y N Y Y A |  | Schuko S-VKB (2222) | Type VKB All-rubber coupling socket, light-weight, with ample room for cable connection, thermal-shock-resistant pull relief inlet, suitable for cords from 6 mm - 16 mm ø. | 7,47 | 9,00 EUR |
| Y N Y Y A |  | Schuko S-VKS (2226) | Type VKS Suitable for rough workshop and industrial use, design as for VKB, however with protection lid in splashwater-proof design. Not pictured. | 8,83 | 10,60 EUR |
| Y N Y Y A |  | Schuko P-VSI (2218) | Type VSI All-rubber industrial plug, suitable for rough workshop and industrial use, heavy-weight design with reinforcing steel ring in the covering, ample space for cable connection, glass-fibre reinforced, thermalshock-resistant pull relief inlet, suitable for cords from 6 - 16 mm ø. | 5,80 | 7,00 EUR |
| Y N Y Y A |  | Schuko S-VKI (2228) | Type VKI All-rubber industrial coupling socket, heavy-weight design with reinforcing steel rings in the covering, ample space for cable connection, glass-fibre reinforced pull relief inlet. | 9,07 | 10,90 EUR |
| Y N Y Y A |  | Schuko S-VKD (2229) | Type VKD Suitable for rough workshop and industrial use, design as for VKI, however with protection lid in splashwater-proof design. | 10,05 | 12,10 EUR |
| Y N Y Y A |  | <i>old</i> Schuko PD Triplex (2150) | Triplex All-rubber distributor, 3 sockets with circumferential sealing lip and earthing contact, with hang-up eyelets. Also available with protective rubber lid, splashwater-proof design, suitable for rough workshop. | 29,20 | 35,00 EUR |
| Y N Y Y A |  | Schuko PD Trikla (2180) | Trikla All-rubber distributor, 3 sockets with circumferential sealing lip and earthing contact, with hang-up eyelets, splashwater-proof design, suitable for rough workshop. | 29,20 | 35,00 EUR |
| Y N Y Y A |  | Schuko PD Duoflex (2250) | Duoflex With 2 non-breakable rubber sockets, earthing contact and protective rubber lid in a fully sealed all-rubber casing. | 26,65 | 32,00 EUR |
| Y N Y Y A |  | Schuko PD Triblok (2260) | Triblok With non-breakable rubber sockets, earthing contact and protective rubber lid in a fully sealed all-rubber casing. There are numerous combination and mounting possibilities for this sturdy distributor. | 48,20 | 57,80 EUR |

Polyamid sockets 230V/16 A



| | | | | | |
|-----------|---|------------------------------|--|------|-----------------|
| Y N Y Y A |  | Schuko PS3/16A (2719) | Polyamid Panel Socket 2-poling, mit Schutzkontakt 16A 230V, DIN 49 402 | 2,25 | 2,70 EUR |
| Y N Y Y A |  | Schuko WS3/16A (2720) | Polyamid Wall Socket 2-poling, mit Schutzkontakt 16A 230V, DIN 49 402 | 6,50 | 7,80 EUR |

| EC P B R | Model | Description | EUR Netto (ex. VAT) | EUR + 20% DDS (incl. VAT) |
|---|---|---|---------------------------|---------------------------------|
| ERSO-CEE (3-Pin) plugs and sockets 230 V | | | | |
| Y N Y Y A |  | P3/16A CEE plug 3-pin 230 V / P 16A | 3,40 | 4,10 EUR |
| Y N Y Y A |  | P3/32A CEE plug 3-pin 230 V / P 32A | 5,55 | 6,70 EUR |
| Y N Y Y A |  | P3/63A CEE plug 3-pin 230 V / P 64A | 27,25 | 32,70 EUR |
| Y N Y Y A |  | P3/125A CEE plug 3-pin 230 V / P 125A | 79,55 | 95,50 EUR |
| Y N Y Y A |  | S3/16A CEE socket 3-pin 230V, 6h S 3/16A | 4,00 | 4,80 EUR |
| Y N Y Y A |  | S3/32A CEE socket 3-pin 230V, 6h S 32A | 6,70 | 8,00 EUR |
| Y N Y Y A |  | S3/63A CEE socket 3-pin 230V, 6h S 63A | 30,00 | 36,00 EUR |
| Y N Y Y A |  | S3/125A CEE socket 3-pin 230V, 6h S 125A | 101,00 | 121,20 EUR |
| Y N Y Y A |  | PS3/16A CEE panel sockets 3-pin 230V, 6h PS 16A | 5,10 | 6,10 EUR |
| Y N Y Y A |  | PS3/32A CEE panel sockets 3-pin 230V, 6h PS 32A | 6,10 | 7,30 EUR |
| Y N Y Y A |  | PS3/63A CEE panel sockets 3-pin 230V, 6h PS 63A | 30,60 | 36,70 EUR |
| Y N Y Y A |  | PS3/125A CEE panel sockets 3-pin 230V, 6h PS 125A | 93,30 | 112,00 EUR |
| Y N Y Y A |  | PP3/16A CEE panel plug 3-pin 230V, 6h PP 16A | 4,95 | 5,90 EUR |
| Y N Y Y A |  | PP3/32A CEE panel plug 3-pin 230V, 6h PP 32A | 6,50 | 7,80 EUR |
| Y N Y Y A |  | PP3/63A CEE panel plug 3-pin 230V, 6h PP 63A | 26,00 | 31,20 EUR |
| Y N Y Y A |  | PP3/125A CEE panel plug 3-pin 230V, 6h PP 125A | 76,50 | 91,80 EUR |
| Y N Y Y A |  | WS3/16A (2718) CEE Wall socket 3-pin 230V, 6h WS 3/16A | 5,15 | 6,20 EUR |
| Y N Y Y A |  | WP3/16A (2203) CEE Wall plug 3-pin 230V, 6h WP 3/16A | 5,15 | 6,20 EUR |

ERSO-CEE (4-Pin) plugs and sockets 110 V




| | | | | |
|-----------|---|--|------|-----------------|
| Y N Y Y A |  | P4/16A CEE plug 4-pin 110 V / P16A | 6,40 | 7,70 EUR |
| Y N Y Y A |  | S4/16A CEE socket 4-pin 110V, 6h S/16A | 6,95 | 8,30 EUR |
| Y N Y Y A |  | PS4/16A CEE panel sockets 4-pin 110V, 6h PS 16A | 7,10 | 8,50 EUR |
| Y N Y Y A |  | PP4/16A CEE panel plug 4-pin 110V, 6h PP 16A | 6,00 | 7,20 EUR |

ERSO-CEE (5-Pin) plugs and sockets 400 V







| | | | | |
|-----------|---|--|-------|-------------------|
| Y N Y Y A |  | P5/16A (2316) CEE plug 5-pin 400 V / P 16A | 4,10 | 4,90 EUR |
| Y N Y Y A |  | P5/32A (2332) CEE plug 5-pin 400 V / P 32A | 5,05 | 6,10 EUR |
| Y N Y Y A |  | P5/63A (2363) CEE plug 5-pin 400V / P 63A | 21,65 | 26,00 EUR |
| Y N Y Y A |  | P5/125A (2325) CEE plug 5-pin 400V / S 125A | 86,20 | 103,40 EUR |
| Y N Y Y A |  | S5/16A (2416) CEE socket 5-pin 400V, 6h S 16A | 5,25 | 6,30 EUR |
| Y N Y Y A |  | S5/32A (2432) CEE socket 5-pin 400V, 6h S 32A | 6,40 | 7,70 EUR |
| Y N Y Y A |  | S5/63A (2463) CEE socket 5-pin 400V, 6h S 63A | 26,50 | 31,80 EUR |
| Y N Y Y A |  | S5/125A (2425) CEE socket 5-pin 400V, 6h S 125A | 92,80 | 111,40 EUR |
| Y N Y Y A |  | PS5/16A (2517) CEE Panel socket (right-angled) 5-poling 400V, 6h PS-R 16A | 5,25 | 6,30 EUR |
| Y N Y Y A |  | PS5/32A (2533) CEE Panel socket (right-angled) 5-poling 400V, 6h PS-R 32A | 6,20 | 7,40 EUR |
| Y N Y Y A |  | PS5/63A CEE Panel socket (right-angled) 5-poling 400V, 6h PS-R 63A | 28,65 | 34,40 EUR |
| Y N Y Y A |  | PS5/125A CEE Panel socket (right-angled) 5-poling 400V, 6h PS-R 125A | 89,85 | 107,80 EUR |
| Y N Y Y A |  | PS5T/16A (2518) CEE Panel socket (tilted) 5-poling 400V, 6h PS-T 16A | 4,55 | 5,50 EUR |
| Y N Y Y A | | PS5T/32A (2534) CEE Panel socket (tilted) 5-poling 400V, 6h PS-T 32A | 5,30 | 6,40 EUR |
| Y N Y Y A | | PP5/16A CEE Panel plug (right-angled) 5-poling 400V, 6h PP-R 16A | 6,45 | 7,70 EUR |
| Y N Y Y A | | PP5/32A CEE Panel plug (right-angled) 5-poling 400V, 6h PP-R 32A | 7,25 | 8,70 EUR |
| Y N Y Y A | | PP5/63A CEE Panel plug (right-angled) 5-poling 400V, 6h PP-R 63A | 26,00 | 31,20 EUR |
| Y N Y Y A | | PP5/125A CEE Panel plug (right-angled) 5-poling 400V, 6h PP-R 125A | 76,50 | 91,80 EUR |
| Y N Y Y A | | WS5/16A (2516) CEE Wall sockets 5-pin 400V, 6h WS 16A | 4,70 | 5,60 EUR |
| Y N Y Y A | | WS5/32A (2532) CEE Wall sockets 5-pin 400V, 6h WS 32A | 5,55 | 6,70 EUR |
| Y N Y Y A | | WS5/63A (2563) CEE Wall sockets 5-pin 400V, 6h WS 63A | 25,80 | 31,00 EUR |
| Y N Y Y A | | WP5/16A (2216) CEE Wall plug 5-pin 400V, 6h WP 16A | 4,70 | 5,60 EUR |
| Y N Y Y A | | WP5/32A (2232) CEE Wall plug 5-pin 400V, 6h WP 32A | 5,75 | 6,90 EUR |

| EC P B R | Model | Description | EUR Netto (ex. VAT) | EUR + 20% DDS (incl. VAT) |
|----------|-------|-------------|---------------------------|---------------------------------|
|----------|-------|-------------|---------------------------|---------------------------------|









Power Distribution

| | | | | | |
|-----------|---|-------------|--|-------|------------------|
| Y N Y Y A |  DS/WS | 2160 | Adapter DS/WS Input: 5-pol., 400V, 16A, 6h; Output: Schuko Socket 230 V | 16,75 | 20,10 EUR |
| Y N Y Y A |  Kombinations-Wandsteckdose | 2519 | Combi-Wall socket 16A 230/400 V, 6h, 5-pol. Wall socket with Schuko Socket | 18,55 | 22,30 EUR |
| Y N Y Y A |  DDD 32 | 2164 | DDD 32 Input: CEE-S 32A/400V/5-pol. Cable 1,5 m HO7RN-F 5G2,5; Output: 3 CEE-Socket 32A/400V/5-pol | 73,00 | 87,60 EUR |

Ready-Made Power Distribution with Fuses

| | | | | | |
|-----------|---|---------------|--|--------|-------------------|
| Y N Y Y A |  KV 71 | KTV 71 | KV 71 Eingang: CEE-S 16 A / 400 V / 5-pol. Lfg. 2 m HO7RN-F 5G2,5 Ausgang: 4 Schutzkont.-Dosen 230 V 2 CEE-Dosen 16 A / 400 V / 5-pol.  | 99,00 | 118,80 EUR |
| Y N Y Y A |  KV 72 | KTV 72 | KV 72 Eingang: CEE-S 16 A / 400 V / 5-pol. Lfg. 2 m HO7RN-F 5G2,5 Ausgang: 3 Schutzkont.-Dosen 230 V 1 CEE-Dose 16 A / 400 V / 5-pol. Sicherung: FI 40 A / 0,03 A / 4-pol.  | 189,00 | 226,80 EUR |
| Y N Y Y A |  KV 75 | KTV 75 | KV 75 Eingang: CEE-S 32 A / 400 V / 5-pol. Lfg. 2 m HO7RN-F 5G4 Ausgang: 3 Schutzkont.-Dosen 230 V 1 CEE-Dose 16 A / 400 V / 5-pol. 1 CEE-Dose 32 A / 400 V / 5-pol. Sicherungen: 1 LS 16 / 5-pol. C 1 FI 40 A / 0,03 A / 4-pol.  | 312,00 | 374,40 EUR |

Rubber Box for Power Distribution - Empty

| | | | | | |
|-----------|--|---|-------------------------------|--------|-------------------|
| Y N Y Y A |  KV 02 |  | Rubber Box - empty !!! | 46,00 | 55,20 EUR |
| Y N Y Y A |  KV 13 |  | Rubber Box - empty !!! | 150,00 | 180,00 EUR |
| Y N Y Y A |  KV 15 |  | Rubber Box - empty !!! | 220,00 | 264,00 EUR |
| Y N Y Y A |  KV 17 |  | Rubber Box - empty !!! | 378,00 | 453,60 EUR |

We design and produce all kind of customer specific power Distributions



E C P B R

Model


Description

| | |
|-----------|-------------|
| EUR | EUR |
| Netto | + 20% DDS |
| (ex. VAT) | (incl. VAT) |


Bulgarian Power Cables

| Y N Y Y A | Model | Description | EUR Netto (ex. VAT) | EUR + 20% DDS (incl. VAT) |
|-----------|-------------|--|---------------------|---------------------------|
| | ШВПС 2x0,75 | PVC - 2 x 0,75 mm ² (price per m) | 0,22 | 0,26 EUR |
| | ШВПС 3x1,5 | PVC - 3 x 1,5 mm ² (price per m) | 0,59 | 0,71 EUR |
| | ШВПС 3x2,5 | PVC - 3 x 2,5 mm ² (price per m) | 0,90 | 1,08 EUR |
| | ШВПС 4x2,5 | PVC - 4 x 2,5 mm ² (price per m) | 1,15 | 1,38 EUR |
| | ШВПС 4x4,0 | PVC - 4 x 4,0 mm ² (price per m) | 1,76 | 2,12 EUR |
| | ШВПС 5x1,5 | PVC - 5 x 1,5 mm ² (price per m) | 1,15 | 1,38 EUR |
| | ШВПС 5x2,5 | PVC - 5 x 2,5 mm ² (price per m) | 1,44 | 1,73 EUR |
| | ШКПЛ 3x1,5 | H05RRF 3x1,5 mm ² , Ribon Cable (price per m) | 1,04 | 1,25 EUR |
| | ШКПЛ 3x2,5 | H05RRF 3x2,5 mm ² , Ribon Cable (price per m) | 1,53 | 1,84 EUR |
| | ШКПЛ 3x4,0 | H05RRF 3x4 mm ² , Ribon Cable (price per m) | 2,47 | 2,96 EUR |


1 x Ribon Power Cables

| | | | | |
|---|---------------------|---|-------|------------------|
|  | H07RN-F 1 G 90 QMM | Ribon Cable - 1 x 90 mm ² for Power Look Connectors D = 26 mm (price per m) | 16,14 | 19,40 EUR |
| | H07RN-F 1 G 120 QMM | Ribon Cable - 1 x 120 mm ² for Power Look Connectors D = 28 mm (price per m) | 19,54 | 23,40 EUR |


3 x Ribon Power Cables

| | | | | |
|---|----------------------------|---|-------|------------------|
|  | H07RN-F 3 G 1,5 QMM | Ribon Cable - 3 x 1,5 mm ² (price per m) | 1,02 | 1,20 EUR |
| | H07RN-F 3 G 1,5 QMM Oiflex | Ribon Cable - 3 x 1,5 mm ² - 1600103 - (price per m) | 1,21 | 1,40 EUR |
| | H07RN-F 3 G 2,5 QMM | Ribon Cable - 3 x 2,5 mm ² (price per m) | 1,52 | 1,80 EUR |
| | H07RN-F 3 G 2,5 QMM Oiflex | Ribon Cable - 3 x 2,5 mm ² - 1600118 - (price per m) | 1,82 | 2,20 EUR |
| | H07RN-F 3 G 4 QMM | Ribon Cable - 3 x 4 mm ² (price per m) | 2,70 | 3,20 EUR |
| | H07RN-F 3 G 4 QMM Oiflex | Ribon Cable - 3 x 4 mm ² - 1600119 - (price per m) | 3,01 | 3,60 EUR |
| | H07RN-F 3 G 6 QMM | Ribon Cable - 3 x 6 mm ² (price per m) | 3,28 | 3,90 EUR |
| | H07RN-F 3 G 6 QMM Oiflex | Ribon Cable - 3 x 6 mm ² - 1600120 - (price per m) | 4,61 | 5,50 EUR |
| | H07RN-F 3 G 10 QMM | Ribon Cable - 3 x 10 mm ² (price per m) | 7,40 | 8,90 EUR |
| | H07RN-F 3 G 10 QMM Oiflex | Ribon Cable - 3 x 10 mm ² - 1600121 - (price per m) | 7,79 | 9,40 EUR |
| | H07RN-F 3 G 16 QMM | Ribon Cable - 3 x 16 mm ² (price per m) | 9,00 | 10,80 EUR |
| | H07RN-F 3 G 16 QMM Oiflex | Ribon Cable - 3 x 16 mm ² - 1600122 - (price per m) | 11,43 | 13,70 EUR |
| | H07RN-F 3 G 25 QMM | Ribon Cable - 3 x 25 mm ² (price per m) | 12,26 | 14,70 EUR |

4 x Ribon Power Cables - H07RN-F

| | | | | |
|---|----------------------------|--|------|-----------------|
|  | H07RN-F 4 G 1,5 QMM | Ribon Cable - 3 x 1,5 mm ² (price per m) | 1,44 | 1,70 EUR |
| | H07RN-F 4 G 1,5 QMM Oiflex | Ribon Cable - 3 x 1,5 mm ² - 16001233 - (price per m) | 1,60 | 1,90 EUR |

5 x Ribon Power Cables H07RN-F

| | | | | |
|---|----------------------------|---|-------|------------------|
|  | H07RN-F 5 G 2,5 QMM | Ribon Cable - 5 x 2,5 mm ² (price per m) | 2,30 | 2,80 EUR |
| | H07RN-F 5 G 2,5 QMM Oiflex | Ribon Oiflex Cable - 5 x 2,5 mm ² - 16001293 - (price per m) | 2,81 | 3,40 EUR |
| | H07RN-F 5 G 4 QMM | Ribon Cable - 5 x 4 mm ² (price per m) | 3,74 | 4,50 EUR |
| | H07RN-F 5 G 4 QMM Oiflex | Ribon Oiflex Cable - 5 x 4 mm ² - 16001303 - (price per m) | 4,27 | 5,10 EUR |
| | H07RN-F 5 G 6 QMM | Ribon Cable - 5 x 6 mm ² (price per m) | 4,76 | 5,70 EUR |
| | H07RN-F 5 G 6 QMM Oiflex | Ribon Cable - 5 x 6 mm ² - 16001313 - (price per m) | 6,03 | 7,20 EUR |
| | H07RN-F 5 G 10 QMM | Ribon Cable - 5 x 10 mm ² (price per m) | 8,14 | 9,80 EUR |
| | H07RN-F 5 G 10 QMM Oiflex | Ribon Cable - 5 x 10 mm ² - 16001093 - (price per m) | 10,01 | 12,00 EUR |
| | H07RN-F 5 G 16 QMM | Ribon Cable - 5 x 16 mm ² (price per m) | 11,92 | 14,30 EUR |
| | H07RN-F 5 G 16 QMM Oiflex | Ribon Cable - 5 x 16 mm ² - 16001113 - (price per m) | 13,41 | 16,10 EUR |
| | H07RN-F 5 G 25 QMM | Ribon Cable - 5 x 25 mm ² (price per m) | 19,04 | 22,80 EUR |
| | H07RN-F 5 G 25 QMM Oiflex | Ribon Cable - 5 x 25 mm ² - 16001133 - (price per m) | 23,96 | 28,70 EUR |

E C P B R

Model

Description

| | |
|-----------|-------------|
| EUR | EUR |
| Netto | + 20% DDS |
| (ex. VAT) | (incl. VAT) |



Power Multicore Cables PVC & Ribon

| Y N Y Y A | Model | Description | EUR Netto (ex. VAT) | EUR + 20% DDS (incl. VAT) |
|-----------|----------------------------|--|---------------------------|---------------------------------|
| Y N Y Y A | Ö-JZ 18 x 1,5 QMM | PVC- 18 x 1,5 mm ² (price per m) | 4,18 | 5,00 EUR |
| Y N Y Y A | Ö-JZ 18 x 2,5 QMM | PVC- 18 x 2,5 mm ² (price per m) | 7,00 | 8,40 EUR |
| Y N Y Y A | Ö-JZ 14 x 1,5 QMM Olflex | PVC- 14 x 1,5 mm ² - 1119314 - D = 12,7 mm (price per m) | 4,28 | 5,10 EUR |
| Y N Y Y A | Ö-JZ 18 x 2,5 QMM Olflex | PVC- 14 x 2,5 mm ² - 1119414 - D = 15,8 mm (price per m) | 6,89 | 8,30 EUR |
| Y N Y Y A | Ö-JZ 14 x 2,5 QMM Ribbon | PVC- 14 x 2,5 mm ² - 1600825 - D = 25 mm, for in and outdoor use, for shows and booths without fire alarm system, flexible, Flame retardant according to IEC 60332-1-2 (price per m) | 11,83 | 14,20 EUR |
| Y N Y Y A | Ö-JZ 13 x 2,5 QMM Stage BK | PVC- 13 x 2,5 mm ² - 3036879 - D = 16 mm, for in and outdoor use, Flexible down to -30°C, Easy to wind for mobile use, No core left, Flame retardant according to IEC 60332-1-2 (price per m) | 10,80 | 13,00 EUR |



or



+



or



+

CRS21 = Connector Set

Harting Connectors

16 pin Harting connectors

| | | | | | |
|-----------|--|--------------|---|------|------------------|
| Y N Y Y A | | HI CHO 16 | ILME TÜLLENG.-FÜR 2BÜGEL-PG21-KABELAUSG.SEITLICH- GRÖSSE "104.27" / 16 pol. Cable Housing | 5,75 | 6,90 EUR |
| Y N Y Y A | | HI CHV 16 | ILME TÜLLENG.-FÜR 2BÜGEL-PG21-KABELAUSG.GERADE- GRÖSSE "104.27" / 16 pol. Cable Housing | 5,75 | 6,90 EUR |
| Y N Y Y A | | HI CNEF 16 T | ILME BUCHSENEINSATZ-SCHRAUB-16P-16A-500V MIT EINFÜHRUNGSHILFE / 16 pol. Female Socket | 6,80 | 8,20 EUR |
| Y N Y Y A | | HI CNEM 16 T | ILME STIFTEINSATZ-SCHRAUB-16P-16A-500V MIT EINFÜHRUNGSHILFE / 16 pol. Male Socket | 6,80 | 8,20 EUR |
| Y N Y Y A | | HI JCNEF 16 | ILME BUCHSENEINSATZ-SCHRAUB-16P-16A-500V JEI-TYPE / 16 pol. Female Socket JEI-TYPE | 5,30 | 6,40 EUR |
| Y N Y Y A | | HI JCNEF 16 | ILME BUCHSENEINSATZ-SCHRAUB-16P-16A-500V JEI-TYPE / 16 pol. Female Socket JEI-TYPE | 5,30 | 6,40 EUR |
| Y N Y Y A | | HI JCNEF 16 | ILME BUCHSENEINSATZ-SCHRAUB-16P-16A-500V JEI-TYPE / 16 pol. Female Socket JEI-TYPE | 5,30 | 6,40 EUR |
| Y N Y Y A | | HI JCVI 16 | ILME ANBAUGEHÄUSE-2BÜGEL-GRÖSSE "104.27" JEI-TYPE / 16 Pol. Panel housing JEI-TYPE | 9,00 | 10,80 EUR |
| Y N Y Y A | | HI CRS21 | Kabelverschraubung /PG21/ / Cable Fix (PG 21) | 5,00 | 6,00 EUR |

24 pin Harting connectors

| | | | | | |
|-----------|--|--------------|---|-------|------------------|
| Y N Y Y A | | HI CHO 24 | ILME TÜLLENG.-FÜR 2BÜGEL-PG21-KABELAUSG.SEITLICH- GRÖSSE "104.27" / 24 pol. Cable Housing | 6,50 | 7,80 EUR |
| Y N Y Y A | | HI CHV 24 | ILME TÜLLENG.-FÜR 2BÜGEL-PG21-KABELAUSG.GERADE- GRÖSSE "104.27" / 24 pol. Cable Housing | 6,50 | 7,80 EUR |
| Y N Y Y A | | HI CNEF 24 T | ILME BUCHSENEINSATZ-SCHRAUB-24P-16A-500V MIT EINFÜHRUNGSHILFE / 24 pol. Female Socket | 7,80 | 9,40 EUR |
| Y N Y Y A | | HI CNEM 24 T | ILME STIFTEINSATZ-SCHRAUB-24P-16A-500V MIT EINFÜHRUNGSHILFE / 24 pol. Male Socket | 7,80 | 9,40 EUR |
| Y N Y Y A | | HI JCNEF 24 | ILME BUCHSENEINSATZ-SCHRAUB-24P-16A-500V JEI-TYPE / 24 pol. Female Socket JEI-TYPE | 7,80 | 9,40 EUR |
| Y N Y Y A | | HI JCNEF 24 | ILME BUCHSENEINSATZ-SCHRAUB-24P-16A-500V JEI-TYPE / 24 pol. Female Socket JEI-TYPE | 7,80 | 9,40 EUR |
| Y N Y Y A | | HI JCNEF 24 | ILME BUCHSENEINSATZ-SCHRAUB-24P-16A-500V JEI-TYPE / 24 pol. Female Socket JEI-TYPE | 7,80 | 9,40 EUR |
| Y N Y Y A | | HI JCVI 24 | ILME ANBAUGEHÄUSE-2BÜGEL-GRÖSSE "104.27" JEI-TYPE / 24 Pol. Panel housing JEI-TYPE | 10,00 | 12,00 EUR |
| Y N Y Y A | | HI CRS21 | Kabelverschraubung /PG21/ / Cable Fix (PG 21) | 5,08 | 6,10 EUR |





LK Power Look Connectors

| | | | | |
|-----------|--------------|--|-------|-----------|
| Y N Y Y A | PL LDP 1 BNL | Power Link NV cable male protected L1 brown EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LDP 2 BKL | Power Link NV cable male protected L2 black EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LDP 3 BKL | Power Link NV cable male protected L3 black EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LDP 3 GRL | Power Link NV cable male protected L3 grey EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LDP E GNL | Power Link NV cable male protected ground green | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LDP N BLL | Power Link NV cable male protected neutral blu EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LSP 1 BN | Power Link NV cable fem L1 brown EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LSP 2 BK | Power Link NV cable fem L2 black EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LSP 3 BK | Power Link NV cable fem L3 black EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LSP 3 GR | Power Link NV cable fem L3 grey EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LSP E GN | Power Link NV cable fem ground green EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL LSP N BL | Power Link NV cable fem neutral EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PDP 1 BN | Power Link NV panel male protected L1 brown EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PDP 2 BK | Power Link NV panel male protected L2 black EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PDP 3 GR | Power Link NV panel male protected L3 grey EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PDP E GN | Power Link NV panel male protected ground green EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PDP N BL | Power Link NV panel male protected neutral blu EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PSP 1 BN | Power Link NV panel fem L1 brown EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PSP 2 BK | Power Link NV panel fem L2 black EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PSP 3 BK | Power Link NV panel fem L3 black EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PSP 3 GR | Power Link NV panel fem L3 grey EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PSP E GN | Power Link NV panel fem ground green | 50,00 | 60,00 EUR |
| Y N Y Y A | PL PSP N BL | Power Link NV panel fem neutral blu EU | 50,00 | 60,00 EUR |
| Y N Y Y A | PL R95 | Cable Huelse / Kerbovka | 1,20 | 1,40 EUR |
| Y N Y Y A | PL KEY | Unlook Key | 2,60 | 3,10 EUR |

LK Connectors

Power Link

The Power Link single pole connector series is designed for power distribution systems, offering the ultimate features in safety and reliability under the most severe operating conditions. Typical applications for Power Link include three-phase motors, generators, load banks and lighting distribution panels. Power Link connectors are also suitable for many other supply companies and heavy industry environments. Power Link connectors are designed and tested to comply with European and US electrical safety standards and specifications. Other versions will be soon available, to satisfy all the industry needs.



POWER Link

- ✓ **Secondary locking:** to prevent accidental disconnection
- ✓ **Dead front contacts:** insulated nylon tip on the live contact prevents accidental touching.
- ✓ **High impact insulators:** glass filled thermoplastic insulators prevent damage due to mis handling and guarantee a high degree of insulation, with maximum resistance to oil, acids and water.
- ✓ **Multipoint contact:** twentythree spring loaded active elements (louvers) allow low insertion force and guarantee multiple points of contact, ensuring minimal power loss.
- ✓ **Integral Location Keys:** each connector type is individually keyed to eliminate the possibility of accidental cross mating.
- ✓ **Waterproof when mated:** sealing is guaranteed through IP 67 rated interfacial and cable gland compression seals.
- ✓ **Colour coded:** insulators are supplied as standard colour identification codes.



The Power Link connector series has permanent integral keys which prevent the accidental connection of dissimilar types (e.g. Earth and Line 1). Each connector type has a unique keyed position. Visual identification is made easily by means of the coloured insulators.



The Power Link range is produced in three internationally recognised standard coding systems.

| | Phase | Colour | | |
|-----|---------|--------|--------|---------------------------|
| 1 | Fase R | BK | Black | LK PL PS ... Panel female |
| 2 | Fase S | BN | Brown | LK PL LS ... Cable female |
| 3 | Fase T | R | Red | LK PL PD ... Panel male |
| N | Neutral | Y | Yellow | LK PL LD ... Cable male |
| EGN | Ground | BL | Blu | |
| | | W | White | |
| | | G | Grey | |

Pls. specify for each connector **PHASE** and **COLOUR** according to the chosen standard

| | EARTH KEY 1 | NEUTRAL KEY 2 | LINE 1 KEY 3 | LINE 2 KEY 4 | LINE 3 KEY 5 |
|------------------------|-------------|---------------|--------------|--------------|--------------|
| UK | Green | Black | Red | Yellow | Blue |
| EUROPE HD 308 Ed. 1976 | Green | Blue | Black | Grey | Black |
| EUROPE HD 308 Ed. 2001 | Green | Blue | Black | Black | Grey |
| U.S.A. | Green | Black | Red | Blue | Blue |

In addition to integral keying and colour coding, all connectors are "branded" with the international mark to identify: earth, neutral, line 1, line 2 or line 3.

Not available for US Market