



ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions
www.pro-technica.com






EUR













Price List 04 / 2012








Effective 1-st April, 2012
















Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.







Articles marked * will be discontinued soon!





Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
Professional DJ Products				
	DN-MC6000 Full Mixer / 4-deck MIDI Controller - MAC OSX, XP/Vista/Win7 Compatible			
	<ul style="list-style-type: none"> • Computer Independent 4-Channel, 8 Source Premium Digital Mixer • Optimized for *Traktor and *Virtual DJ users - Traktor LE included • Intuitive 4 deck software control, with visible deck colour change • Real-time Matrix Operation, Analog Sources, USB MIDI & USB Audio • Included USB Audio Interface (Soundcard) 2in/2out (stereo) • MAC OSX Windows XP/Vista/Win7 Compatible • New, 3-way Powerful Video / Audio Assignable cross-fader • Newly designed, high resolution 105mm Touch-Sensitive Jog Wheel • Smooth 100mm long Pitch Slider with high 14-bit resolution • Pitch/Fader/Volume Lock function - holds the last known Audio value • File browse navigation keys & rotary encoder file selector knob w/illuminated ring • 8 (4 + 4) Hot Cue/Sampler buttons w/dual bank selector key, Large size Cue & PLAY buttons • Auto Loop Button w/ Beat Jump (Loop Cut), Manual Loop In/Out buttons • Various EFX control, EFX keys & Param. knobs, GUI control, Mixer, Video, Scratch, Sampler, REC, • Denon's legacy "Pitch Bend" keys, Vinyl & Pitch Bend Jog modes • SYNC key for beat matching between decks, Key Lock on/off button with LED confirmation • Matrix Input Assignment Selector Knob, Selectable PFL input gain & program meters • Independent CUE System (all channels), Split Cue function with Cue/Master pan knob • 45mm Channel & Cross Faders, Independent Channel A-B Thru Switch, Cross Fader contour adjustment • Independent 3-Band Channel EQ w/Kills (High-Mid-Low) • XLR Balanced & RCA Unbalanced Master Output, Master Output Stereo/Mono switch • 3-Band EQ (High-Mid-Low) for Mic 1 & 2, Mic Ducking & Built in Echo Effect 	562,00		674,00 EUR
	DN-MC 6000			
	DN-SC 2000			
	DN-SC2000 USB MIDI Controller with 2-deck Support - The Denon DN-SC2000 is an affordable, professionally spec'd and constructed MIDI controller for Native Instruments® TRAKTOR™ Pro, providing a serious portable control solution for laptop DJs. A dual layer system, the DN-SC2000 provides simultaneous switchable control of both TRAKTOR decks, with visual deck colour change. Connecting to Mac® or Windows PC via a single USB2.0 interface (from which the unit is also powered), advanced features include MIDI mapable capability, auto loop function, a wide range of EFX, rugged pitch slider, pitch lock, automatic beat sync, durable rubber button controls and more.	166,00		199,00 EUR
	The solid steel constructed unit incorporates Denon's new high resolution 105-mm touch sensitive jog wheel, smooth 100-mm long 14-bit resolution pitch slider, Pitch Lock function, file browse navigation buttons and ring illuminated rotary encoder file selector knob, large size Cue & PLAY buttons, eight (4 + 4) hot cue/sampler buttons with dual bank selector key, Auto Loop button with Beat Jump and Manual Loop In/Out buttons, EFX Unit 1 and 2 layer and on/off buttons with colour change LEDs, EFX parameter encoders, Denon's legacy Pitch Bend key, a SYNC button for beat matching between decks, and a powerful Shift key, assignable to various dual button operations.			
	DN CC2K NEW Softbag for DH-HC 2000	29,00		35,00 EUR
	MC3000 DJ controller from Denon DJ is an affordable professional MIDI controller for Native Instruments® TRAKTOR™ 2 Technology Inside products, complete with TRAKTOR™ 2 LE included* and fully optimised for Virtual DJ.			
	<ul style="list-style-type: none"> • Optimized for TRAKTOR™ 2 Technology Inside Products TRAKTOR™ 2 LE Included* • Optimized for VIRTUAL DJ, Layer Function for Dual Deck and 2+2 4-Channel Mixer Control • USB Audio Interface 2 in / 2 out (Stereo), Line to Master - 2 Analogue Line Input Mixing Control • Intuitive 4 deck hardware control, with visible deck colour change • MAC OSX, Windows XP/Vista/Win7 Compatible • Powerful 3-way Audio/Video Assignable cross-fader for Video performances • High resolution 105mm Touch-Sensitive Jog Wheels, Smooth 100mm long Pitch Slider with high 14-bit resolution, Pitch/Fader/Volume Lock function - holds the last known Audio value and position until the NULL point is reached again • File browse navigation keys & rotary encoder file selector knob • 8 (4 + 4) Hot Cue buttons w/layer bank selector key, Auto Loop Button w/ Beat Jump (Loop Cut) • Manual Loop In/Out buttons, Various EFX/Sampler control, keys & Parameter knobs • Search Keys (<< >>) to advance around within the file, Denon's legacy "Pitch Bend" keys • Key Lock on/off button with LED confirmation, Input level gains • Deck/Master PFL input gain & program meters, Independent CUE System (all channels) • Split Cue function with Cue/Master pan knob, High quality, high output Headphone Amp • 45mm Channel & Cross Faders, Independent 3-Band Channel EQ w/Kills (High-Mid-Low) • 1/4 TRS Balanced & RCA Unbalanced Master Outputs, 1/4 TRS Mic Input, Mic Ducking attenuation • MIDI Mappable control surface (Faders, knobs and buttons) for other DJ applications • AC adaptor powered, 	409,00		491,00 EUR
	RMMC 3000 NEW Optional 19" rackmount accessory kit for Mobile DJs (RMMC3000)	16,00		19,00 EUR
	Media Player & Controller - 3U 19" Professional PC/Mac compatible USB Midi controller with Serato™ ITCH software. Internal 24-bit processing and USB Audio. BU4500 CD / MP3 Support. Multi-functional Touch Sensitive Jog Disc. Vibrant Tube Display w/ 2-line Text Support. Highly Responsive Soft Rubber Buttons, Switches and Knobs High Speed USB 2.0 Interface.	445,00	199,00	239,00 EUR
	Media Player & Controller - Software LE Version of Remix™ by PSDJ® incl. 24-Bit Processing & USB Audio (ASIO), DN-D4500/DN-D4000 Playersteuerung, Jogwheel-Scratchfunktion, Loop, Pitch, +/- 100%, 19"/3HE	417,00		500,00 EUR
	Double player unit , to remote with DNHD2500 /4500, 19"/2HU	320,00		384,00 EUR
	Midi Sub Controller for Serato™ Scratch Live Simple USB Plug & Play Connection (USB MIDI/Bus power) Dedicated tactile Controls to replace Computer Keyboard Shortcuts High Quality Steel Cabinet with Rugged Rubber Keys Serato Approved USB Controller, MIDI Mappable for other DJ Software Systems	128,00		154,00 EUR
	DN CC1K NEW Softbag for DH-HC 1000	23,00		28,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
Professional CD Player & Controller				
	 <p>NEW</p> <p>DN-SC 3900</p> <p>SC3900 Digital Media Turntable & DJ controller</p> <ul style="list-style-type: none"> •Compatible with included ENGINE Music Management Software (PC/Mac) •ENGINE iPad app available for easy file searching and player status display •Player Link function for sharing USB drives across multiple SC3900s (up to four) and for connection to ENGINE software (PC/Mac/iPad) •Completely redesigned 9-inch platter equipped with a brushless high-torque direct drive motor •Seamless switching between media source devices •Real vinyl platter mode with independently adjustable start and stop times •Built-In USB / MIDI control function & Built-In USB audio interface (ASIO / CORE compliant) •Hybrid MIDI mode included for DVS applications •Supports CD-DA, CD-ROM and audio playback from USB memory devices (AAC, AIFF, MP3, WAV) •Burr Brown 24 bit DAC processing for superior audio fidelity •Redesigned PLAY and CUE buttons for greater tactile feel and response •Fast search and quick jump functions •4 dedicated Hot Cues (8 in MIDI mode via MIDI layer option) •Auto / manual loop functions, Reverse and dump platter effects •Deep pitch resolution and key adjust, Strobe Indicator •4-Way BPM counter (Auto BPM, Manual TAP, Manual BPM, Reads BPM Metadata), BPM sync feature •3-way pitch bend functionality •Fast loading slot-in drive 	791,00		949,00 EUR
	<p>The NEW SC3900 Digital Turntable and Media Controller ushers in a new era of music management with 'ENGINE' music management software that has been designed with players such as the SC3900 in mind, allowing the ultimate in DJ set preparation, playback and control.</p> <p>Prepare the perfect set in the studio or on a computer at home, then export it to a USB stick or Hard Disk Drive and have everything needed for your DJ performance in a device small enough to fit in your pocket. Then, when it's time to perform simply plug in and play, and even share the USB drive's files with up to three other compatible players over a network.</p> <p>Once your networked players are sharing the music from one USB device, it's easy to manage, cue, and play to any player via an iPad with the new Engine iPad app (requires downloading from the App Store). Engine for iPad seamlessly controls your set wirelessly through a network – all via its large full-colour touchscreen. And there is no need to worry about computer or connection problems; should the iPad become disconnected, your music is still securely connected to the player via USB, leaving playback, and your audience's attention, uninterrupted.</p> <p>Additionally, playback of files on your PC or MAC is possible with the included 'Engine' music management software which doesn't even require a high specification computer to work quickly and efficiently. With file searching speeds that leaves most other software standing still, Engine's power is achieved by leaving the intensive audio processing at the player so the software is free to run before, or during your performance, utilizing the full capabilities of your computer.</p>			F.O.C
Professional Single CD Player				
	 <p>DN-S 700</p> <p>Table Top CD and MP3 Disc Player with Active Platter</p> <ul style="list-style-type: none"> - advanced MP3 Playback functionality (Seamless Looping, Scratching, Hot Starts and Effects), - built-in effects (Filter, Flanger and Filter plus the world's first Echo Loop), - platter effects, 3-way BPM counter and two Hot Starts, - world first, Next Track Reserve with Cross Fader - with the ability to store hundreds of MP3 files on one CD, Next track Reserve allows DJs to cross fade to another song within the same disc for a smooth non-stop mix. 	250,00		300,00 EUR
	 <p>DN-S 1200</p> <p>Table Top CD and MP3 Disc Player / Controller with Active Platter</p> <p>Denon's smallest CD/USB media player yet, the DN-S1200 packs in high-end features not found in much larger, more expensive units.</p> <ul style="list-style-type: none"> - Compact, 9" wide - Controls DJ Audio and Video Software via MIDI - Built-in Sound Card (USB Audio) - Touch sensitive Scratch disc with the feel of vinyl - Supports up to 50,000 WAV/MP3 files from a USB device 	400,00		480,00 EUR
	 <p>DN-S 3000</p> <p>Table Top CD and MP3 Disc Player with Active Platter</p> <ul style="list-style-type: none"> - Direct drive with 2.5 kg-cm torque - Full MP3 playback and file search support - Built-in FX, Deep pitch resolution (0.2%) - Brake, Reverse and Dump platter modes - Next Track function, Hot Starts & Sampler facilities - Seamless Loop to Sampler copy function - Two-way CUE Search system - Extensive preset menu- Motor Driven Active Platter 	499,00	299,00	359,00 EUR
	<p>DN-S3700 Direct Drive Turntable Media Player & Controller</p> <p>Cutting-edge single-deck portable DJ instrument that provides working DJs with a host of useful features for enhanced creative flexibility. Most notably, thanks to its large 9" spinning platter design, the DN-S3700 literally offers the "best of both worlds" from both digital and analog realms. In addition to a host of advanced digital features, including USB and MIDI control, the sleek and elegant unit includes a built-in authentic vinyl record for surface control driven by Denon DJ's High Torque Direct Drive Motor, providing users with the classic and unmistakable feel of true vinyl.</p> <ul style="list-style-type: none"> - High Torque Direct Drive Motor and Spinning Platter Design - Fast Loading Slot-in Drive - USB Device Hosting and Midi Interface Control - Internal 24-bit Processing and USB Audio (sound card) - 5 Superb Built-in Effects - Waveform Display with Multi-line Text and Icon Support - 3 Hot Starts, Auto Loop and Manual Loop Functionality - 3 Platter Effects - Deep Pitch Resolution & Key Adjust 	688,00		826,00 EUR
	 <p>DN-S 5000</p> <p>Table Top CD and MP3 Disc Dual Track Player with Active Platter</p> <ul style="list-style-type: none"> - World's First Motor Driven Active Platter for true vinyl emulation - Alpha Track (2 in 1) allows independent and simultaneous playback of another track from the same disc, mix tracks with one drive instead of 2. - Hot Disc lets you eject a disc during play and have it continue for another 35 seconds, you can also loop within the Hot Disc memory - 3-Way Scratch lets you apply scratch effects by selecting Main, Alpha or Sampler Track as the source ** For Information on the latest upgrades, see the Upgrades category or the FAQ under the PRO AUDIO menu ** 	700,00	299,00	359,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
Professional Double CD Players				
	DND4500 MP3 Playback (folder, artist, album, title) - CD Text, ID#, tag and M3u support - 2 Seamless loops, 2 Hot starts & stutter cue points, Brake effect - Shock proof memory, 2-Way pitch bend - Relay play, program play, repeat play, power on play - Jog/shuttle wheel, Illuminated action buttons and drive trays - Auto close tray system, Sleep mode, 4 Way time display - Pitch range +/- 4%, 10%, 16% , User adjustable presets - Custom memory - save up to 300 loops and cue's internally - Digital output (SPDIF), Fader Start	499,00		599,00 EUR
	BU9000EM User Replaceable Drive for the DNS-5000	121,00		145,00 EUR
	BU3000EM Replaceable Drive for the DN-D1000 & 3500	98,00		118,00 EUR
Professional DJ Mixer				
	DN-X 1700 4 channel matrix mixer with rubberised knobs, 60mm Alps K Series channel faders, 45mm FLEX cross fader, a color LCD display, extended 24-point LED channel and output metering, and LED ring metering around the control knobs. NICE PRICE Matrix Input Assignment with digital input and MIDI/USB audio, independent and parametric three-band EQ with Kill on each channel, and dual independent EFX processors. The two EFX processors are located together, with the 3.5-inch TFT colour LCD positioned directly above, for ease of operation. One or other, or both EFX are selectable per channel, and combined EFX operation is available. [25 Each mixer channel has a discrete MIDI layer, enabling external control of various PC and Mac Audio/Video DJ software applications, with the LED ring indicators switching colour to indicate MIDI operation. USB audio I/O extends to eight mono/four stereo in/out, making the mixer an extremely high-quality USB audio interface. Individual user settings - including for audio, system and MIDI settings - can be exported and imported in file format, saved to a USB memory device, HDD, laptop and so on. The 32-bit floating point DSP engine at the heart of the DN-X1700 delivers a level of processing power that provides performance in terms of signal processing quality and control. To match this processing power Denon has equipped the DN-X1700 with 32-bit digital analog conversion at the audio output stage. Vinyl quality is given special attention with a high grade phono FET equalizer circuit derived from the Pure Amp circuitry of the Denon PMA SA1 audiophile stereo amplifier; this features an 88 dB signal-to-noise ratio and performance specification to complement the output of the best cartridges. Digital audio inputs and USB ports enable direct digital connection of CD decks, laptops, MP3 players and the like. The attention to sound quality extends to a high-quality, low noise discrete microphone pre-amp and high power discrete headphone amplifier	1.428,00		1.714,00 EUR
	DN-X 1600 4ch Digital Mixer NICE PRICE - Matrix Input Assignment with DVS mode - 32-Bit DAC Output for high quality sound - Dedicated MIDI user interface area - 8ch USB Audio Interface - Digital Effects Unit with 14 effects - Roland V-LINK Protocol support for video mixer control - PC/MAC Compatible	817,00		980,00 EUR
	DN-X 1100 DN-X1100 4-channel matrix mixer - further cements Denon's position as the industry leader in manufacturing DJ gear for the working professional. NICE PRICE - perfect companion to any table top or rackmount player system - Matrix input assignment - 8 Line / 3 Phono, switchable - 2 Mic inputs - 12" Tabletop Style Mixer	454,00		545,00 EUR
	DN-X 600 NEW DN-X600 2Ch. Digital DJ Mixer, w/MIDI Interface & Sound Card - Best in class the DN-X600's internal sound card is a 4 x stereo in / 4 x stereo out 24-bit / 96kHz USB 2.0 Audio Interface, while the mixer's audio output is via a whopping 32-bit DAC. The mixer's vinyl credentials include a proprietary phono amp design with a signal-to-noise performance equivalent to that of the company's top end hi-fi amplifiers; just as highly spec'd are the ultra-clean mic amp and high output headphone amp. 32-bit Floating Point DSP provides the mixer with powerful signal processing capabilities. 3-band channel EQ includes full kill on each band. On-board EFX include Delay, Echo, Flanger, Filter, Reverb, Loop, Beat Scratch and BeatBreaker, and the dedicated EFX section features ON/OFF, Dry-Wet mix and independent send assignment (Ch/Mic/Master). A powerful two-way EFX Parameter Filter, including Cross Over Frequency and Isolator (low pass filter/high pass filter) is included, as is a send/return control, for use with external effects. Extensive USB MIDI and audio interface and control capabilities enable use of the DN-X600 with the latest digital file library and DJ software solutions. The unit's control surface is fully MIDI-mappable, including knobs, keys and buttons, and the DN-X600 can work with all current operating systems, including Mac® OS X 10.6.4 and 32/64-bit Windows systems (XP, Vista, or Windows 7); a low-latency 32/64-bit ASIO driver is included for PC use. The unit can operate with DVS direct mode for DJ applications using platter control signal operation. USB send/return routing is included for use with DJ software DSP effects such as TRAKTOR®, and USB MIDI Clock In BPM Detection can be used with TRAKTOR, Torq, Ableton, Cubase and more. The mixer's firmware is upgradeable over USB. The I/O complement comprises two phono inputs, two line inputs and two AUX inputs, mic input, effects send/return, stereo output, USB send/return, both out and balanced XLR master out.	512,00		614,00 EUR
	DN-X 120 DJ DN-X120 is the smallest professional-quality DJ mixer on the market. - Simple and Easy operation - Perfect companion to the DN-S1200 / DN-S1000 - (2) Line, (2) Phono / Line (switchable), 1 Mic input - 3 Band EQ (full kills) - 45mm Crossfader and Channel Faders, Cross fader revers, Cross fader contour - 10 segments level meter - Cue monitor (line), Gain Control, Headphone Split Cue - TRS Balanced and RCA Unbalanced Outputs, Fader start	176,00		211,00 EUR

	Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
	DN-X 900	4-channel matrix-digital I/O rackmount mixer, 4xdigital-In, 8xline-in, incl. 3xphono, FlexFader crossfader, Track-Mark, digital-out 1xS/P-DIF/1xTOS, 19"-4HU	499,00		599,00 EUR
	DN-X 500	4-channel matrix-in rackmount mixer, 8xline-in, incl. 2xPhono, 19"-4HU	328,00		394,00 EUR
	DN-X 050	DNX-050 is an affordable and very ease to use 19" mixer. With it's easy operation it is an ideal partner for DN-HC4500 and DND4500.	125,00		150,00 EUR
DJ Headphones					
	DN-HP1000	Headphone. Dynamic construction, closed type, 53 mm driver , folding design, incl. 3,5mm to 6,3mm screw-on adaptor, posh bag, replaceable earpads (optional)	128,00		154,00 EUR
	DN-HP 700	Headphone. Dynamic construction, closed type, 40 mm driver , folding design, incl. 3,5mm to 6,3mm screw-on adaptor, posh bag, replaceable earpads (optional)	104,00		125,00 EUR
	DN-HP 500 NEW	Headphone. Dynamic construction, closed type, 1300mW input power, 40mm driver , 40 ohms impedance, 103dB output, 10-28kHz frequency response, 90 degree swivel mechanism, with comfortable ear pad and headband for prolonged periods of use	56,00		67,00 EUR
Professional Installation Products					
	DNC615E2	CD / MP3 Player - MP3 Playback - MP3 Folder Search; File, Title, Artist & Album - ID3 Tag & CD Text Support - CD-R/RW Playback • Instant start / Cue to music - XLR Sym Out.	312,00		374,00 EUR
	DNC635E2	Single CD/MP3 Player - MP3 Playback (Folder, Artist, Album & Title) - CD TEXT, ID3 Tag & .m3u support - CD-R/RW Playback - Selectable RS-232C/422A Serial Port - XLR Sym. Out.	408,00		490,00 EUR
	DN-C 640	DNC 640 CD / MP 3 Player - CD-DA (.cda), WAVE (.wav), MPEG-1/2 Layer III(.mp3), MPEG-1 Layer II (.mpg), Windows Media Audio (.wma) - +/- 12% Pitch Control - End Monitor and User-selectable Finish Mode Features - ethernet, AES/EBU, RS 232 , Ethernet - Balanced Audio Output	728,00		874,00 EUR
	DN-C 620	DNC 620 CD / MP 3 Player - CD-DA (.cda), WAVE (.wav), MPEG-1/2 Layer III(.mp3), MPEG-1 Layer II (.mpg), Windows Media Audio (.wma) - +/- 12% Pitch Control - End Monitor and User-selectable Finish Mode Features - AES/EBU, RS 232 - Balanced Audio Output	456,00		547,00 EUR
Professional Single Digital Media Recorder					
	DN-F 650	Stereo SD Card USB Recorder / player 1U - SD/SDHC compatible and USB. - MP3 and WAV formats accepted. - Balanced XLR & AES/EBU and unbalanced output. - Random and Repeat modes, ±16% pitch control - RS232 & optional RC400S 'hot start' wired remote	552,00		662,00 EUR
	DN-F 450	Compact 1/2u, Stereo SD Card Recorder / player, - SD/SDHC compatible and USB. - MP3 and WAV formats accepted. - Balanced in & unbalanced output. - Power on play, - Random & repeat modes. - RS232 and GPIO control., Optional RC400S 'hot start' wired remote	368,00		442,00 EUR
Professional Single Digital Media Player					
	DN-F 300	Stereo SD Card player 1U - SD/SDHC compatible and USB. - MP3 and WAV formats accepted, - unbalanced output. - Mic input with independent volume and music ducking. - Random and Repeat modes, ±16% pitch control	256,00		307,00 EUR
	DN-F 400	Compact 1/2u, Stereo SD Card player, - SD/SDHC compatible and USB. - MP3 and WAV formats accepted. - Balanced & unbalanced output. - Power on play, - Random & repeat modes. - RS232 and GPIO control., Optional RC400S 'hot start' wired remote	320,00		384,00 EUR
	RC.-F 400S	Wired remote controller for DN-F400 with 20 independent hot start playback capability	240,00		288,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
Professional MINIDISC Players/Recorders				
	DEAL! DN-M 990R MD Recorder - (Demo) - Instantaneous Record / Playback - Power failure protection - Up to 5 Cue point recording - Large FLD Display	1.300,00	499,00	599,00 EUR
	DEAL! DN 961FAE1 CD Player - (Demo) - Instantaneous Start - Dry contact Closure for EOM & Index 2,3 - End Monitor - RS422 Serial - XLR Sym. Out.	1.100,00	399,00	479,00 EUR
Professional Cassette Products				
	DN 780RE2 Dual well auto-reverse cassette deck - Serial D-sub 9 port control, RS-232C - Parallel D-sub 25 port; dry contact - Stereo microphone inputs - Mic mixing control	464,00		557,00 EUR
P-Series Installation Products				
	DN-C 100 DN-C 110 Denon DN-C100 Installation CD Player incl. 19" Maounting Kit - CD/CDR playback , 3U - IR Control - Optical Digital Output - Program Playback / Random Playback / Repeat Playback (track & disc)	184,00		221,00 EUR
	DN-C 200 Denon DN-C200 5 Disc CD Changer incl. 19" Maounting Kit - CD/ CDR playback , 3U - Playback MP3 and WMA (Windows Media Audio) files from CD-ROM - IR Control (supplied remote) - Optical & Coaxial Digital Outputs - Program Playback / Random Playback / Repeat Playback (one track, one disc, all discs)	272,00		326,00 EUR
	DCD685 Black CD Player - Real 20-bit 2-DAC LAMBDA super linear converter - CD-R/RW audio playback - Convenient Pitch Control - Optical digital output - Music calendar, Display Dimmer	238,00	149,00	179,00 EUR
	DN-A 7100 Denon DN-A7100 AV Surround Preamplifier - 7.1 Balanced Line Level XLR Outputs (+4dB/-10dB - switchable) - Balanced XLR Auxiliary Audio Input (+4dB/-10dB - switchable) - HDMI Video Switching (Iver. 1.1) (2 sources) - Video Convert Feature (Composite/S-video to Component)	699,00		839,00 EUR
	DN-A 100 Denon DN-A100 Installation Amplifier incl. 19" Maounting Kit - 70w per channel (4ohms), 3U - 2 speaker circuits with A/B switching - IR control (supplied RC1022 IR controller) - 5 line inputs – RCA/ Cinch (remote switching), 2 tape (in/out), Phono input	192,00		230,00 EUR
	DN-A 300M Denon DN-A300 Installation Amplifier incl. 19" Maounting Kit - 110W per channel (4ohms), 3U - 2 speaker circuits with A/B switching - IR control (supplied RC1022 IR controller) - 5 line inputs – RCA/ Cinch (remote switching), 2 tape (in/out), Phono input - Fully Adjustable MIC level or automate the MIC level with the DNA300M's internal AGC MIC circuit - 1 - unbalanced Pre-out for connection to external amplification	272,00		326,00 EUR
	DN-U 100 Denon DN-U100 FM-Tuner incl. 19" Maounting Kit - FM & AM band tuner , 2U, - IR Control (supplied remote). - 100 presets – store up to 100 stations in banks of 10 (1-10, A-J) - Auto & Manual tuning, RDS displays the station name etc - RT (radio text) displays information such as track title if broadcast - Last Function Memory: if power is lost and switched back on, it will always return to the last tuned station	192,00		230,00 EUR
DVD Player / Recorder				
	DN-V 110 Denon DN-V110 DVD Player incl. 19" Maounting Kit - Progressive Scan System, 2U - HDMI (High Definition Multimedia Interface) - Playback of Audio CD, MP3, JPEG (pictures) and WMA - Component Video Output - Playback of DivX files recorded on DVD-R/RW or CD-R/RW - Repeat playback	200,00		240,00 EUR
	DN-V 310 Pro DVD Player 2U Rackmountable - Hide OSD, Change Wallpaper - NTSC/Pal Conversion; Auto Play; High Precision 96kHz 24-bit D/A converter - Key Lock; IR Remote Lock - DVD, DVD+R/RW, CD, CD-R/RW, VCD Playback - MP3 JPEG, WMA, DivX Playback, Progressive Scan Function - Optical, Coaxial Digital Output	353,00		424,00 EUR
	DVD-D9RC	NV310 9 switch interface (Enter,Up,Down,Left,Right-1-4)	101,00	121,00 EUR
	DVD-DSPRX	DNV310 Standalone IR proximity detector	125,00	150,00 EUR
	DVD-DSYN6	DNV310 6 player synchronisation unit 1	360,00	432,00 EUR
	DVD-DWRC	DNV310 Wired Controller (7 button)	77,00	92,00 EUR
	DVD-DWRC+	DNV310 Wired Controller with intergrated PIR	101,00	121,00 EUR
	NICE PRICE DN-V 755 Pro Audio / Video data file replay device - 40 GB internal hard drive, Internally expandable to 137 GB - Up to 8 hours of DVD quality video- - Plays 720 x 480 MPEG-2 at 10 Mbps OR BELOW, Plays I-Pictures (720 x 480) - Plays Wav or MPEG-1 (layer II) audio at 44.1 kHz or 48 kHz - Parallel remote control (Switch closure on 15-pin D-sub) - Serial control (RS-232C on 9-pin D-sub), - Ethernet control (LAN/RJ-45) - Realtime clock for scripted/automated playback of AV files - FTP Site Command Server for audio, video, picture and scripting/automation uploads - Simple Windows application for easy set-up and file transfer - S-Video and Composite (RCA) video outputs, Unbalanced (RCA) stereo audio outputs	950,00	665,00	798,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special EUR (ex. VAT)	EUR + 20% DDS (incl. VAT)
DENON C.I. Reference Installation Home Series				
	CI POA-3012 12ch multi zone power amplifier <ul style="list-style-type: none"> High quality digital amplifiers 12 channels independent module design 30 Watts per channel, 100 Watts x 6 channels bridged, 4 ohm speakers load guaranteed Functionality <ul style="list-style-type: none"> Cascade outputs, Individual channel level control Auto audio sense mode per channel Input mode select Front panel lock mode, Selectable turn-on model Ethernet IP control <ul style="list-style-type: none"> WEB remote control and setup 	1.800,00	1.500,00	1.800,00 EUR
	CI TU-604 Denon TU 604 Configurable Multi-tuner <ul style="list-style-type: none"> Dual AM/FM tuners pre-installed, 6 independent audio outputs (simultaneous output) Independent 56 stations memory for each tuner, Independent control for all six tuners Plug n' Play upgrade <ul style="list-style-type: none"> 4 expandable slots for Optional tuner cards Ethernet IP control <ul style="list-style-type: none"> WEB remote control and setup System control <ul style="list-style-type: none"> AMX, Crestron third party IP control support with RS-232C port, Remote in / out IR control, Seven +12V, 250mA trigger outputs Optional Tuner Card <ul style="list-style-type: none"> ACD-DAB DAB tuner card & ACD-AMFM Analog AM/FM tuner card 	800,00	1.500,00	1.800,00 EUR
	CI ACD-AMFM Tuner Board for TU604	80,00	60,00	72,00 EUR
	CI DVP-602 Reference Video Processor with Denon's High Quality Circuitry and Build High Quality Video Processing <ul style="list-style-type: none"> Denon's High Quality Circuitry, to enhance existing DVDs (Realta sxt2 HQV video processor) HDMI (ver. 1.3a supporting Deep Color (30/36-bit), "x.v.Color") Digital Noise Reduction for SD and HD source Multi Cadence Film/Video Detection & Denon Pixel Image Correction Separated Digital and Analog stage Connectivity <ul style="list-style-type: none"> 6 HDMI inputs and parallel 2 outputs, 2 component inputs (1 BNC and 1 RCA), Analog to HDMI conversion, S-Video and Composite inputs, HDMI audio pass through Ethernet IP control , WEB remote control and setup, Firmware update via Ethernet System control <ul style="list-style-type: none"> AMX, Crestron third party IP control support with RS-232C port Remote in / out IR control +12 V, 250 mA trigger output Output Resolutions: 480i/480p/576p/720p/1080i/1080p, VGA/SVGA/XGA/WXGA/WXGA2/SXGA, 1360 x 768 plasma native resolution Video Adjustments: Contrast (-6 to +6), Brightness (0 to 12), Chroma Level (-6 to +6), Hue (-6 to +6), DNR (Digital Noise Reduction) (Off / Low / Middle / High), Enhancer (0 to +12), Sharpness (-6 to +6) Audio Adjustment: Audio Delay (0 ms - 200 ms) Other Features <ul style="list-style-type: none"> Graphical User Interface, Selectable GUI Language (English/ Deutsch/ Francais/ Italiano/ Espanol/ Nederlands/ Svenska) Selectable Video Output Signal Format (PAL/NTSC) 	2.000,00	1.500,00	1.800,00 EUR