USB-GUITAR

IAXE393

Technical Specifications

0002

en





USB-GUITAR

The Ultimate Electric Guitar with Built-In USB Port to Connect Straight to Your Computer. Jam and Record with Killer Modeling Amps and Effects

- ▲ Plug this amazing USB-guitar straight into your computer and turn your PC or Mac computer into a guitar amp and recording system without the need for any other hardware
- ▲ You get a top-notch electric guitar featuring a 22-fret maple neck, solid body, chrome machine heads, 3 single-coil pickups, 5-way switching and vintage vibrato bridge. The guitar can also be used with any traditional guitar amplifier
- ▲ Enjoy immediate access to Guitar Combos from Native Instruments—the leading authentic guitar amp and stomp box modeling software—now including VST, AU and RTAS plugin versions
- ▲ Create Music Now! Incredibly powerful energyXT2 Compact music production software and Audacity editing software—both with full portability on all PC, Mac or Linux computers
- ▲ Directly works with your PC or Mac computer—ultra-low latency ASIO driver for PC audio optimization included
- ▲ All these accessories are included: CD, USB cable, adjustable guitar strap and 3 picks
- Stereo Headphone output lets you jam with your computer and can also be used for monitoring with active monitor speakers
- ▲ Guitar Combos with variable-speed file playback function for MP3, WAV, AIFF audio files—perfect for easy learning and practicing—tuner and metronome function
- ▲ Powered via USB—no additional power supply required
- High-quality components and exceptionally rugged construction ensure long life
- ▲ Conceived and designed by BEHRINGER Germany



iAXE393 USB-GUITAR

6 SPECIFICATIONS

GUITAR OUT

Connector 1/4" TS, unbalanced

PHONES OUT

 $\begin{array}{ll} \mbox{Connector} & \mbox{ 14" TRS stereo jack} \\ \mbox{Output impedance} & \mbox{approx. 50 } \mbox{ } \Omega \\ \end{array}$

Max. output level 4.5 dBu, 2 x 8.5 mW @ 32 Ω

USB 1.1

Connector type A

DIGITAL PROCESSING

Converter 16-bit converter Sample rate 32.0 / 44.1 / 48 kHz

POWER SUPPLY

USB connection 5 V — , 100 mA max.

DIMENSIONS/WEIGHT

Dimensions

(H x W x D) approx. 990 mm x 330 mm x 60 mm

33.98" x 12.99" x 2.36"

Weight approx. (6.62 lbs) 3.0 kg

SYSTEM REQUIREMENTS SOFTWARE (PC/MAC)

Operating system Win XP Mac OS X
Processor min. Pentium 700 MHz G4 733 MHz

Athlon XP 1.33 GHz Intel Core Duo

1.66 GHz

RAM 256 MB 512MB

SOFTWARE

Applications please see feature list on chapter 3.1

Driver (Windows) high-performance driver

BEHRINGER USB AUDIO

for Win 98 (SE) / ME / 2000 / XP / Vista

Driver (Mac OS X) Core Audio

BEHRINGER is constantly striving to maintain the highest professional standards. As a result of these efforts, modifications may be made from time to time to existing products without prior notice. Specifications and appearance may differ from those listed or illustrated. excluded.

en

iAXE393 USB-GUITAR



Technical specifications and appearance are subject to change without notice. The information contained herein is correct at the time of printing. All trademarks (except BEHRINGER, the BEHRINGER logo, JUST LISTEN, iAXE, CENTARI and METALIEN) mentioned belong to their respective owners and are not affiliated with BEHRINGER. BEHRINGER accepts no liability for any loss which may be suffered by any person who relies either wholly or in part upon any description, photograph or statement contained herein. Colors and specifications may vary slightly from product. Products are sold through our authorized dealers only. Distributors and dealers are not agents of BEHRINGER and have absolutely no authority to bind BEHRINGER by any express or implied undertaking or representation. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording of any kind, for any purpose, without the express written permission of BEHRINGER International GmbH. Mac and Mac OS are trademarks of Apple Computer, Inc., registered in the U.S. and other countries. Intel and Pentium are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Windows is a registered trademark of Microsoft Corporation in the United States and other countries. ASIO is a trademark and software of Steinberg Media Technologies GmbH. energyXT2 and energyXT2 Compact are trademarks of XT Software AS incorporated in Norway. Guitar Combos and Guitar Rig are registered trademarks of Native Instruments GmbH.

ALL RIGHTS RESERVED. © 2006 BEHRINGER International GmbH, Hanns-Martin-Schleyer-Str. 36-38, 47877 Willich-Muenchheide II, Germany. Tel. +49 2154 9206 0, Fax +49 2154 9206 4903