



nivtec®
flexibel

Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions
www.pro-technica.com

EUR



Price List 5/2025

Effective May 1-sth, 2025

Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.

Aricles marked * will be discontinued soon!

EUR EUR
Netto + 20% DDS
(ex. VAT) (incl. VAT)

ENDUSER_NET ENDUSER_VAT

SYSTEM PLATFORM ULTRA: Standard with multiplex plywood panel





nivtec-system platform TÜV approved (GS sign), capacity 750 kg/sqm
colour: dark brown, depth: 9 cm

special features:

- "Hook On – Design" and integral "Click-Clack" locking mechanism (no additional links)
- corner leg support with double eccentric clamping device (no tools needed for assembly)
- standard special weatherproof multiplex plywood platform for in- and outdoor use with multifunctional supports for rails and other constructions.

code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
111 01 0	nivtec-system platform TÜV approved (GS sign), capacity 750 kg/sqm, colour: dark brown, weight: 32 kg, stacking height: 9 cm,	size: 200 cm x 100 cm	479,00	574,80 EUR
111 01 0s NEW	nivtec-system platform TÜV approved (GS sign), capacity 750 kg/sqm, colour: all parts black , weight: 32 kg, stacking height: 9 cm,	size: 200 cm x 100 cm	594,00	712,80 EUR
111 21 0	nivtec-system platform TÜV approved (GS-sign), weight 29.5 kg	size: 200 cm x 75 cm,	474,00	568,80 EUR
111 02 0	nivtec-system platform TÜV approved (GS sign), weight 19 kg	size: 200 cm x 50 cm	334,00	400,80 EUR
111 02 0s NEW	nivtec-system platform TÜV approved (GS sign), colour: all parts black , weight 19 kg	size: 200 cm x 50 cm	404,00	484,80 EUR
111 03 0	nivtec-system platform TÜV approved (GS-sign), weight 26 kg	size: 150 cm x 100 cm	429,00	514,80 EUR
111 23 0	nivtec-system platform TÜV approved (GS-sign), weight 21 kg	size: 150 cm x 75 cm	424,00	508,80 EUR
111 04 0	nivtec-system platform TÜV approved (GS-sign), weight 16 kg	size: 150 cm x 50 cm	304,00	364,80 EUR
111 06 0	nivtec-system platform TÜV approved (GS sign), weight 12 kg	size: 100 cm x 50 cm	254,00	304,80 EUR
111 06 0s NEW	nivtec-system platform TÜV approved (GS sign), colour: all parts black , weight 12 kg	size: 100 cm x 50 cm	309,00	370,80 EUR
111 26 0	nivtec-system platform TÜV approved (GS sign), weight 13 kg	size: 100 cm x 75 cm	374,00	448,80 EUR
111 05 0	nivtec-system platform TÜV approved (GS sign), weight 19 kg	size: 100 cm x 100 cm	379,00	454,80 EUR
111 05 0s NEW	nivtec-system platform TÜV approved (GS sign), colour: all parts black , weight 19 kg	size: 100 cm x 100 cm	464,00	556,80 EUR
111 07 0	nivtec-system platform TÜV approved (GS-sign), weight 8 kg	size: 50 cm x 50 cm	240,00	288,00 EUR
111 12 0	nivtec-system platform TÜV approved (GS sign), top step push-on stairway	size: 200 x 39 cm	329,00	394,80 EUR
111 12 0s NEW	nivtec-system platform TÜV approved (GS sign), colour: all parts black , top step push-on stairway	size: 200 x 39 cm	399,00	478,80 EUR
111 14 0	nivtec-system platform TÜV approved (GS sign), top step push-on stairway	size: 150 x 39 cm	299,00	358,80 EUR
111 16 0	nivtec-system platform TÜV approved (GS sign), top step push-on stairway	size: 100 x 39 cm	249,00	298,80 EUR
111 16 0s NEW	nivtec-system platform TÜV approved (GS sign), colour: all parts black , top step push-on stairway	size: 100 x 39 cm	304,00	364,80 EUR
112 01 0	nivtec-system platform, triangle	size: 200 cm x 100 cm x 26,5 ° left	584,00	700,80 EUR
112 03 0	nivtec-system platform, triangle	size: 150 cm x 100 cm x 26,5 ° left	405,00	486,00 EUR
112 06 0	nivtec-system platform, triangle	size: 100 cm x 50 cm x 26,5 ° left	305,00	366,00 EUR
112 02 0	nivtec-system platform, triangle	size: 200 cm x 100 cm x 26,5 ° right	584,00	700,80 EUR
112 04 0	nivtec-system platform, triangle	size: 150 cm x 100 cm x 26,5 ° right	405,00	486,00 EUR
112 07 0	nivtec-system platform, triangle	size: 100 cm x 50 cm x 26,5 ° right	305,00	366,00 EUR
112 05 0	nivtec-system platform, triangle	size: 100 cm x 100 cm x 45°	474,00	568,80 EUR
112 08 0	nivtec-system platform, triangle	size: 50 cm x 50 cm x 45 °	245,00	294,00 EUR
112 01 1	nivtec-system platform, triangle	size: 100 cm x 45° x 100 cm	504,00	604,80 EUR
112 02 1	nivtec-system platform, triangle	size: 50 cm x 45° x 50 cm	265,00	318,00 EUR
112 01 2	nivtec-system platform, quadrant	size: 100 cm x 100 cm x radius 100 cm	554,00	664,80 EUR
113 01 0	nivtec-system platform trapezoid	size: 200,0 cm x 173,9 cm x 7,5 ° x 100 cm	664,00	796,80 EUR
113 02 0	nivtec-system platform trapezoid	size: 173,9 cm x 147,8 cm x 7,5 ° x 100 cm	470,00	564,00 EUR
113 03 0	nivtec-system platform trapezoid	size: 147,8 cm x 121,7 cm x 7,5 ° x 100 cm	455,00	546,00 EUR
113 04 0	nivtec-system platform trapezoid	size: 121,7 cm x 95,6 cm x 7,5 ° x 100 cm	440,00	528,00 EUR
113 05 0	nivtec-system platform trapezoid	size: 95,6 cm x 69,5 cm x 7,5 ° x 100 cm	425,00	510,00 EUR
113 06 0	nivtec-system platform trapezoid	size: 69,5 cm x 43,4 cm x 7,5 ° x 100 cm	410,00	492,00 EUR
113 07 0	nivtec-system platform trapezoid	size: 43,4 cm x 17,3 cm x 7,5 ° x 100 cm	395,00	474,00 EUR
113 01 1	nivtec-system platform, gallery trapezoid	size: 36,7 cm x 75,0 cm x 22,5° x 100 cm, left	365,00	438,00 EUR
113 03 1	nivtec-system platform, gallery trapezoid	size: 73,4 cm x 111,7 cm x 22,5° x 100 cm, left	385,00	462,00 EUR
113 05 1	nivtec-system platform, gallery trapezoid	size: 110,2 cm x 148,4 cm x 22,5° x 100 cm, left	405,00	486,00 EUR
113 07 1	nivtec-system platform, gallery trapezoid	size: 146,9 cm x 185,2 cm x 22,5° x 100 cm, left	594,00	712,80 EUR
113 02 1	nivtec-system platform, gallery trapezoid	size: 36,7 cm x 75,0 cm x 22,5° x 100 cm, right	365,00	438,00 EUR
113 04 1	nivtec-system platform, gallery trapezoid	size: 73,4 cm x 111,7 cm x 22,5° x 100 cm, right	385,00	462,00 EUR
113 06 1	nivtec-system platform, gallery trapezoid	size: 110,2 cm x 148,4 cm x 22,5° x 100 cm, right	405,00	486,00 EUR
113 08 1	nivtec-system platform, gallery trapezoid	size: 146,9 cm x 185,2 cm x 22,5° x 100 cm, right	594,00	712,80 EUR

code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
 System Platforms with multiplex plywood panel / special shapes - for circles 					
112 51 0	nivtec special platform, triangle, kite shape, for Ø 4 m	size: for Ø 4 m	455,00	546,00	EUR
112 61 0	nivtec special platform, triangle, straight edge, for circle Ø 4 m	size: for circle Ø 4 m	425,00	510,00	EUR
113 61 0	nivtec special platform, extension trapezoid, right, for circle Ø 8 m	size: for circle Ø 8 m	475,00	570,00	EUR
113 61 1	nivtec special platform, extension trapezoid, left, for circle Ø 8 m	size: for circle Ø 8 m	475,00	570,00	EUR
112 53 0	nivtec special platform, triangle, kite shape, for Ø 3 m	size: for Ø 3 m	584,00	700,80	EUR
112 63 0	nivtec special platform, triangle, straight edge, for circle Ø 3 m	size: for circle Ø 3 m	544,00	652,80	EUR
113 63 0	nivtec special platform, extension trapezoid, right, for circle Ø 6 m	size: for circle Ø 6 m	624,00	748,80	EUR
113 63 1	nivtec special platform, extension trapezoid, left, for circle Ø 6 m	size: for circle Ø 6 m	624,00	748,80	EUR
with synthetic glass , transparent adhesive, one side glazed, lucid					
	121 01 0	nivtec-system platform with synthetic glass	size: 200 cm x 100 cm	969,00	1162,80 EUR
	121 02 0	nivtec-system platform with synthetic glass	size: 200 cm x 50 cm		upon request
	121 03 0	nivtec-system platform with synthetic glass	size: 150 cm x 100 cm		upon request
	121 04 0	nivtec-system platform with synthetic glass	size: 150 cm x 50 cm		upon request
	121 06 0	nivtec-system platform with synthetic glass	size: 100 cm x 50 cm		upon request
	121 05 0	nivtec-system platform with synthetic glass	size: 100 cm x 100 cm		upon request
	121 07 0	nivtec-system platform with synthetic glass	size: 50 cm x 50 cm		upon request
	122 01 1	nivtec-system platform with synthetic glass, triangle	size: 200 cm x 100 cm x 45 °, left		upon request
	122 02 1	nivtec-system platform with synthetic glass, triangle	size: 200 cm x 100 cm x 45 °, right		upon request
	122 03 1	nivtec-system platform with synthetic glass, triangle	size: 150 cm x 100 cm x 45 °, left		upon request
	122 04 1	nivtec-system platform with synthetic glass, triangle	size: 150 cm x 100 cm x 45 °, right		upon request
	122 06 1	nivtec-system platform with synthetic glass, triangle	size: 100 cm x 50 cm x 45 °, left		upon request
	122 07 1	nivtec-system platform with synthetic glass, triangle	size: 100 cm x 50 cm x 45 °, right		upon request
	122 08 1	nivtec-system platform with synthetic glass, triangle	size: 50 cm x 50 cm x 45 °		upon request
	122 09 1	nivtec-system platform with synthetic glass, triangle	size: 100 cm x 45 ° x 100 cm		upon request
	122 10 1	nivtec-system platform with synthetic glass, triangle	size: 50 cm x 45 ° x 50 cm		upon request
	122 01 2	nivtec-system platform with synthetic glass, quadrant	size: 100 x 100 cm x radius 100 cm		upon request
with polyester panel, acc. DIN 4102 building material: Fire Resistance + Safety on Site Class B1, transparent adhesive					
	131 01 0	nivtec-system platform with polyester panel, one side glazed, lucid	size: 200 cm x 100 cm	795,00	954,00 EUR
	131 05 0	nivtec-system platform with polyester panel, one side glazed, lucid	size: 100 cm x 100 cm	555,00	666,00 EUR
	131 xx x	other standard sizes			upon request
with lattice panel made of steel, galvanized, width of mesh: 30 x 10 mm					
	141 05 0	nivtec-system platform with lattice panel made of steel	size: 100 cm x 100 cm		upon request
	141 06 0	nivtec-system platform with lattice panel made of steel	size: 100 cm x 50 cm		upon request
	142 05 0	nivtec-system platform with lattice panel made of steel, aluminium frame, thickness 11 mm, capacity 500 kg/sqm	size: 100 cm x 100 cm		upon request
System platform – Indoor					
<i>Aluminum frame • tongue and groove profile • top of birch plywood, thickness 9 mm, uncoated</i>					
<i>• Capacity 5 kN / m² (500 kg / m²) • for applying different surfaces according to customer</i>					
	151 01 0	nivtec-system platform – Indoor	size: 200 x 100 cm	459,00	550,80 EUR
	151 02 0	nivtec-system platform – Indoor	size: 200 x 50 cm		upon request
	151 05 0	nivtec-system platform – Indoor	size: 100 x 100 cm		upon request
	151 06 0	nivtec-system platform – Indoor	size: 100 x 50 cm		upon request
System platform – Outdoor					
<i>Aluminum frame • tongue and groove profile • top of Waterproof and UV-resistant plastic sheet, 12 mm thick, reinforced core of PU foam , • with thermoplastic surface load capacity 7.5 kN / m² (750 kg / m²)</i>					
	161 01 0	nivtec-system platform – Outdoor	size: 200 x 100 cm		upon request
	161 02 0	nivtec-system platform – Outdoor	size: 200 x 50 cm		upon request
	161 05 0	nivtec-system platform – Outdoor	size: 100 x 100 cm		upon request
	161 06 0	nivtec-system platform – Outdoor	size: 100 x 50 cm		upon request
	115 01 0	nivtec-system platform 200x100 cm with recessed corners for tube 48,3 mm		599,00	718,80 EUR
	115 05 0	nivtec-system platform 100x100 cm with recessed corners for tube 48,3 mm		519,00	622,80 EUR
	117 01 1	nivtec-system platform 200x100 cm with recessed corners for truss 30 x 30 cm / 50 x 50 cm -front right		619,00	742,80 EUR
	117 02 1	nivtec-system platform 200x100 cm with recessed corners for truss 30 x 30 cm / 50 x 50 cm - front left		609,00	730,80 EUR
	117 03 1	nivtec-system platform 200x100 cm with recessed corners for truss 30 x 30 cm / 50 x 50 cm - back right		629,00	754,80 EUR
	117 04 1	nivtec-system platform 200x100 cm with recessed corners for truss 30 x 30 cm / 50 x 50 cm - back left		639,00	766,80 EUR
	117 01 2	surcharge for platforms with recessed corners for truss 50 x 50 cm / 60 x 60 cm			upon request
	118 01 1	nivtec-system platform with Opening 89 x 79 cm and cover, right / 200 x 100			upon request
	118 01 2	nivtec-system platform with Opening 89 x 79 cm and cover, left / 200x 100			upon request
	119 01 1	nivtec-system platform with Opening 89 x 79 cm and flap, right / 200 x 100			upon request
	119 01 2	nivtec-system platform with Opening 89 x 79 cm and flap, left / 200x 100			upon request
	116 01 0	nivtec-system platform with cable conveyance insert, inner size 23 x 21 cm	size: 200 cm x 100 cm		upon request

code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
------	-------------	-------	---------------------------	---------------------------------

INTERCHANGEABLE LEGS

Ø48,3; mat. depth 4 mm, up to 80 cm made of aluminium, exc. 80 cm steel tube, galvanized.
to be considered: due to the "Hook On – Design" the quantity of legs needed for for a stage is reduced depending on size and shape of the stage.
Quantity of legs recommended for purchase of a stage -> 2 legs per each platform only
All standard legs are equipped with thread adapter (function: supporting fastening devices of safety rails and stairways)
and a load ring (function: increasing the stability of the platforms for long term use). Additionally nivtec legs with adjusting spindle for heights
exceeding 80 cm are equipped with a locknut (function: stabilizing the base construction)
Floor protectors made of skid-proof hard rubber are available for all base constructions, either built with tube legs or with scaffolding system.


nivtec-leg with weight distributor made of floor protecting and skid-proof hard rubber

	201 01 1	nivtec-leg alu with load distributor	height: 20 cm	25,00	30,00	EUR
	201 01 1s	NEW Nivtec leg, aluminium, with load distributor, all parts in black	height: 20 cm	34,00	40,80	EUR
	201 02 1	nivtec-leg alu with load distributor	height: 40 cm	29,00	34,80	EUR
	201 02 1s	NEW Nivtec leg, aluminium, with load distributor, all parts in black	height: 40 cm	40,00	48,00	EUR
	201 03 1	nivtec-leg alu with load distributor	height: 60 cm	33,00	39,60	EUR
	201 03 1s	NEW Nivtec leg, aluminium, with load distributor, all parts in black	height: 60 cm	46,00	55,20	EUR
	201 04 1	nivtec-leg alu with load distributor	height: 80 cm	37,00	44,40	EUR
	211 05 1	nivtec-leg alu with load distributor	height: 100 cm	41,00	49,20	EUR
	211 06 1	nivtec-leg alu with load distributor	height: 120 cm	46,00	55,20	EUR
	211 07 1	nivtec-leg alu with load distributor	height: 140 cm	51,00	61,20	EUR
	211 08 1	nivtec-leg alu with load distributor	height: 160 cm	57,00	68,40	EUR
	211 09 1	nivtec-leg alu with load distributor	height: 180 cm	62,00	74,40	EUR
	211 10 1	nivtec-leg alu with load distributor	height: 200 cm	67,00	80,40	EUR
	200 06 7	Floor protector for base plate		3,00	3,60	EUR


nivtec-leg with weight distributor made of floor protecting and skid-proof hard rubber for Theater steps 16,66 cm

	211 13 1	nivtec-leg alu with load distributor	height: 16,66 cm	22,00	26,40	EUR
	211 14 1	nivtec-leg alu with load distributor	height: 33,33 cm	26,00	31,20	EUR
	211 15 1	nivtec-leg alu with load distributor	height: 50,00 cm	30,00	36,00	EUR
	211 16 1	nivtec-leg alu with load distributor	height: 66,66 cm	34,00	40,80	EUR
	211 17 1	nivtec-leg alu with load distributor	height: 83,33 cm	37,00	44,40	EUR
	211 05 1	nivtec-leg alu with load distributor	height: 100,00 cm	41,00	49,20	EUR
	211 18 1	nivtec-leg alu with load distributor	height: 116,66 cm	45,00	54,00	EUR
	211 19 1	nivtec-leg alu with load distributor	Height: 133,33 cm	50,00	60,00	EUR
	200 06 7	Floor protector for base plate		3,00	3,60	EUR

nivtec levelling leg with adjustable spindle and base plate, adjusting capacity: 6 cm, hight 20 cm

	202 01 1	nivtec- leg alu with adjustable spindle	height: 20 cm	36,00	43,20	EUR
	202 02 1	nivtec- leg alu with adjustable spindle	height: 40 cm	40,00	48,00	EUR
	202 03 1	nivtec- leg alu with adjustable spindle	height: 60 cm	45,00	54,00	EUR
	202 04 1	nivtec- leg alu with adjustable spindle	height: 80 cm	50,00	60,00	EUR
	212 05 1	nivtec- leg alu with adjustable spindle	height: 100 cm	55,00	66,00	EUR
	212 06 1	nivtec- leg alu with adjustable spindle	height: 120 cm	60,00	72,00	EUR
	212 07 1	nivtec- leg alu with adjustable spindle	height: 140 cm	65,00	78,00	EUR
	212 08 1	nivtec- leg alu with adjustable spindle	height: 160 cm	70,00	84,00	EUR
	212 09 1	nivtec- leg alu with adjustable spindle	height: 180 cm	75,00	90,00	EUR
	212 10 1	nivtec- leg alu with adjustable spindle	height: 200 cm	80,00	96,00	EUR
	200 06 6	Floor protector for base plate		4,00	4,80	EUR

nivtec levelling leg with adjustable spindle and base plate, adjusting capacity: +/- 3 cm, Theater steps 16,66 cm

	202 13 1	nivtec- leg alu with adjustable spindle	height: +/- 2 cm : 16,66 cm	33,00	39,60	EUR
	202 14 1	nivtec- leg alu with adjustable spindle	height: +/- 3 cm : 33,33 cm	37,00	44,40	EUR
	202 15 1	nivtec- leg alu with adjustable spindle	height: +/- 3 cm : 50,00 cm	41,00	49,20	EUR
	202 16 1	nivtec- leg alu with adjustable spindle	height: +/- 3 cm : 66,66 cm	45,00	54,00	EUR
	202 17 1	nivtec- leg alu with adjustable spindle	height: +/- 3 cm : 83,33 cm	49,00	58,80	EUR
	212 05 1	nivtec- leg alu with adjustable spindle	height: +/- 3 cm : 100,00 cm	55,00	66,00	EUR
	202 18 1	nivtec- leg alu with adjustable spindle	height: +/- 3 cm : 116,66 cm	59,00	70,80	EUR
	202 19 1	nivtec- leg alu with adjustable spindle	height: +/- 3 cm : 133,33 cm	64,00	76,80	EUR
	200 06 6	Floor protector for base plate		4,00	4,80	EUR

nivtec extension leg, raster pitch 5 cm with safety bolt clip, with adjusting spindle



	203 01 1	nivtec- extension leg	adjusting capacity: 40 to 60 cm	79,00	94,80	EUR
	203 02 1	height exceeding 80cm is only to be built with corner supports	adjusting capacity: 60 to 100 cm	89,00	106,80	EUR
	203 03 1	height exceeding 120cm is only to be built with corner supports	adjusting capacity: 80 to 140 cm	99,00	118,80	EUR
	200 06 6	Floor protector for base plate		4,00	4,80	EUR

nivtec levelling leg with Layher scaffold spindle







	204 10 1	nivtec alu leg, H: 565 mm for Layher spindle 60 cm,	adjusting capacity with spindle 60 cm: 63 - 83 cm	26,00	31,20	EUR
	204 11 1	nivtec steel leg, H: 835 mm for Layher spindles 60 & 80 cm,	adjusting capacity with spindle 60 cm: 90 - 110 cm adjusting ca	29,00	34,80	EUR
	204 12 1	nivtec steel leg, H: 985 mm for Layher spindle 80 cm,	adjusting capacity with spindle 80 cm: 105 - 140 cm	33,00	39,60	EUR


nivtec steel leg with end cap d=48,3 mm x 4mm

	201 05 1	nivtec steel leg	height: 100 cm		upon request	
	201 06 1	nivtec steel leg	height: 120 cm		upon request	
	201 07 1	nivtec steel leg	height: 140 cm		upon request	
	201 08 1	nivtec steel leg	height: 160 cm		upon request	
	201 09 1	nivtec steel leg	height: 180 cm		upon request	
	202 10 1	nivtec steel leg	height: 200 cm		upon request	
	202 11 1	nivtec steel leg	height: 220 cm		upon request	
	202 12 1	nivtec steel leg	height: 240 cm		upon request	

	code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
nivtec steel leg with adjusting spindle (+/- 3 cm) d=48,3 mm x 4mm					
	202 05 1	nivtec steel levelling leg with swivel base plate (spindel)	height: 100 cm		upon request
	202 06 1	nivtec steel levelling leg with swivel base plate (spindel)	height: 120 cm		upon request
	202 07 1	nivtec steel levelling leg with swivel base plate (spindel)	height: 140 cm		upon request
	202 08 1	nivtec steel levelling leg with swivel base plate (spindel)	height: 160 cm		upon request
	202 09 1	nivtec steel levelling leg with swivel base plate (spindel)	height: 180 cm		upon request
	202 10 1	nivtec steel levelling leg with swivel base plate (spindel)	height: 200 cm		upon request
	202 11 1	nivtec steel levelling leg with swivel base plate (spindel)	height: 220 cm		upon request
	202 12 1	nivtec steel levelling leg with swivel base plate (spindel)	height: 240 cm		upon request
nivtec steel leg with adjusting spindle and swivel base plate (ball bearing), adj. capacity 8 cm					
	208 09 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 1 cm height: 15 cm	43,00	51,60 EUR
	208 01 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 20 cm	44,00	52,80 EUR
	208 10 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 25 cm	47,00	56,40 EUR
	208 11 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 30 cm	48,00	57,60 EUR
	208 12 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 35 cm	49,00	58,80 EUR
	208 02 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 40 cm	50,00	60,00 EUR
	208 13 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 45 cm	52,00	62,40 EUR
	208 14 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 50 cm	53,00	63,60 EUR
	208 23 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 55 cm	54,00	64,80 EUR
	208 03 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 60 cm	55,00	66,00 EUR
	208 15 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 65 cm	57,00	68,40 EUR
	208 16 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 70 cm	58,00	69,60 EUR
	208 17 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 75 cm	59,00	70,80 EUR
	208 04 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 80 cm	60,00	72,00 EUR
	208 18 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 85 cm	62,00	74,40 EUR
	208 19 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 90 cm	63,00	75,60 EUR
	208 20 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 95 cm	64,00	76,80 EUR
	208 05 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 100 cm	65,00	78,00 EUR
	208 21 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 105 cm	67,00	80,40 EUR
	208 22 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 115 cm	69,00	82,80 EUR
	208 06 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 120 cm	70,00	84,00 EUR
	208 07 1	nivtec levelling leg with swivel base plate (ball joint)	swivel base +/- 3 cm height: 140 cm	75,00	90,00 EUR
steel bracing - scaffold tube / double couplers (not included in price)					
	200 12 7	nivtec steel diagonal brace, tube ø 48,3 x 4,0 mm	length: 1300 mm	17,60	21,12 EUR
	200 12 6	nivtec steel diagonal brace, tube ø 48,3 x 4,0 mm	length: 1600 mm	21,60	25,92 EUR
	200 12 3	nivtec steel diagonal brace, tube ø 48,3 x 4,0 mm	length: 2250 mm	30,40	36,48 EUR
	200 11 4	nivtec steel diagonal brace, tube ø 48,3 x 4,0 mm	length: 2400 mm	32,40	38,88 EUR
	10 03 31	Surcharge for swivel base plate incl. floor protector and ball joint (for ascents etc.)		6,80	8,16 EUR
	10 04 06	Surcharge for load absorbing disc for legs, if dynamic loads are expected (dance events etc.)		6,80	8,16 EUR
various base constructions:					
	10 03 40	nivtec- legs for scaffold system EXPO steel, galvanized , . 48,3 mm		29,50	35,40 EUR
Accessories Base Construction					
	5.602.020	Layher scaffold spindle 20	Weight: 2.3	19,00	22,80 EUR
	4.001.040	Layher scaffold spindle 40	Weight: 2.9	20,00	24,00 EUR
	4.001.060	Layher scaffold spindle 60	Weight: 3.6	21,00	25,20 EUR
	4.002.080	Layher scaffold spindle 80 reinforced	Weight: 4.9	31,00	37,20 EUR
	200 06 8	nivtec floor protector for scaffold spindle, anti-slip	Weight: 0.1	7,00	8,40 EUR
	2.602.000	Layher base collar	Weight: 1.4	15,00	18,00 EUR
	2.602.019	Layher rosette, clampable, SW19	Weight: 1.0	36,00	43,20 EUR
	4.702.019	Layher swivel coupler, ø 48,3 mm, SW19	Weight: 1.5	14,00	16,80 EUR
	4.700.019	Layher double coupler, ø 48,3 mm, SW19	Weight: 1.3	12,00	14,40 EUR
	5FKUP20013	Altrad/Plettac reduction swivel coupler, ø48,3 mm/38 mm, SW19	Weight: 1.1	16,00	19,20 EUR
ver. 1 wedge head / wedge head for stage heights from 80 cm x 180 cm/alu levelling legs					
	0.730.231	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,475m (wh/wh)	Weight: 3.64	65,00	78,00 EUR
	0.730.230	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,675m (wh/wh)	Weight: 3.69	66,00	79,20 EUR
	0.730.229	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,875m (wh/wh)	Weight: 3.77	67,00	80,40 EUR
	0.730.228	Layher AR alu diagonal brace, bay length: 2,00, bay height: 1,075m (wh/wh)	Weight: 3.86	68,00	81,60 EUR
	0.730.227	Layher AR alu diagonal brace, bay length: 2,00, bay height: 1,275m (wh/wh)	Weight: 3.96	70,00	84,00 EUR
	0.730.297	Layher AR alu diagonal brace, bay length: 2,00, bay height: 1,475m (wh/wh)	Weight: 4.10	71,00	85,20 EUR
ver. 2 wedge head / semi coupler for stage heights from 80x180 cm for alu legs acc. to bracing guideline and alu levelling legs					
	0.731.044	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,475m (wh/sc)	Weight: 4.00	88,00	105,60 EUR
	0.731.045	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,675m (wh/sc)	Weight: 4.15	88,00	105,60 EUR
	0.731.046	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,875m (wh/sc)	Weight: 4.30	89,00	106,80 EUR
	0.731.047	Layher AR alu diagonal brace, bay length: 2,00, bay height: 1,075m (wh/sc)	Weight: 4.45	90,00	108,00 EUR
	0.731.048	Layher AR alu diagonal brace, bay length: 2,00, bay height: 1,275m (wh/sc)	Weight: 4.50	92,00	110,40 EUR
	0.731.055	Layher AR alu diagonal brace, bay length: 2,00, bay height: 1,475m (wh/sc)	Weight: 4.75	97,00	116,40 EUR
for heights exceeding 140 cm: additional horizontal bracing					
	0.703.017	Layher AR alu O-ledger, length: 2,00m (wh/wh)		83,00	99,60 EUR
	0.701.620	Layher AR alu O-ledger, length: 1,00m (wh/wh)		64,00	76,80 EUR
	0.710.011	0710.011 Layher AR alu O-ledger, length: 1,85m (wh/wh)		83,00	99,60 EUR
	0.712.677	Layher AR alu O-ledger, length: 0,85m (wh/wh)		67,00	80,40 EUR





code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)		
alu bracing, ver. 3 - semi coupler / semi coupler for stage heights from 80 cm up to 140 cm						
0.731.040	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,475m (sd/sc)		90,00	108,00	EUR	
0.731.041	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,675m (sc/sc)		91,00	109,20	EUR	
0.731.042	Layher AR alu diagonal brace, bay length: 2,00, bay height: 0,875m (sc/sc)		91,00	109,20	EUR	
0.731.043	Layher AR alu diagonal brace, bay length: 2,00, bay height: 1,075m (sc/sc)		99,00	118,80	EUR	
alu bracing, version 4 - tube / swivel couplers (not included in price) for stage heights from 80 cm x 200 cm, material: EN AW-6005 A T6 (>140 cm - additional horizontal bracing)						
200 31 1	nivtec alu diagonal brace, tube ø 48,3 x 4,0 mm, FL: 100/85 cm FH: 80 - 100 cm, length: 1300 mm		24,00	28,80	EUR	
200 31 3	nivtec alu diagonal brace, tube ø 48,3 x 4,0 mm, FL: 200/185 cm, FH: 80-100 cm, length: 2250 mm		41,00	49,20	EUR	
200 31 2	nivtec alu diagonal brace, tube ø 48,3 x 4,0 mm, FL: 100/85 cm, FH: > 100-140 cm, length: 1500 mm		27,00	32,40	EUR	
200 31 4	nivtec alu diagonal brace, tube ø 48,3 x 4,0 mm, FL: 200/185 cm, FH:>100-140 cm, length: 2400 mm		44,00	52,80	EUR	
200 31 7	nivtec alu horizontal brace, tube ø 48,3 x 4,0 mm, FL: 100/85 cm, length: 1100 mm		20,00	24,00	EUR	
200 31 5	nivtec alu horizontal brace, tube ø 48,3 x 4,0 mm, FL:200/185 cm, length: 2100 mm		38,00	45,60	EUR	
200 32 4	nivtec alu diagonal brace, tube ø 48,3 x 4,0 mm, FL:100/85 cm, FH:>140-180 cm, length: 1500 mm		27,00	32,40	EUR	
200 31 6	nivtec alu diagonal brace, tube ø 48,3 x 4,0 mm, FL:200/185 cm, FH:>140-180 cm, length: 2500 mm		46,00	55,20	EUR	
200 32 0	nivtec alu diagonal brace, tube ø 48,3 x 4,0 mm, FL:100/85 cm, FH:>180-200 cm, length: 1750 mm		32,00	38,40	EUR	
200 32 1	nivtec alu diagonal brace, tube ø 48,3 x 4,0 mm, FL:200/185 cm, FH:>180-200 cm, length: 2750 mm		50,00	60,00	EUR	
nivtec extension adapter for transport wheels Ø10 & Ø16 cm, steel, galvanized						
206 01 1T	nivtec steel extension adapter , for wheels ø 10 cm	for stage height: 40 cm	63,00	75,60	EUR	
206 02 1T	nivtec steel extension adapter, for wheels ø 10 cm	for stage height: 60 cm	70,00	84,00	EUR	
206 03 1T	nivtec steel extension adapter ,for wheels ø 10 cm	for stage height: 80 cm	77,00	92,40	EUR	
	206 11 1T	nivtec steel extension adapter for stage for wheels ø 16 cm	for stage height: 40 cm	56,00	67,20	EUR
	206 12 1T	nivtec steel extension adapter for stage for wheels ø 16 cm	for stage height: 60 cm	63,00	75,60	EUR
	206 13 1T	nivtec steel extension adapter for stage for wheels ø 16 cm	for stage height: 80 cm	70,00	84,00	EUR
	206 00 0	Scaffold Castor, PU wheel Ø 200, with thread spindle, adjusting capacity 30 to 60 cm, with double brake lever, centres weight when brakes are put on			upon request	
Weight girdes						
	207 02 0	Weight girder made of Aluminium with wedge head made of galvanized steel, length: 200 cm	205,00	246,00	EUR	
	207 01 0	Weight girder made of Aluminium with wedge head made of galvanized steel, length: 100 cm	175,00	210,00	EUR	
	207 05 0	Safety flap for weight girder	13,00	15,60	EUR	
207 08 0	corner strutting for stage built with extension legs, set consisting of:	each corner			upon request	
	2 pcs. horizontal brace Φ48,3 x 4 mm, length: 210 cm					
	2 pcs. diagonal brace Φ48,3 x 4 mm, length: 240 cm					
	4 pcs. swivel coupling Φ48,3 mm					
	5 pcs. standard reduction coupling Φ48,3 / 38 mm					
207 09 0	corner strutting for stage with dynamic loading built with standard resp. levelling legs (rhythmical loading such as dancing or similar activities), set consisting of:	each corner				
	2 pcs. horizontal brace Φ48,3 x 4 mm, length: 210 cm				upon request	
	2 pcs. diagonal brace Φ48,3 x 4 mm, length: 240 cm				upon request	
	4 pcs. swivel coupling Φ48,3 mm				upon request	
	5 pcs. standard reduction coupling Φ48,3 / 38 mm				upon request	
	STARWAYS					
nivtec step leg for stairways and gallery systems						
	205 01 0	nivtec- step leg 20 cm for stairways and gallery systems	19,00	22,80	EUR	
	205 01 0s	Nivtec step leg, 20 cm, for stairways and gallery systems, colour: black	26,00	31,20	EUR	
	205 04 0	nivtec- step leg 16.66 cm cm for stairways and gallery systems (Theater version)	17,00	20,40	EUR	
	401 01 0	nivtec- support bolts, Φ39 for step legs Φ48,3, steel, galvanized	25,00	30,00	EUR	
	401 10 0	link for gallery constructions, steel, galvanized	length: 110 mm	20,00	24,00	EUR
	401 11 0	link for gallery constructions, steel, galvanized	length: 150 mm	24,00	28,80	EUR
	402 01 0	link for special constructions, made of steel, galvanized N-F 110 mm	g-t to attach accessory stairways to the stage	26,00	31,20	EUR
	402 05 0	link for special constructions, made of steel, galvanized N-F 150 mm	g-t to attach accessory stairways to the stage	29,00	34,80	EUR
stair stringer and accessories						
	602 03 0	nivtec allu stair stringer, 3 steps, incl. spindle leg and distance piece			upon request	
	602 04 0	nivtec allu stair stringer, 4 steps, incl. spindle leg and distance piece			upon request	
	600 01 0	nivtec spindle leg for stair stringer			upon request	
	600 02 0	nivtec distance piece for stair stringer			upon request	
	600 03 0	nivtec bolt clip for spindle leg			upon request	
	2.602.019	Layher rosette, clampable, SW19	36,00	43,20	EUR	




code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
SAFETY RAIL					
nivtec -safety rail, TÜV approved, cross weight capacity 100 kg/m acc. DIN 4112, steel tube Ø33,7 galvanized (double corrosion protection - galvanized and powder coated, black – upon request), supplementary assembly as childproof rail possible, height: 100 cm NEW: The rail consists of 3 diagonal bars. Upon purchase of safety rails the purchase of accessories has to be considered. For each rail the following parts are needed: 1 pce. adapter for rail fastening by way of leg support , 2 pcs. support bolts Ø26 mm + 1 pce. safety rail link 150 mm					
	301 01 0	nivtec- safety rail	size: 35 cm x 100 cm	119,00	142,80 EUR
	301 02 0	nivtec- safety rail	size: 85 cm x 100 cm	145,00	174,00 EUR
	301 02 0s	NEW nivtec- safety rail, colour: black	size: 85 cm x 100 cm	190,00	228,00 EUR
	301 03 0	nivtec- safety rail	size: 185 cm x 100 cm	185,00	222,00 EUR
	301 03 0s	NEW nivtec- safety rail, colour: black	size: 185 cm x 100 cm	260,00	312,00 EUR
	301 04 0	nivtec- safety rail, height 100 cm, stage	size: 135 cm raster size	175,00	210,00 EUR
	301 00 4	nivtec- safety rail, height 100 cm, stage	size: 10 cm		upon request
	301 00 4s	NEW nivtec- safety rail, height 100 cm, stage, colour: black	size: 10 cm		upon request
	303 00 4	nivtec- safety rail, height 110 cm, stage	size: 10 cm		upon request
	303 00 4s	NEW nivtec- safety rail, height 110 cm, stage, colour: black	size: 10 cm		upon request
	301 00 5	nivtec- safety rail, height 100 cm, stage	size: 15 cm		upon request
	303 00 5	nivtec- safety rail, height 110 cm, stage	size: 15 cm		upon request
	301 06 0	nivtec- safety rail, height 100 cm, stage	size: 50 cm		upon request
	301 07 0	nivtec- safety rail, height 100 cm, stage	size: 100 cm		upon request
	301 21 0	nivtec safety rail, height: 100 cm, for quadrant	size: R100		upon request
	302 01 0	nivtec- adjustable safety rail	adjusting capacity: 50 cm to 70 cm	240,00	288,00 EUR
	302 02 0	nivtec- adjustable safety rail	adjusting capacity: 75 cm to 110 cm	250,00	300,00 EUR
	302 03 0	nivtec- adjustable safety rail	adjusting capacity: 100 cm to 160 cm / *150	265,00	318,00 EUR
	306 00 0	nivtec connect ramp & stage railings, wedge,	height: 100 cm		upon request
	303 00 5	nivtec safety rail with vertical bars	size: 15cm x 110 cm	155,00	186,00 EUR
	303 01 0	nivtec- child-proof safety rail with vertical bars	size: 35 cm x 110 cm	213,00	255,60 EUR
	303 03 5	nivtec safety rail with vertical bars, for platform: 75 cm	size: 60 cm x 110cm		upon request
	303 02 0	nivtec- child-proof safety rail with vertical bars	size: 85 cm x 110 cm	239,00	286,80 EUR
	303 02 0s	NEW nivtec- child-proof safety rail with vertical bars, colour: black	size: 85 cm x 110 cm	294,00	352,80 EUR
	303 03 0	nivtec- child-proof safety rail with vertical bars	size: 185 cm x 110 cm	279,00	334,80 EUR
	303 03 0s	NEW nivtec- child-proof safety rail with vertical bars, colour: black	size: 185 cm x 110 cm	364,00	436,80 EUR
	303 04 0	nivtec- safety rail with vertical bars, height 110 cm, stage	size: 135 cm raster size	269,00	322,80 EUR
	303 06 0	nivtec- safety rail with vertical bars, height 110 cm, stage	size: 50 cm	160,00	192,00 EUR
	303 07 0	nivtec- safety rail with vertical bars, height 110 cm, stage	size: 100 cm	180,00	216,00 EUR
	303 10 0	nivtec- vertical bar safety rail for gallery, step height : 40 cm	width: 85 cm	289,00	346,80 EUR
	303 11 0	nivtec- vert.bar safety rail for gallery, 40 cm, with stairway, depth of step 20 cm	width: 85 cm	299,00	358,80 EUR
safety stairway rail:					
TÜV approved, cross weight capacity 100 kg/m acc. DIN 4112, steel tube Ø33,7, galvanized					
	304 01 0	nivtec- safety stairway rail	first part 100 cm	83,00	99,60 EUR
	304 01 0s	NEW nivtec- safety stairway rail, colour: black	first part 100 cm	108,00	129,60 EUR
	304 02 0	nivtec- safety stairway rail	middle part 100 cm	86,00	103,20 EUR
	304 02 0s	NEW nivtec- safety stairway rail, colour: black	middle part 100 cm	116,00	139,20 EUR
	304 03 0	nivtec- safety stairway rail	double middle part 100 cm	126,00	151,20 EUR
	304 04 0	nivtec- safety stairway rail	triple middle part 100 cm		upon request
	304 05 0	nivtec- safety stairway rail	final part hook-on stairway 100 cm	116,00	139,20 EUR
	304 05 0s	NEW nivtec- safety stairway rail, colour: black	final part hook-on stairway 100 cm	156,00	187,20 EUR
	304 08 0	nivtec- safety stairway rail	final part push-on stairway/ B350mm/rail ending on stage	85,00	102,00 EUR
	304 09 0	nivtec stairway rail	final part push-on stairway/B240mm/rail ending on top step	113,00	135,60 EUR
	304 09 0s	NEW nivtec stairway rail, colour: black	final part push-on stairway/B240mm/rail ending on top step	148,00	177,60 EUR
	304 07 0	nivtec- safety stairway rail	final part hook-on stairway, special size 50 cm	90,00	108,00 EUR
	312 01 1	nivtec- safety stairway rail	first part 110 cm	176,00	211,20 EUR
	312 02 1	nivtec- safety stairway rail	middle part 110 cm	179,00	214,80 EUR
	312 03 1	nivtec- safety stairway rail	double middle part 110 cm	219,00	262,80 EUR
	312 09 1	nivtec stairway rail	final part push-on stairway/B240mm/rail ending on top step	206,00	247,20 EUR
	304 10 0	nivtec single piece stairway rail	H: 100 cm, for stair stringer, 3 steps	190,00	228,00 EUR
	304 12 0	nivtec single piece stairway rail	H: 100 cm, for stair stringer, 4 steps	235,00	282,00 EUR
	310 01 0	nivtec- support bolts, Ø26 for safety rail, steel, galvanized		26,00	31,20 EUR
	310 01 0s	NEW nivtec- support bolts, Ø26 for safety rail, steel, galvanized, colour: black		35,00	42,00 EUR
	310 20 0	nivtec- adapter for rail fastening by way of leg support, steel, galvanized, Ø48,3 mm		13,00	15,60 EUR
	310 02 0	Special support bolt Ø26 mm for direct attachment off rail onto the platform, steel, galvanized		93,00	111,60 EUR
	310 10 0	nivtec- link for safety rail, steel, galvanized 150 mm		13,80	16,56 EUR
	310 10 5	Railing connectors reinforced, Galvanized steel, 150 mm, for railing at 185 cm composite formation and the required lateral load of 1 kN / m. Alternative: Using 2 railing connectors No. 310 10 0		22,00	26,40 EUR
	310 10 5s	NEW Railing connectors, reinforced, galvanized steel, 150 mm, for 185 cm railing in composite formation, supports lateral load of 1 kN/m, all parts in black. Alternative: use 2 pcs No. 310 10 0		35,00	42,00 EUR
	310 11 0	Safety rail link for gallery constructions, steel, galvanized 110 mm		20,00	24,00 EUR
	310 11 0s	NEW Safety rail link for gallery constructions, steel, galvanized 110 mm , all parts in black		32,00	38,40 EUR
	310 21 0	nivtec- corner link for safety rail, steel, galvanized		16,00	19,20 EUR
	310 21 0s	NEW nivtec- corner link for safety rail, steel, galvanized, all parts in black		31,00	37,20 EUR
	310 22 0	nivtec- ratchet ring spanner, assembly tool , for rail fastening	SW 19	42,00	50,40 EUR

	code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
Connection parts:						
	205 01 0	nivtec- step leg 20 cm for stairways and gallery systems		19,00	22,80	EUR
	401 01 0	nivtec- support bolts, Ø39 for step legs Ø48,3, steel, galvanized		25,00	30,00	EUR
	401 01 0s	NEW nivtec- support bolts, Ø39 for step legs Ø48,3, steel, galvanized, colour: black		36,00	43,20	EUR
	401 10 0	link for gallery constructions, steel, galvanized	length: 110 mm	20,00	24,00	EUR
	401 10 0s	NEW link for gallery constructions, steel, galvanized, colour: black	length: 110 mm	33,00	39,60	EUR
	401 11 0	link for spectator platf. constr. with Layher scaffold spindles, steel, galvanized	length: 150 mm	24,00	28,80	EUR
	401 20 0	link for platforms, made of aluminium		21,00	25,20	EUR
	402 01 0	link for special constructions, made of steel, galvanized	g-t to attach accessory stairways to the stage	26,00	31,20	EUR
	404 01 0	nivtec- dismantling hook, steel, galvanized, simplifies dismantling of platforms of low stages		22,00	26,40	EUR
nivtec wedge for ramp, warded sheet aluminium						
	405 02 0	wedge for ramp, warded sheet aluminium	width: 100 cm	350,00	420,00	EUR
	405 03 0	wedge for ramp, warded sheet aluminium	width: 150 cm	425,00	510,00	EUR
laths for textile linings						
	406 01 0 - old	nivtec-adapter lath, made of aluminium	with 2 VA-plugs, length: 100 cm	35,00	42,00	EUR
	406 02 0 - old	(surcharge for end hood 3,00 EUR / pce.)	with 3 VA-plugs, length: 200 cm	40,00	48,00	EUR
	406 10 0	end cap for adapter lath		5,00	6,00	EUR
	407 20 0	nivtec-lining lath, made of aluminium, for direct attachment	length: 100 cm	34,00	40,80	EUR
	407 25 0	nivtec alu lining lath,	length: 150 cm	27,50	33,00	EUR
	407 21 0	nivtec-lining lath, made of aluminium, for direct attachment	length: 200 cm	41,00	49,20	EUR
nivtec anti-tumbling board + lining lath, 2-in-1						
	409 01 0	nivtec alu anti-tumbling board + lining lath, 2-in-1	length: 100 cm	38,00	45,60	EUR
	409 05 0	nivtec alu anti-tumbling board + lining lath, 2-in-1	length: 150 cm	30,00	36,00	EUR
	409 02 0	nivtec alu anti-tumbling board + lining lath, 2-in-1	length: 200 cm	45,00	54,00	EUR
	409 50 1	nivtec corner cap for anti-tumbling board, plastic, blue 0,04		14,00	16,80	EUR
	409 50 5	nivtec straight cap for anti-tumbling board, plastic, blue		11,00	13,20	EUR
adapter laths, new execution						
	410 01 0	nivtec alu adapter lath / reversal profile	length: 100 cm	38,00	45,60	EUR
	410 05 0	nivtec alu adapter lath / reversal profile	length: 150 cm	30,00	36,00	EUR
	410 02 0	nivtec alu adapter lath / reversal profile	length: 200 cm	45,00	54,00	EUR
	406 10 1	End Cap nivtec alu adapter lath / reversal profile; Left	length: 200 cm	7,00	8,40	EUR
	406 10 2	End Cap nivtec alu adapter lath / reversal profile; right	length: 200 cm	7,00	8,40	EUR
	408 01 0	Ground unit incl. cable 10 m (earthing unit, clip incl. cable 10 m)		89,00	106,80	EUR

LINING



nivtec- textile lining – heavy execution, material: Trevira CS, weight: approx. 350 g / sqm,						
	permanent fire resistance acc. DIN 4102 B (fire obstructive), tailored ready for use, smooth finish without folds, incl. coarse coated ribbonat the top, colour: black, other colours available upon request / price per running metre					
	502 01 0	for stage height: 20 cm	30,00	36,00	EUR	
	502 02 0	for stage height: 40 cm	35,00	42,00	EUR	
	502 03 0	for stage height: 60 cm	41,00	49,20	EUR	
	502 04 0	for stage height: 80 cm	46,00	55,20	EUR	
	502 05 0	for stage height: 100 cm	52,00	62,40	EUR	
	502 06 0	for stage height: 120 cm	57,00	68,40	EUR	
	502 07 0	for stage height: 140 cm	63,00	75,60	EUR	
nivtec- textile lining –Material: satin decoration special, weight about 300 g / sqm,						
	permanently flame retardant to DIN 4102 B1 fixed and ready-made, processed smoothly, top stitched loop tape, black, other colors on request / price per running metre					
	503 01 0	for stage height: 20 cm	18,00	21,60	EUR	
	503 02 0	for stage height: 40 cm	22,00	26,40	EUR	
	503 03 0	for stage height: 60 cm	26,00	31,20	EUR	
	503 04 0	for stage height: 80 cm	30,00	36,00	EUR	
	503 05 0	for stage height: 100 cm	34,00	40,80	EUR	
	503 06 0	for stage height: 120 cm	38,00	45,60	EUR	
	503 07 0	for stage height: 140 cm	42,00	50,40	EUR	
nivtec- textile lining – Molton, Material: 100% cotton Weight: about 300 g / sqm,						
	flame retardant to DIN 4102 B1, fixed and ready-made, processed smoothly, top stitched loop tape, black, other colors on request, per meter / price per running metre					
	502 01 0	nivtec- textile lining	for stage height: 20 cm	30,00	36,00	EUR
	502 02 0	nivtec- textile lining	for stage height: 40 cm	35,00	42,00	EUR
	502 03 0	nivtec- textile lining	for stage height: 60 cm	41,00	49,20	EUR
	502 04 0	nivtec- textile lining	for stage height: 80 cm	46,00	55,20	EUR
	502 05 0	nivtec- textile lining	for stage height: 100 cm	52,00	62,40	EUR
	502 06 0	nivtec- textile lining	for stage height: 120 cm	57,00	68,40	EUR
	502 07 0	nivtec- textile lining	for stage height: 140 cm	63,00	75,60	EUR
	505 01 0	Self-adhesive fixing ribbon Pressogripp-Haft, colour: black, width 20 mm / per m	4,00	4,80	EUR	
	505 25 0	velcro tape Pressogrip-Haft, coil of 25m				

	code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
Gallery / Tribune parts:						
		steel seat girder for galleries with step height: 20 cm, plastic seat with high back acc. to FIFA-regulations, plus connection devices for direct mounting on nivtec platform, necessary accessories for standard assembly: 2 support bolts Ø 39 mm, 1 adapter				
	701 01 0	seat girder with 1 seat for step height: 20 cm			upon request	
	701 02 0	seat girder with 2 seats			upon request	
	701 03 0	seat girder with 3 seats			upon request	
	701 04 0	seat girder with 4 seats			upon request	
nivtec seat equipment for gallery system BREGENZ,						
additional accessories needed for easy assembly on nivtec -platforms						
	703 01 0	Seat frame with 1 seat for step height: 40 cm			upon request	
	703 02 0	Seat frame with 2 seats			upon request	
	703 03 0	Seat frame with 3 seats			upon request	
	703 04 0	Seat frame with 4 seats			upon request	
	701 10 0	Special support bolt Ø39mm, for seat girder (support) Ø48,3 mm, galvanized steel		110,00	132,00	EUR
nivtec-chair blocking device, made of sectional aluminium with fastening devices (links)						
	705 01 0	nivtec alu chair blocking device, blank, incl. 2 screws + washers	length: 100 cm			
	705 02 0	nivtec alu chair blocking device, blank, incl. 2 screws + washers	length: 200 cm			
	704 03 0	joint for chair blocking device, aluminium		9,00	10,80	EUR
TRANSPORT, TRANSPORT SAFETY AND STORAGE						
of staging system parts and accessories :						
	803 01 0T	Set of nivtec transport wheels for system platforms	D = 10cm	74,00	88,80	EUR
		consisting of 4 swivel wheels with brakes, capacity 200 kg/wheel, Ø10 cm PU-wheel with ball bearing; appropriate for parquet and standard floors as well as for outdoor use. Designed to change the system platforms into transport trolleys.				
	803 02 0T	Set of nivtec transport wheels for system platforms	D = 16cm	94,00	112,80	EUR
		consisting of 4 swivel wheels with brakes, capacity 350 kg/wheel, Ø16 cm PU-wheel with ball bearing; appropriate for parquet and standard floors as well as for outdoor use. Designed to change the system platforms into transport trolleys.				
	801 01 0	nivtec- pushing handle for wheel set, steel, galvanized		54,00	64,80	EUR
	802 01 1	nivtec- belt with ratchet lock		34,00	40,80	EUR
		width: 5 cm, length: 6 m, tension 4 t, with wire hooks , colour: blue, for safe transport of platforms				
	802 02 0	nivtec- ring belt with ratchet lock		24,00	28,80	EUR
		width: 2,5 cm, length: 4 m, tension 1,6 t, colour: blue, for safe transport of smaller stage parts				
nivtec-transport trolley for storage and transport of legs and accessories,						
		incl. ring belt with ratchet lock, width: 2,5 cm, length: 4 m, tension 1.6 t; 4 swivel wheels Ø 12,5 cm equipped with brakes, steel, galvanized				
	804 01 0	nivtec-transport trolley for legs	size: length: 64 cm, width: 40 cm, height: 77 cm	259,00	310,80	EUR
	804 02 0	nivtec-transport trolley for braces	size: length: 108 cm, width: 40 cm, height: 77 cm	289,00	346,80	EUR
	804 03 0	nivtec-transport trolley for small parts	size: length: 64 cm, width: 40 cm, height: 77 cm	319,00	382,80	EUR
	805 01 0	nivtec- transport trolley for storage and transport of 6 platforms		554,00	664,80	EUR
		upright and on edge frame made of galvanized steel, base: multiplex plywood platform incl. ring belt with ratchet lock, width: 2,5 cm, length: 4 m, tension 1.6 t 4 swivel wheels Ø 12,5 cm equipped with brakes size: length: 216 cm, width: 58 cm, height: 120 cm				
	805 02 0	nivtec- transport trolley for storage and transport of 6 platforms		499,00	598,80	EUR
		on edge frame made of galvanized steel, base: multiplex plywood platform, incl. ring belt with ratchet lock, width: 2,5 cm, length: 4 m, tension 1,6 t 4 swivel wheels Ø 12,5 cm equipped with brakes size: length: 108 cm, width: 58 cm, height: 120 cm				
	806 01 0	nivtec-rail trolley (GÖTTINGEN)	size: 194 x 61 cm	549,00	658,80	EUR
		made of galvanized steel, equipped with support bolts for 10 big (185 x 100 cm) and 4 small (85 x 100 cm) rails resp. 12 big rails as well as 2 stairway rails for stage heights up to 100 cm. Assorted accessories can also be stored. 4 swivel wheels Ø 12,5 cm equipped with brakes				
	806 02 0	nivtec-transport trolley	size: 94 x 61 cm	449,00	538,80	EUR
		frame made of galvanized steel. Support bolts of trolley can take 14 small (85 x 110 cm) rails, also accessories can be stored 4 swivel wheels Ø 12,5 cm equipped with breaks.				
	807 01 0	nivtec-transport trolley for seat girders (supports)	size: 195 x 90 cm	470,00	564,00	EUR
		frame made of galvanized steel.				
		Support bolts of trolley can take 10 big seat supports with 1, 2, 3 or 4 seats each. incl. ring belt with ratchet lock, width: 2,5 cm, length: 4 m, tension 1,6 t. 4 swivel wheels . Ø12,5 cm equipped with breaks.	Upon request			
nivtec-nivtec cases, made of aluminium and multiplex panels, equipped with 4 swivel wheels						
		with brakes, 2 handles, 2 lock cylinders, lid equipped with resting hinges, standard				
	808 01 0	colour: dark brown	inner size: width 41 cm, length 83 cm height 47 cm	300,00	360,00	EUR
	808 02 0	colour: dark brown	inner size: width 41 cm, length 103 cm height 47 cm	375,00	450,00	EUR


	code	description	size:	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
		SPARE PARTS				
		floor protectors, made of floor-protecting and skid-proof hard rubber				
		200 06 6 Floor protector for base plate		4,00	4,80	EUR
		200 06 7 Floor protector for swivel base plate for levelling legs with ball joint		3,00	3,60	EUR
		200 06 7s NEW Floor protector for swivel base plate for levelling legs with ball joint, colour: black		3,50	4,20	EUR
		200 06 8 Floor protection plate for Layher scaffold spindle		7,00	8,40	EUR
		100 15 4 protection caps for platform, blue, 4 pcs.		0,40	0,48	EUR
		100 15 4s NEW Protection caps for platform, colour: black , quantity: 4 pcs.		0,90	1,08	EUR
		100 15 8 protection caps for platform, black, 4 pcs.		1,00	1,20	EUR
		100 15 5 protection cap for platform, clear, 4 pcs.		1,00	1,20	EUR
		100 15 7 Corner cap (hood) for recessed corners , blue		4,00	4,80	EUR
		200 60 5 Swivel base plate for levelling legs with ball bearing, blue		6,00	7,20	EUR
		200 61 3 nivtec leg cork removable/break-proof, blue		4,00	4,80	EUR
		200 61 3s NEW nivtec leg cork removable/break-proof, colour: black		4,50	5,40	EUR
		200 61 9 nivtec base plate for levelling leg, break-proof, blue		5,00	6,00	EUR
		300 10 1 connection part / stage rail, black with pin		6,00	7,20	EUR
		300 10 2 connection part / stairway rail, black with pin		7,00	8,40	EUR
		300 12 3 Plastic washer for support bolt D26, 4 pcs.		2,00	2,40	EUR
		400 10 3 Plastic washer for support bolt D39, 4 pcs.		1,50	1,80	EUR
		300 13 6 Plastic compressor for corner link, blue		1,50	1,80	EUR
		200 50 6 safety bolt clip for extension legs		6,00	7,20	EUR
		800 10 3 Castor Ø12, 5 cm, with brake for trolleys		28,00	33,60	EUR
		200 01 0 load ring		5,90	7,08	EUR
		900 10 4S hex. screw M12 x 25 for rail, black set of 4 pcs.		upon request		
		900 10 4 Hex. Screw M12x 25 for safety rail, 4 pcs.		2,00	2,40	EUR
		900 14 1 hammer-head screw M10 x 25, HS 28/15, for link N-F		4,00	4,80	EUR
		900 14 2 hammer-head screw M10 x 50, HS 28/15 for special support bolt		4,00	4,80	EUR
		900 20 3 self-locking hexagonal nut DIN 985 (ISO10511) M10		0,50	0,60	EUR
		900 22 2 wing screw M5 x 50 for link N-F		3,00	3,60	EUR
		ET 00 10 Press-in device for corner link, blue		1,20	1,44	EUR
		901 00 0 Repair set for multiplex plywood panel, colour: RH 8019		6,50	7,80	EUR
		200 03 0 Adapter M12 for tube Ø48,3 mm with splint		10,00	12,00	EUR
		200 30 0 Aluminium tube Ø48,3 mm x 4 mm price p. regular m		11,30	13,56	EUR
		200 11 0 Steel tube Ø48,3 mm x 4 mm price p. regular m		11,00	13,20	EUR
		101 17 0 Multiplex plywood panel, dark brown, thickness 12 cm, size 200 x 100 cm, incl. accessories (8 m Two-sided adhesive tape, 4 caps, 8 bolts)		170,00	204,00	EUR
		900 90 1 Two-sided adhesive tape, B: 25 mm		4,00	4,80	EUR
		100 11 1 Groove (female) profile, L: 2 m, Alu		54,00	64,80	EUR
		100 11 3 Groove (female) profile, L: 2 m, Alu		35,00	42,00	EUR
		101 10 1 Tongue (male) profile, L: 2 m, with locking mechanism		90,00	108,00	EUR
		101 10 3 Tongue (male) profile, L: 1 m, with locking mechanism		60,00	72,00	EUR
		100 12 1 Crossbar, L: 2 m, aluminum		60,00	72,00	EUR
		100 14 2 Locking clamp for leg		9,00	10,80	EUR
		101 14 1 Locking eccentric for leg with handle		17,00	20,40	EUR
		100 14 4 Torsion spring, for foot rest		2,00	2,40	EUR
		100 13 0 lever for locking system, length: 1.5 m, alu, for 2 m side		15,00	18,00	EUR
		100 13 1 lever for locking system, length: 0.5 m, alu, for 1 m side		11,00	13,20	EUR
		101 15 0 Lock set, "click-clack" for short side		5,00	6,00	EUR
		101 15 0s NEW Lock set, "click-clack" for short side, colour: black		5,00	6,00	EUR
		101 15 1 Lock set, "click-clack" for long side		5,00	6,00	EUR
		101 15 1s NEW Lock set, "click-clack" for long side, colour: black		5,00	6,00	EUR
		100 15 3 Plastic corner		1,50	1,80	EUR
		200 04 0 Adapter M22 for fuse mit verstellspindel mit stift		10,00	12,00	EUR
		200 40 2 Spindle Ø22 for adjusting leg		1,10	1,32	EUR
		Bolt with nut for Nutprofile or Federprofile		1,00	1,20	EUR
		200 02 0 Drilling gauge for load absorbing ring		20,00	24,00	EUR
		900 90 0 Paint for pedestal - brown 125 ml		11,00	13,20	EUR

standard execution

rectangular





special execution



special shape circle



special shape triangel



measurements in cm






6.1 P-platforms

Nr.: 6.1



edition: 02

page: 1 / 2











special shape trapezoid



special surface



extras



measurements in cm



6.1 P-platforms


nr.: 6.1

edition: 02


page: 2 / 2

standard execution, tier height 20 cm




fix LV



levelling VS




telescopic TF

stepless adjustable LS
in combination with nivtec LV leg

alu diagonal bracing


variant 1

wedge head / wedge head




variant 2

wedge head / semi coupler




alu horizontal bracing




variant 3

semi coupler / semi coupler








variant 4

swivel coupler / swivel coupler




bracing accessories



U032
2602.000

U033
2602.019

U034
4702.019

U036
5FKUP20013

U035
4700.019

leatre tier height 16,66 cm

: LV




levelling VS




other


nclinable KG




movable: wheels + extension adapters




for scaffolding: weight girder



stairway & gallery



stage & gallery




connection of ascents and descents with stage




G001
301 00 4

G002
301 00 5



G007
303 00 4

G008
303 00 5




G038
306 03 0

G036
306 01 0

G037
306 02 0

special rails & more




G032
302 01 0

G033
302 02 0



G034
302 03 0

G035
301 21 0

stage




stage & gallery




G013
303 10 0

G014
303 11 0


stairway: tier height 20 cm




stairway: tier height 16,66 cm




railing accessories



safety



T001
801 01 0




T002
802 01 1




T003
802 02 0

transport wheels




T004
803 01 0T




T005
803 02 0T


transport trolleys




T006
805 01 0
incl. belt 1,6 to




T007
805 02 0
incl. belt 1,6 to




T008
804 01 0
incl. belt 1,6 to




T009
804 02 0
incl. belt 1,6 to



T010
804 03 0





T011
806 01 0



T012
806 02 0

platform


E001
100 14 4

E002
100 14 2

E003
101 14 1

E004
101 15 0

E005
101 15 1

E006
100 13 0

E007
100 13 1

E008
100 15 7

E009
100 15 4

E010
100 15 8

E011
100 15 5

E012
900 90 0


base construction


E013
200 60 5

E014
200 61 3


E015
200 61 9

E016
200 66 7

E017
200 66 6

E018
200 66 8


E019
200 50 6


stairway


E020
600 02 0

E021
600 01 0

E022
600 03 0

rail


E023
300 10 1
+ pin

E024
300 10 2
+ pin

E025
400 10 3

E026
300 12 3


accessories & more


E027
900 10 4

E028
900 14 1

E029
900 14 2

E030
900 22 2

E032
410 00 1

E031
800 10 3