



Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro Sound & Lighting Solutions

www.pro-technica.com

EUR

Price List 09/2010

Effective September 1, 2010




Subject to change without prior notice.








All former price lists expire with the publishing of this version.






All prices are suggested net retail prices; ex works.

There are applicable our General Terms of Business, only.

Articles marked * will be discontinued soon!




EC P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
MOVING HEADS					
AT SERIES					
Y H Y N B	 NEW!!! ColorSpot 2500E AT II	MSR GOLD 1500 FastFit lamp; Electronic ballast; 24/32 DMX channels; Colour wheel with 6 replaceable dichroic filters; Full CMY + CTO colour system; 2 gobo wheels, each with 6 rotating indexable dichroic gobos; Effects wheel with 4 rotating prisms; Motorized iris; Frost effect; Dimmer/Shutter; Linear zoom 10°-30°; Ethernet port; Pan 530°; Tilt 260°	8.310,00	9.972,00	EUR
Y H Y N B	 NEW!!! ColorWash 2500E AT II	MSR GOLD 1500 FastFit lamp; Electronic ballast; CMY + CTO colour system; Linear motorized zoom in range of 7°-44° or 60°-87°; 2 Colour wheels; 6 replaceable colours; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone mode; Ethernet port; 17/21/23/24/30 DMX channels	7.061,00	8.473,00	EUR
Y H Y N B	 NEW!!! ColorBeam 2500E AT	MSR GOLD 1500 FastFit lamp; Electronic Ballast; Full CMY+CTO colour system; Multistep zoom (5°, 7°, 10°); Colour wheel with 6 replaceable dichroic filters; 2 gobo wheels, each with 6 rotating dichroic gobos; Effects wheel with 4 rotating prisms and effects; Motorized Iris; Variable Frost Effect; Dimmer/Shutter; Motorized Focus; 23 or 31 DMX channels; DMX (RDM support), Ethernet port; Pan 530°; Tilt 260°	7.999,00	9.599,00	EUR
Y H Y N B	 NEW!!! ColorSpot 1200E AT Profile	MSR 1200 SA Discharge Lamp; Electronic Ballast; Framing system; Full CMY+CTO colour system; Colour wheel with 6 replaceable dichroic filters; Gobo wheels with 6 rotating dichroic gobos; Motorized Iris; Variable Frost Effect; Dimmer/Shutter; Motorized Focus; Linear zoom 13°-42°; 29 or 35 DMX channels; DMX (RDM support), Ethernet port; Pan 530°; Tilt 260°	7.299,00	8.759,00	EUR
Y H Y N B	 ColorSpot 1200E AT	MSR 1200 SA discharge lamp; Electronic ballast; Full CMY + CTO colour system; Linear motorized zoom 13°-42°; Colour wheel; 6 replaceable colours; 2 Gobo wheels; 6 replaceable rotating dichroic gobos; Effects wheel; 4 replaceable prisms and effects; Motorized iris; frost effect; Dimmer/shutter; Pan 530°; Tilt 280°; 24-32 DMX channels; Ethernet port;	7.061,00	8.473,00	EUR
Y H Y N B	 ColorSpot 1200 AT	MSR 1200 SA discharge lamp; Magnetic ballast; Full CMY + CTO colour system; Linear motorized zoom 13°-42°; Colour wheel; 6 replaceable colours; 2 Gobo wheels; 6 replaceable rotating dichroic gobos; Effects wheel; 4 replaceable prisms and effects; Motorized iris; frost effect; Dimmer/shutter; Pan 530°; Tilt 280°; 24-32 DMX channels; Stand alone mode	6.021,00	7.225,00	EUR
Y H Y N B	 ColorWash 1200E AT	MSR 1200 SA discharge lamp; Electronic ballast; CMY + CTO colour system; Linear motorized zoom of 10°-44° or 60°-87°; 2 Colour wheels; 6 replaceable colours; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone mode; Ethernet port; 17-30 DMX channels	6.230,00	7.476,00	EUR
Y H Y N B	 NEW!!! ColorWash 750AT Tungsten	750W/80V halogen lamp; Linear zoom 8° 45°; Full CMY + CTB colour mixing system; CMY macros; Indexable beam shaper; Mechanical dimmer/shutter; Electronic dimmer; Pan 530°; Tilt 280°; Pan/Tilt macros; Stand alone mode; Ethernet port; 19-25DMX channels; Electronic auto-ranging power supply	4.878,00	5.854,00	EUR
Y H Y N B	 NEW!!! ColorSpot 700E AT	MSR Gold 700 FastFit SA/SE discharge lamp; Electronic ballast; Linear zoom 15°-45°; Full CMY+CTO colour mixing system; Colour wheel with 8 replaceable colours; Gobo wheel 1 with 9 replaceable static gobos; Gobo wheel 2 with 7 replaceable rotating gobos; Motorized iris; Indexable prism; Animation wheel; Dimmer/Shutter; Pan 530°; Tilt 280°; Ethernet port; 27 or 34 DMX channels;	6.645,00	7.974,00	EUR
Y H Y N B	 NEW!!! ColorWash 700E AT	MSR Gold 700 FastFit SA/SE discharge lamp; Electronic ballast; Linear zoom 6°-45°; Full CMY+CTO colour mixing system; Colour wheel with 8 replaceable colours; Indexable beam shaper; Dimmer/Shutter; Pan 530°; Tilt 280°; Ethernet port; 18-24 DMX channels	5.710,00	6.852,00	EUR
Y H Y N B	 NEW!!! ColorBeam 700E AT	MSR Gold 700 FastFit SA/SE discharge lamp; Electronic ballast; Beam Angle 6,5°-1,5°; Full CMY+CTO colour mixing system; Colour wheel with 7+1 replaceable colours; Indexable beam shaper; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone mode; Ethernet port; 18-24 DMX channels	5.950,00	7.140,00	EUR
Y H Y N B	 ColorSpot 575 AT	MSR 575/2 discharge lamp; Magnetic ballast; Multi-step 15°, 18° and 22° zoom; Colour wheel 1: 9 dichroic filters + rainbow effect; Colour wheel 2: 8 replaceable dichroic filters + rainbow effect; Gobo wheel 1: 9 replaceable static gobos; Gobo wheel 2: 7 replaceable rotating gobos; Motorized iris; Replaceable prism; Frost effect; Dimmer/Shutter; Pan 530°; Tilt 280°; 19-29 DMX channels	3.214,00	3.857,00	EUR
Y H Y N B	 ColorWash 575 AT	MSR 575/2 compact high-pressure discharge lamp; Magnetic ballast; Full CMY + CTO colour mixing system; Standard 12°-34° zoom, 24°-60° optional; Colour wheel: 5 replaceable colours; Indexable beam shaper; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone mode; Master/Slave; 18-24 DMX channels;	3.214,00	3.857,00	EUR
Y H Y N B	 ColorWash 575AT Zoom	MSR 575/2 discharge lamp; 8°-50° zoom with front standard lens; 87° with front wide-angle lens; Full CMY colour mixing, variable CTO; Colour wheel with 5 replaceable colours; Dimmer/Shutter; Stand alone; Master/Slave; Pan 530°; Tilt 280°; 16-21 DMX channels; Auto-trigger, Music-trigger	3.214,00	3.857,00	EUR
Y H Y N B	 ColorSpot 250 AT	MSD 250/2 discharge lamp; Magnetic ballast; 15° standard beam angle; Colour wheel: 10 replaceable colours + rainbow effect; Gobo wheel: 7 replaceable rotating indexable dichroic glass gobos; Motorized focus; high speed rotating prism; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone mode; Master/Slave; 14-20 DMX channels	1.871,00	2.245,00	EUR
Y H Y N B	 ColorWash 250 AT	MSD 250/2 discharge lamp; Magnetic ballast; Full CMY Colour mixing system; Motorized zoom 8°-32°; Colour wheel: Red, Green, Blue, 3200K, 5600K CTF and UV filter + rainbow effect; Beam shaper 0-180°; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone mode; Master/Slave; 16-20 DMX channels	1.871,00	2.245,00	EUR

ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
YHYNB	 ColorSpot 170 AT	CDM-SA/T 150/942 discharge lamp; Magnetic ballast; Beam angle 19°; Colour wheel: 10 replaceable dichroic colours + rainbow effect; Gobo wheel: 7 replaceable indexable rotating gobos; Remote focus; Shutter; Pan 530°; Tilt 280°; Stand alone mode; Master/Slave; 10-16 DMX channels	1.300,00	1.560,00 EUR
	NEW!!!	ROBIN SERIES		
YHYNB	 ROBIN 600E Spot	MSR Gold 575/2 MiniFastFit lamp 7400K; Electronic ballast; Motorized zoom 10°– 45°; CMY+CTO colour system; Colour wheel with 7 replaceable dichroic filters; Rotating gobo wheel with 7 replaceable dichroic and glass gobos; Static gobo wheel with 9 replaceable gobos; 3-facet rotating prism; Extremely fast motorized iris; Variable frost effect; Remote beam flatness/hotspot control; Mechanical dimmer/shutter, Strobe effect 1– 10 Hz; Pan and tilt movement 540°/280°; Communication: USITT DMX-512, ArtNet, MA Net, MA Net2, RDM	5.599,00	6.719,00 EUR
YHYNB	 ROBIN 600E Wash	MSR Gold 575/2 MiniFastFit lamp 7400K; Electronic ballast; Linear motorized zoom 10°– 35°; CMY+CTO dichroic colour flag system – for smooth and fast colour mixing; Colour wheel with 7 replaceable dichroic filters + open; Mechanical dimmer/shutter, Strobe effect 1– 10 Hz; Dichroic glass reflector; Pan and tilt movement 540°/280°; Communication protocols USITT DMX-512, ArtNet, MA Net, MA Net2, RDM	4.600,00	5.520,00 EUR
YHYNB	 ROBIN 600E Beam	MSR Gold 575/2 MiniFastFit lamp 7400K; Electronic ballast; Beam angle 1°– 6.5°; CMY+CTO colour system; Colour wheel with 7 replaceable dichroic filters; Rotating gobo wheel with 7 replaceable dichroic and glass gobos; Static gobo wheel with 7 replaceable gobos + open; Extremely fast motorized iris; Motorized focus; Variable frost effect; Mechanical dimmer/shutter, Strobe effect 1– 10 Hz; Pan and tilt movement 540°/280°; Communication: USITT DMX-512, ArtNet, MA Net, MA Net2, RDM	4.900,00	5.880,00 EUR
YHYNB	 ROBIN 300E Spot	MSD Gold 300 FastFit discharge lamp; Electronic ballast; Linear zoom 10°-40°; Full CMY+CTO colour mixing system; Colour wheel with 7 replaceable colours; Gobo wheel 1 with 9 replaceable static gobos; Gobo wheel 2 with 7 replaceable rotating gobos; Motorized iris and frost; Rotating prism; Dimmer/Shutter; Pan 540°; Tilt 280°; Stand alone operation; 23/25/32 DMX channels; Electronic auto-ranging power supply 100-240V; QVGA Robe touch screen for setting and addressing; Protocols: USITT DMX-512 RDM Artnet MANet MANet2	4.600,00	5.520,00 EUR
YHYNB	 ROBIN 300E Wash	MSD Gold 300 FastFit discharge lamp; Electronic ballast; Linear zoom 4°-40°; Full CMY+CTO colour mixing system; Colour wheel with 7 replaceable colours; Dimmer/Shutter; Pan 540°; Tilt 260°; Stand alone operation; Ethernet port; 15/17/20 DMX channels; Electronic auto-ranging power supply 100-240V; QVGA Robe touch screen for setting and addressing; Protocols: USITT DMX-512, RDM, Artnet, MANet, MANet2	3.791,00	4.549,00 EUR
YHYNB	 ROBIN 300E Beam	MSD Gold 300/2 MiniFastFit discharge lamp; Electronic ballast; Beam Angle 1,5° - 6,5°; Full CMY; Colour wheel with 7+1 replaceable colours; Rotating Gobo wheel 7+1, Static Gobo Wheel - 5 gobos, 4beam reducers + open, Dimmer/Shutter; Pan 540°; Tilt 260°; Stand alone operation; Ethernet port; 15/17/20 DMX channels; Electronic auto-ranging power supply 100-240V; QVGA Robe touch screen for setting and addressing; Protocols: USITT DMX-512, RDM, Artnet, MANet, MANet2	3.991,00	4.789,00 EUR
YHYNB	 ROBIN 300 Spot Classic	MSD Gold 300/2 MiniFastFit lamp, 8400K; Magnetic Ballast; Motorized zoom 12°–36°; Colour wheel with 7 replaceable dichroic filters; Rotating gobo wheel with 7 replaceable dichroic and glass gobos; Static gobo wheel with 7 replaceable gobos; Colour-gobo wheel with 5 replaceable static gobos + 4 colours; 3-facet rotating prism; Mechanical shutter/dimmer; Variable strobe effects; Pan and tilt movement 540°/280°; Master/slave operation; Communication: USITT DMX-512, RDM; Control channels: 29 or 35;	3.200,00	3.840,00 EUR
YHYNB	 ROBIN 300 Wash Classic	MSD Gold 300/2 MiniFastFit lamp, 8400K; Magnetic Ballast; Linear motorized zoom 10°–35°; Colour wheel with 7 replaceable dichroic filters + open; Mechanical shutter/dimmer; Variable strobe effects; Pan and tilt movement 540°/280°; Master/slave operation; Communication protocols: USITT DMX-512, RDM; Control channels: 16, 18 or 24	2.900,00	3.480,00 EUR
YHYNB	 ROBIN 300 Beam Classic	MSD Gold 300/2 MiniFastFit lamp 8400K; Magnetic Ballast; Beam angle 1,5° – 6,5°; Colour wheel with 7 replaceable dichroic filters + open; Rotating gobo wheel with 7 replaceable dichroic and glass gobos + open; Static gobo wheel with 4 gobos + 4 beam reducers + open position; Motorized focus; Variable frost effect; Mechanical dimmer/shutter, Strobe effect 1-10 Hz; Pan and Tilt movement 540°/260°; Master/slave operation; Communication: USITT DMX-512, RDM; Control channels: 13, 15 or 20	3.000,00	3.600,00 EUR
YHYNB	 ROBIN 300 Plasma Spot	LIFI ENT 31-02 lamp; Linear zoom 10°-40°; Full CMY+CTO colour mixing system; Colour wheel with 7 replaceable colours; Gobo wheel 1 with 9 replaceable static gobos; Gobo wheel 2 with 7 replaceable rotating gobos; Motorized iris and frost; Rotating prism; Dimmer/Shutter; Pan 540°; Tilt 280°; Stand alone operation; 22/24/31 DMX channels; Electronic autoranging power supply 100-240V; QVGA Robe touch screen for setting and addressing; Protocols: USITT DMX-512, RDM, Artnet, MANet, MANet2	4.990,00	5.988,00 EUR
YHYNB	 ROBIN 300 Plasma Wash	Luxim Lifi ENT 31-02 plasma lamp source; Electronic ballast Linear zoom 4°-40°; Full CMY+CTO colour mixing system; Colour wheel with 7 replaceable colours; Dimmer/Shutter; Pan 540°; Tilt 260°; Stand alone operation; Ethernet port; 15/17/20 DMX channels; Electronic auto-ranging power supply 100-240V; QVGA Robe touch screen for setting and addressing; Protocols: USITT DMX-512, RDM, Artnet, MANet, MANet2	4.031,00	4.837,00 EUR
		"CT" SERIES		
YHYNB	 ClubSpot 500CT	MSR 575/2 or HSR 575/2 discharge lamp; Magnetic ballast; Manual zoom 15° and 22°; Motorized focus; Colour wheel with 9 dichroic filters; Gobo wheel with 6 replaceable rotating glass gobos; 3-facet rotating prism; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone mode; Master/Slave operation; 11 or 13 DMX channels	2.278,00	2.734,00 EUR
YHYNB	 ClubWash 500CT	MSR 575/2 or HSR 575/2 discharge lamp; Magnetic ballast; Manual zoom 7°-28°; Full CMY colour mixing system; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone mode; Master/Slave operation; 11 or 13 DMX channels	2.278,00	2.734,00 EUR
YHYNB	 ClubSpot 300CT	MSD 250/2 discharge lamp; Colour wheel with 11 dichroic colours + rainbow effect; Gobo wheel with 6 replaceable rotating indexable gobos; 3-facet rotating prism; Standard 15° beam aperture; Motorized focus; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone; Master/Slave; 14 or 16 DMX channels	1.654,00	1.985,00 EUR
YHYNB	 ClubWash 300CT	MSD 250/2 discharge lamp; Colour wheel with 11 dichroic colours + rainbow effect; Manual zoom with 8°-22° beam angle; Full CMY mixing system; Dimmer/Shutter; Pan 530°; Tilt 280°; Stand alone; Master/Slave; 14 or 16 DMX channels	1.654,00	1.985,00 EUR
	 ClubSpot 250 CT	MSD 250/2 discharge metal halide lamp; magnetic ballast; 15° Standard beam angle; Colour wheel with 11 colours + rainbow effect; Static gobo wheel with 8 metal gobos and 2 replaceable dichroic glass gobos; Dimmer/Shutter; Manual focus; Pan 530°; Tilt 280°; 8 or 10 DMX channels; Stand alone; Master/Slave	699,00	839,00 EUR



ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
YHYNB	 ClubWash 250 CT	MSD 250/2 discharge lamp; magnetic ballast; Manual zoom with 8°-22° beam angle; Colour wheel with 11 colours + rainbow effect; Dimmer/Shutter; Pan 530°; Tilt 280°; 8 or 10 DMX channels; Stand alone; Master/Slave	1.345,00	1.614,00 EUR
YHYNB	 ClubSpot 160CT	CDM-SA/T 150/942 lamp; 19° beam angle; Colour wheel with 11 dichroic filters; Rotating gobo wheel with 3 metal, 3 glass and 1 dichroic gobo; Dimmer/Shutter; Master/Slave; Stand alone; 6, 7 or 9 DMX channels; Pan 530°; Tilt 280°	1.125,00	1.350,00 EUR
YHYNB	 ClubSpot 150CT	CDM-SA/T 150/942 lamp; 19° beam angle; Colour wheel with 11 dichroic filters; Static gobo wheel with 11 metal gobos; Simmer/Shutter; Master/Slave; Stand alone; 6, 7 or 8 DMX channels; Pan 530°; Tilt 280°	987,00	1.184,00 EUR
"XT" SERIES				
	 Wash 575 XT	MSR 575/2 discharge lamp; CMY colours mixing system; 4 dichroic filters + open, 3200K and 5600K correction filters, UV filter; Beam shaper and frost filter; Full range dimming and variable strobo effect; Motorized iris for different beam diameters; motorized focus; Pan: 530°, Tilt: 280°; Maximum Pan-movement 530° in 2.65s, Maximum Tilt-movement 280° in 1.68s;	1.399,00	1.679,00 EUR

SCANNERS




XT SERIES SCANNERS

YHYNB	 Scan 1200 XT	HMI 1200W/GS discharge lamp; 2 separate colour wheels; Colour wheel and 1: 8 dichroic colours + rainbow effect; Color wheel 2: 5 dichroic colours, 5600K 3200° CTF, UV filter; Static gobo wheel: 5 metal gobos; Rotating gobo wheel with 2 metal, 1 glass and 1 dichroic gobo; Motorized Iris; Rotating prism wheel; Motorized zoom 15°, 21° and 28°; Dimmer/Shutter; 14/16 DMX channels	2.818,00	3.382,00 EUR
YHYNB	 Scan 575 XT	HMI 575W/GS discharge lamp; 11 dichroic colours + rainbow effect; 5600°K and 3200°K CTF, UV filter; Frost filter; Gobo wheel 1: 6 rotating gobos; Gobo wheel 2: 11 fixed gobos; Motorized Iris; High-speed rotating 3 facet prism; Standard 15° beam apertures; Dimmer/Shutter; 14/16 DMX control channels	1.633,00	1.960,00 EUR
YHYNB	 Scan 250 XT	MSD 250/2 discharge lamp lamp; Colour wheel with 11 dichroic colours + rainbow effect; Gobo wheel with 6 rotating gobos; High-speed rotating 3 facet prism; Standard 15° beam apertures; Motorized focus; Dimmer/Shutter; Stand alone mode; Master/Slave operation; 14/16 DMX channels	1.423,00	1.708,00 EUR

DJ SERIES SCANNERS


	 DJ Scan 250XT	MSD 250/2 discharge lamp lamp; 11 dichroic filters + open; 9 rotating, replaceable gobos + open; Full range dimming and variable strobo effect; Max. pan movement range: 147.4°, Max. tilt movement range: 115.2°	349,00	419,00 EUR
---	---	---	--------	-------------------

CLUB SERIES SCANNERS

YHYNB	 ClubScan 250 CT	MSD 250/2 discharge lamp lamp; Colour wheel with 11 dichroic colours + rainbow effect; Gobo wheel with 6 rotating gobos; High-speed rotating 3 facet prism; Standard 15° beam apertures; Motorized focus; Dimmer/Shutter; Stand alone mode; Master/Slave operation; 14/16 DMX channels	842,00	1.010,00 EUR
YHYNB	 ClubScan 150 CT	HSD 150/70 lamp; Magnetic ballast; 19° beam angle; Colour wheel with 11 dichroic filters, UV effect filter and 3 multi-colour filters; Gobo wheel with 13 static gobos; Variable strobe effect; Pan 144° or 187°; Tilt 58°; 6 DMX control channels; Master/Slave, Stand alone; Auto and music trigger	676,00	811,00 EUR
YHYNB	 ClubRoller 250CT	MSD 250/2 discharge lamp; Magnetic ballast; Colour wheel with 11 dichroic filters, UV effect filter and 3 multi-colour filters; Gobo wheel with 9 rotating gobos; 6 control channels; 19° objective, manual focus; Full range dimming and variable strobe effect; Master/Slave; Stand alone; Auto and music trigger	842,00	1.010,00 EUR

COLOR CHANGERS


ColorMix 575

YHYNB	 ColorMix 575 AT	MSR 575/2 discharge lamp; Magnetic Ballast; Ø200mm Fresnel lens; Full CMY Colour Mixing System; Colour wheel with 4 dichroic filters, 3200K and 5600K CTF, UV filter + open; Effect wheel with adjustable Beam shaper 0-180° and Frost filter; Motorized zoom, standard range 10° – 26°; Dimmer/Shutter; Removable floor stand included; Operation modes: Stand alone, DMX operation (RDM support), Master/Slave; Control channels: 11, 14;	2.111,00	2.533,00 EUR
-------	--	---	----------	---------------------

Optional Accessories:

YHYNB	1098 0017	Barn door module 550/575 - black wlo box	71,00	85,00 EUR
YHYNB	9901 1082	Module of wide-angle lens D208/8°CM, 85° beam angle (ColorMix 575AT, ColorMix 550AT)	58,00	70,00 EUR

ColorMix 250 / ColorMix 250

YHYNB	 ColorMix 250 AT	MSD 250/2 discharge lamp; Ø150mm Fresnel lens; Full CMY Colour Mixing System; Colour wheel with 3 dichroic filters, 3200K and 5600K CTF, UV filter + open; Effect wheel with Beam shaper and Frost filter; Manual zoom 8° – 22°; Dimmer/Shutter; Operation modes: Stand alone, DMX operation (RDM support), Master/Slave; Control channels: 10, 11;	1.351,00	1.621,00 EUR
-------	--	---	----------	---------------------

YHYNB	 ColorMix 240 AT	MSD 250/2 discharge lamp; Ø150mm Fresnel lens; Full CMY Colour Mixing System; Manual zoom 8° – 22°; Full range dimming and variable strobe effect; Operation modes: Stand alone, DMX operation (RDM support), Master/Slave; Control channels: 8, 11; Optional Barndoor and Floor stand	1.151,00	1.381,00 EUR
-------	--	--	----------	---------------------

Optional Accessories:


YHYNB	1098 0002	Barn door 240/250 - black wlo box	45,00	54,00 EUR
YHYNB	1098 0003	Removable stand ColorMix 240	35,00	42,00 EUR

ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
-------	-------	-------------	---------------------------	---------------------------------

NEW!!!

LED Outdoor Series


CityScape Xtreme


Y H Y N B		CityScape Xtreme RGBCW 10°	The most powerful outdoor LED fixture on the market; 188 Luxeon K2 LEDs (RGBW); Standard optical system: 8.5° beam angle and frost glass 24° included; RGBW colour mixing; Built-in colour macros; White colour balance adjusting; Smooth 16-bit dimming from 0 – 100 %; Adjustable strobe sequences; Pre-programmed random strobe pulse-effects; Control: USITT DMX 512 (RDM support); DMX protocol modes: 6 (2, 3, 4, 8, 12 control channels); Operations modes: DMX, Stand-alone, Master/Slave; 3 user editable programs each up to 68 steps	5.399,00	6.479,00 EUR
-----------	---	-----------------------------------	---	----------	---------------------

Optional Accessories:

Y H Y N B	1098 0064	Barn door module for CityScape Xtreme (2pc/Box)	380,00	456,00 EUR
Y H Y N B	1098 0085	Top Hat CityScape Xtreme black (2pc/Box)	80,00	96,00 EUR
Y H Y N B	1098 0086	Half Top Hat CityScape Xtreme (2pc/Box)	80,00	96,00 EUR
Y H Y N B	1012 0077	Single Touring Case CityScape Xtreme	840,00	1.008,00 EUR

CityScape 48


Y H Y N B		CityScape 48 RGBCW 12° (RGB + Cool White)	48 high power RGBW Luxeon Rebel LEDs; RGBW colour mixing; Built-in colour macros; White colour balance adjusting; Standard optical system: 12° beam angle; 25° egg-crate module and barndoors included; Smooth 16-bit dimming from 0 - 100 %; Adjustable strobe sequences; Control: USITT DMX 512 (RDM support); DMX protocol modes: 4 (2,3,4, 8 control channels); Operations modes: DMX, Stand-alone, Master/Slave; 3 user editable programs each up to 68 steps	1.151,00	1.381,00 EUR
-----------	---	--	--	----------	---------------------


Y H Y N B		CityScape 48 SW 12° (Smart White)	48 high power Luxeon Rebel LEDs (warm white, cool white); Color temperature control from warm to cold white; Standard optical system: 12° beam angle; 25° egg-crate module and barndoors included; Smooth 16-bit dimming from 0 - 100 %; Adjustable strobe sequences; Control: USITT DMX 512 (RDM support); DMX protocol modes: 3 (2, 5 control channels); Operations modes: DMX, Stand-alone, Master/Slave; 3 user editable programs each up to 68 steps	1.151,00	1.381,00 EUR
-----------	---	--	---	----------	---------------------

Optional Accessories:

Y H Y N B	1098 0062	Barn door module for CityScape 48 (included)	51,00	61,00 EUR
Y H Y N B	1098 0095	Top Hat CityScape 48	18,00	22,00 EUR
Y H Y N B	1098 0096	Half Top Hat CityScape 48	16,00	19,00 EUR
Y H Y N B	1098 0061	Lens module 25° for CityScape 48 (included)	96,00	115,00 EUR
Y H Y N B	1098 0065	Lens module 45° for CityScape 48	91,00	109,00 EUR
Y H Y N B	1098 0066	Lens module 45x15° for CityScape 48	122,00	146,00 EUR
Y H Y N B	1012 0080	Quad Top-loader case CityScape 48	531,00	637,00 EUR
Y H Y N B	1012 0081	Octuple Top-loader case CityScape 48	1.031,00	1.237,00 EUR

CitySource 96

Y H Y N B		CitySource 96 RGBCW 12° (RGB + Cool White)	96 high power RGB+CW Luxeon Rebel LEDs; RGBW colour mixing; Built-in colour macros; White colour balance adjusting; Standard optical system: 12° beam angle; 25° egg-crate module included; Smooth 16-bit dimming from 0 - 100 %; Adjustable strobe sequences; Control: USITT DMX 512 (RDM support); DMX protocol modes: 6 (2, 3, 4, 8, 12 control channels); Operations modes: DMX, Stand-alone, Master/Slave; 3 user editable programs each up to 68 steps	2.100,00	2.520,00 EUR
-----------	---	---	--	----------	---------------------


Y H Y N B		CitySource 96 SW 12° (Smart White)	96 high power Luxeon Rebel LEDs (warm white, cool white); Color temperature control from warm to cold white; Standard optical system: 12° beam angle; 25° egg-crate module included; Smooth 16-bit dimming from 0 - 100 %; Adjustable strobe sequences; Control: USITT DMX 512 (RDM support); DMX protocol modes: 4 (2, 5, 7 control channels); Operations modes: DMX, Stand-alone, Master/Slave; 3 user editable programs each up to 68 steps	2.100,00	2.520,00 EUR
-----------	---	---	--	----------	---------------------


Optional Accessories:

Y H Y N B	1098 0063	Barn door module for CitySource 96	40,00	48,00 EUR
Y H Y N B	1098 0068	Lens Module 45° for CitySource 96	105,00	126,00 EUR
Y H Y N B	1098 0069	Lens Module 45°x15° for CitySource 96	171,00	205,00 EUR
Y H Y N B	1098 0067	Lens Module 25° for CitySource 96 (included)	116,00	139,00 EUR
Y H Y N B	1098 0077	Top Hat CitySource 96 black	24,00	29,00 EUR
Y H Y N B	1098 0078	Half Top Hat CitySource 96 black	22,00	26,00 EUR
Y H Y N B	1012 0085	Single Top-loader case CitySource 96	331,00	397,00 EUR
Y H Y N B	1012 0087	Dual Top-loader case CitySource 96	720,00	864,00 EUR
Y H Y N B	1012 0086	Quad Top-loader case CitySource 96	960,00	1.152,00 EUR

RED Series












REDWash / REDMix

Y H Y N B		REDWash 3*192	192 Luxeon Rebel LEDs (RGBW); RGBW colour mixing; Built-in colour macros; White colour balance adjusting; Optical system: 12° without lens-array, 25° lens-array (standard); 45° and 45°x15° lens-array (optional); Possibility of fitting additional frost film filters; Smooth dimming from 0 - 100%; Strobe effect with variable speed (max. 20 flashes per second), Adjustable strobe sequences; Pan / Tilt movement range 530° / 280°; Control: USITT DMX 512 RDM support, Art-Net protocol (ready for ACN); Ethernet port; DMX protocol modes: 5 (8, 16, 24 or 28 control channels)	3.991,00	4.789,00 EUR
-----------	---	----------------------	---	----------	---------------------

Y H Y N B		REDMix 3*192	192 Luxeon Rebel LEDs (RGBW); RGBW colour mixing; Built-in colour macros; White colour balance adjusting; Optical system: 12° without lens-array, 25° lens-array (standard); 45° and 45°x15° lens-array (optional); Possibility of fitting additional frost film filters; Smooth dimming from 0 - 100%; Strobe effect with variable speed (max. 20 flashes per second), Adjustable strobe sequences; Control: USITT DMX 512 RDM support, Art-Net protocol (ready for ACN); Ethernet port; DMX protocol modes: 5 (4, 8, 19 or 20 control channels)	2.791,00	3.349,00 EUR
-----------	---	---------------------	---	----------	---------------------

Optional Accessories:




Y H Y N B	1098 0053	Lens Module 45° for REDWash 3*192, REDMix 3*192	191,00	229,00 EUR
Y H Y N B	1098 0054	Lens Module 15°x45° for REDWash 3*192, REDMix 3*192	191,00	229,00 EUR
Y H Y N B	1098 0055	Glass holder for frost filters for REDWash 3*192, REDMix 3*192	111,00	133,00 EUR

<i>ECPBR</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
REDBlinder				
Y H Y N B	 REDBlinder 2-96	4 pairs of LED modules; High-Power 1W Luxeon K2 LEDs; 25° beam angle of each LED; 16,7 million colours; Pre-programmed colours + rainbow effect; Pre-programmed white balance; Electronic dimmer; High speed white or full colour strobe; Masters/Slave; Stand alone; 6 built-in programs + 3 users editable programs; frost filters available; 3, 6, 12 or 15 DMX channels; frost filter, diffusion filter	2.591,00	3.109,00 EUR
Y H Y N B	 REDBlinder 2-48	2 pairs of LED modules; High-Power 1W Luxeon K2 LEDs; 25° beam angle of each LED; 16,7 million colours; Pre-programmed colours + rainbow effect; Pre-programmed white balance; Electronic dimmer; High speed white or full colour strobe; Masters/Slave; Stand alone; 6 built-in programs + 3 user editable; frost filters available; 3,4,6,9 DMX channels; frost filter, diffusion filter	1.391,00	1.669,00 EUR
REDWash				
Y H Y N B	 REDWash 2-36	High-Powered 1W Luxeon K2 LEDs - 12 Red, 12 Green and 12 Blue; 6° standard beam angle, 25° optional; Pre-programmed colours + rainbow effect; White balance pre-programmed; Electronic dimmer; High speed white or full colour strobe; 8 or 14 DMX channels; Master/Slave; Stand alone; Auto-trigger, Audio trigger; 6 built-in programs + 3 user editable programs	1.351,00	1.621,00 EUR
NEW!!! LED Force				
LEDForce 7				
Y H Y N B	 LEDForce 7 RGB 10°	7 x 3 Watt Tri Color RGB LEDs; Tri-color LED technology for better colors and no multicolor shadows; Standard beam angle: 10° (optional 25° lens kit available); Double hanging brackets; Sturdy, high-impact aluminum body; Flicker free operation; Very low heat output; Very low Power consumption : 29W; 4 DMX modes: 1,2,3 and 7 channels; Weight : 2,4 Kg	220,00	264,00 EUR
Y H Y N B	 LEDForce 7 RGBW 10°	7 x 5 Watt Quad Color RGBW LEDs; Quad-color LED technology for better colors and no multicolor shadows; Standard beam angle: 10° (optional 25° lens kit available); Double hanging brackets; Sturdy, high-impact aluminum body; Flicker free operation; Very low heat output; Very low Power consumption : 38W; 4 DMX modes: 1,2,3 and 7 channels; Weight : 2,4 Kg	280,00	336,00 EUR
Optional Accessories:				
Y H Y N B	1098 0073	Barndoor for LED Force 7, black	16,00	19,00 EUR
Y H Y N B	1098 0075	25° lens kit for LED Force 7	16,00	19,00 EUR
LEDForce 18				
Y H Y N B	 LEDForce 18 RGB 25°	18 x 3 Watt Tri Color RGB LEDs; Tri-color LED technology for better colors and no multicolor shadows; Standard beam angle: 25°, Optional 10° lens kit available; Gel frame included; Double hanging brackets – for truss mounting and floor standing; Flicker free operation; Very low heat output; Very low Power consumption : 65W; 4 DMX modes: 1,2,3 and 7 channels;	574,00	689,00 EUR
Y H Y N B	 LEDForce 18 RGBW 25°	18 x 5 Watt Quad Color RGBW LEDs; Quad-color LED technology for better colors and no multicolor shadows; Standard beam angle: 25°, Optional 10° lens kit available; Gel frame included; Double hanging brackets – for truss mounting and floor standing; Flicker free operation; Very low heat output; Very low Power consumption : 95W; 4 DMX modes: 1,2,3 and 7 channels;	680,00	816,00 EUR
Optional Accessories:				
Y H Y N B	1098 0074	Barndoor for LED Force 18, black	25,00	30,00 EUR
Y H Y N B	1098 0076	10° lens kit for LED Force 18	25,00	30,00 EUR
LEDForce 18 eXterior				
Y H Y N B	 LEDForce 18 RGB eXterior 25°	18 x 3 Watt Tri Color RGB LEDs; Tri-color LED technology for better colors and no multicolor shadows; Standard beam angle: 25°, Optional 10° lens kit available; Double hanging brackets – for truss mounting and floor standing; IP65 Die cast aluminum body; Flicker free operation; Very low heat output; Very low Power consumption : 65W; 4 DMX modes: 1,2,3 and 7 channels;	660,00	792,00 EUR
Y H Y N B	 LEDForce 18 RGBW eXterior 25°	18 x 5 Watt Quad Color RGBW LEDs; Quad-color LED technology for better colors and no multicolor shadows; Standard beam angle: 25°, Optional 10° lens kit available; Double hanging brackets – for truss mounting and floor standing; IP65 Die cast aluminum body; Flicker free operation; Very low heat output; Very low Power consumption : 95W; 4 DMX modes: 1,2,3 and 7 channels;	771,00	925,00 EUR
Optional Accessories:				
Y H Y N B	1098 0076	10° lens kit for LED Force 18	25,00	30,00 EUR
DIGITAL TECHNOLOGY				
Y H Y N B	 DigitalSpot 7000 DT	Projektor PLC-XP100L 6.500 ANSI, Contrast ratio: 2000:1; LCD panel system: 3 x 1.3" TFT Active Matrix type, resolution: 1024x768 dots; Throw distance ratio: 1.8-2.4 ; 1; 4 digital gobo layers for image and video control; Individual X and Y positioning and scaling for each gobo layer; Banner Effects; Digital Iris effect + 160 Masking effects; Full Key-Stone correction; Digital strobe effect; CMY Image and Video Colour Mixing and CTC (Colour Temperature Correction); 2 Effect Engines per Layer with more than one hundred effects; Supported Image Formats: JPG, TGA, PNG, GIF, PCX, PNM, XPM and LBM (max. 4096 x 4096 pixel); Supported Video Formats: MPEG1, MPEG2; Effect video synchronization; Picture Merging effect up to 64 segments; Projection onto cylindrical/spherical surfaces and angular screens; Electromechanical Zoom, Focus, Mechanical iris; Video inputs: 15-Pin VGA, S-Video, Composite; Integrated LEDWash Module with 2 x 48 Luxeon Rebel LEDs (RGBW), 25° beam angle, RGB colour mixing, Strobe effects, Full range dimming; 169 control channels max; Pan / Tilt movement: 530°/ 280°	28.097,00	33.716,00 EUR
Y H Y N B	 DigitalSpot 5000 DT	5.500 ANSI ; Aspect ratio: 4:3; Panel resolution: 1024x768 dots; Throw distance: 1.4 m (4.6') - 14.7 m (48.3'); Two digital gobo layers, up to 244x255 videos and images per layer; Individual X and Y positioning and scaling; Rotating and indexing with continuous rotation; Gobo layer transparency; 2 independent effect channels on each gobo layer with 120 effects; CMY control, strobe, KeyStones, zoom, focus, mechanical and digital iris, framing shutters positioning and rotating; Supported image file types: BMP, JPG, TGA, PNG, GIF, PCX (max. image resolution is 4096x4096); Supported video files MPG 1, MPG 2 (video resolution is limited to PAL); 86, 87 and 95 control channels; Video inputs: 15-Pin VGA, S-Video, Composite; Pan / Tilt movement: 530°/ 280°	25.988,00	31.186,00 EUR







ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Y H Y N B	 DigitalSpot 3000 DT	Projektor Benq MP624 3.000 ANSI, Contrast ratio: 2500:1; Resolution: XGA (1.024 x 768); 3 gobo layers for image and video control; Individual X and Y positioning and scaling; Rotating and indexing with continuous rotation; Gobo layer transparency; 2 Effect Engines per Layer with more than one hundred Effects; Huge amount of Default Images/Videos; Banner Effects; Digital Iris effect + 160 Masking effects; Full Key-Stone correction; Digital strobe effect; CMY and CTC Colour Mixing; Supported image file types: BMP, JPG, TGA, PNG, GIF, PCX, PNM, XPM and LBM (max 4.096 x 4.096 pixel); Supported video files: MPEG 1, MPEG 2; Picture Merging effect up to 64 segments; Projection onto cylindrical / spheric surfaces and angular screens; Video inputs: 15-Pin S-Video, Composite; Integrated LEDWash Module with 48 Luxeon Rebel LEDs (RGBW), 25° beam angle, RGBW colour mixing, Strobe effect, Full range dimming; Max.136 DMX control channels; Pan / Tilt movement: 530°/ 280°	9.399,00	11.279,00 EUR
Y H Y N B	 Media Server Qube Control	Full control of Robe's StageQube 324 LED panels is provided via the new Media Fusion Qube Control software running on Robe's Media Server Qube Control PC. Media Server Qube Control supports VGA-IN, S-video and Composite input in combination with all the effects of MediaFusion Qube Control Software on board. The hardware specification includes an Intel Core 2 Duo processor, ASUS P5N32 motherboard, 150 GB hard disc, ASUS V N7950GX2 graphics card and a 19" LCD display. The computer unit is fully flight cased for portability, Dimension: 1075x600x770mm, Weight: 122kg	9.979,00	11.975,00 EUR
Y H Y N B	 Media Fusion Software	Gives access to video loops and pictures - available through 256 banks of 256 visuals. The software can also use connected video inputs (e.g. live cameras) as a media source, Entering text messages, used to customize Macromedia Flash files. Setting up of the interface between computer and DMX lighting desk, Setting up the characteristics of the video output, including using multiple projectors with soft-edging or keystone correction, Simultaneous playing of 8 layers media with optional effects, Previews the active media and layers, and the final compositions, Can be run from a laptop if the DMX console is not present	898,00	1.078,00 EUR
Y H Y N B	 Media Fusion Qube Control Software	255 libraries available containing each up to 255 visuals, Layer transparency (dimmer), Effect setting for each layer (each effect can have up to 4 parameters), Position and size of the layer output, Layer media control modes (Copy, Add, Subtract, Multi, Minimum and Maximum), Playback modes, Movie Speed, Chrominance and Luminance Keying, Movie start and end frame, Mapping on 3D objects (plane, sphere, cylinder), 3D Object rotation, Color control, Widescreen & multiscreen presentation, DMX and ArtNet control, Live preview, User friendly graphic interface	1.798,00	2.158,00 EUR
Y H Y N B	 NEW!!! RDM Communicator	The RDM communicator is a tool box for remote setting of Robe and Anolis fixtures via DMX link. Its main purpose is to set fixture options (DMX address, DMX mode...etc) for Anolis nondisplay fixtures like ArcPad Xtreme, ArcPad 48 Integral but can be used with any Robe or Anolis fixtures which support RDM protocol.	351,00	421,00 EUR
Y H Y N B	 DreamBox	ROBE's NEW DreamBox is a multifunctional tool box with 2 DMX ports and one USB 2.0 port. DreamBox communicates with a PC or laptop via USB, * Supported operating systems: Windows 98, ME, 2000, XP, Vista, Server 2003, Linux, Brings RDM communication protocol into DMX 512 control systems, DMX/USB or USB/DMX converter, Rugged aluminum housing, No extra PSU needed	900,00	1.080,00 EUR
Optional Accessories:				
Y H Y N B	9901 2388	Video Capture Card (DVI-VGA) for DigitalSpot 7000 DT	3.180,00	3.816,00 EUR
Y H Y N B	9901 2445	Video Capture Card (SDI/ASI) for DigitalSpot 7000 DT	3.120,00	3.744,00 EUR
Y H Y N B	1408 0033	Lamp for DS 7000DT, PLC-XP100L for DigitalSpot 7000 DT	898,00	1.078,00 EUR
Y H Y N B	Long Throw Optic (2.7-3.5:1)	Lens Module for long distance projection for DigitalSpot 7000 DT	500,00	600,00 EUR
Y H Y N B	Short Throw Optic (1.2-1.7:1)	Lens Module for short distance projection for DigitalSpot 7000 DT		EUR
Y H Y N B	1408 0034	Lamp for DigitalSpot 3000DT, MP622, 200W	298,00	358,00 EUR
Media Spinners				
Y H Y N B	 MediaSpinner 50AT	Max. load 50kg; Audio, Video, Power Supply connection panel; Control: USITT DMX 512, 4 control channels; Pan movement range: 450°; 16-bit movement resolution; Movement control: tracking and vector; DMX and Master/Slave operation; Max.current for load:10A; Outputs for a load: RGBHV, audio, DMX and power supply	1.376,00	1.651,00 EUR
Y H Y N B	 StageBanner 50AT	Max. load 50kg; Control: USITT DMX 512, 4 control channels; Continuous pan rotation; 16-bit movement resolution; Automatic pan position correction; Movement control: tracking and vector; Built-in demo sequences; silent cooling; DMX and Master/Slave operation;	1.171,00	1.405,00 EUR
NEW!!! StageQube 324				
Y H Y N B	 StageQube 324	The StageQube 324 is a new-generation LED panel. Designed as a plug & play application; doesn't require any external power supply and control boxes; IP54 housing. The resolution of StageQube 324 is 18 x 18 px at a size of 80 x 80 cm (pixel pitch 4.44 cm); uses a video input (VGA) that is connected to the QubeControl PC. Including 4x Connecting Plates 0°, 16xConnecting Pins, 16x Pin Keepers, 1x Cable Powercon 1,6m, 1xCable Ethercon 1,6m.	7.119,00	8.543,00 EUR
Y H Y N B	 Media Server Qube Control	Full control of Robe's StageQube 324 LED panels is provided via the new Media Fusion Qube Control software running on Robe's Media Server Qube Control PC. Media Server Qube Control supports VGA-IN, S-video and Composite input in combination with all the effects of MediaFusion Qube Control Software on board. The hardware specification includes an Intel Core 2 Duo processor, ASUS P5N32 motherboard, 150 GB hard disc, ASUS V N7950GX2 graphics card and a 19" LCD display. The computer unit is fully flight cased for portability	9.979,00	11.975,00 EUR
Y H Y N B	 Media Fusion Qube Control Software	Media Fusion Qube Control Software is built up on Media Fusion Software and is allows driving Stage Qubes, ArcQubes or any other LED products. This software includes very fast and intuitiveuser interface for built up a complex mappings to drive up to 130.000 DMX channels. In the In--built library exist personalities for most common LED fixtures on the market	1.798,00	2.158,00 EUR
Accessories:				
Y H Y N B	Quad Touring case for StageQube 324	Suitable for 4 pcs of StageQube 324. High-quality, water repelent 9 mm thick plywood	1.160,00	1.392,00 EUR
Y H Y N B	Dual Touring case for StageQube 324	Suitable for 2 pcs of StageQube 324. High-quality, water repelent 9 mm thick plywood	791,00	949,00 EUR
Y H Y N B	StageQube MediaAdaptor	Any moving head can be hung inside the StageQube MediaAdaptor.	2.451,00	2.941,00 EUR
Y H Y N B	StageQube Blindmodule	The StageQube Blind module can be used as a part of theStageQube setup.	1.756,00	2.107,00 EUR
Y H Y N B	StageQube Blindmodule – half size	The StageQube Blind module can be used as a part of theStageQube setup.	1.663,00	1.996,00 EUR
Y H Y N B	StageQube Floorplate	Three StageQubes 324 in one collumn can be built up on oneStageQube Floor plate.	540,00	648,00 EUR
Y H Y N B	StageQube Hangingbracket	Two StageQube Hanging brackets can be used for rigging onecollumn of StageQubes on the truss.	44,00	53,00 EUR

ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
Y H Y N B	9901 2008	Floor plate with 2x outriggers	2.251,00	2.701,00	EUR
Y H Y N B	1101 2326	StageQube Connecting Plate 0°	38,00	46,00	EUR
Y H Y N B	1101 2407	StageQube Connecting Plate 5°	38,00	46,00	EUR
Y H Y N B	1101 2408	StageQube Connecting Plate 10°	38,00	46,00	EUR
Y H Y N B	1101 2409	StageQube Connecting Plate 15°	42,00	50,00	EUR
Y H Y N B	1101 2410	StageQube Connecting Plate 45°	51,00	61,00	EUR
Y H Y N B	1101 2411	StageQube Connecting Plate 90°	100,00	120,00	EUR
Y H Y N B	1101 2412	StageQube Connecting Plate 270°	38,00	46,00	EUR
Y H Y N B	1703 0375	StageQube Connecting Pin	2,00	2,00	EUR
Y H Y N B	1703 0374	StageQube Pin Keeper			EUR
Y H Y N B	9901 1987	StageQube Fly Bar for 2 columns	1.311,00	1.573,00	EUR
Y H Y N B	9901 1988	StageQube Fly Bar for 3 columns	1.443,00	1.732,00	EUR
Y H Y N B	1305 0924	StageQube Powercon Cable 1.6 m	36,00	43,00	EUR
Y H Y N B	1305 0925	StageQube Ethercon Cable 1.6 m	47,00	56,00	EUR
Y H Y N B	1305 0929	StageQube Powercon Cable 5 m	44,00	53,00	EUR
Y H Y N B	1305 0930	StageQube Ethercon Cable 10 m	145,00	174,00	EUR

Cyber Control



Y H Y N B		Cyber Cue	CyberCue and CyberPro enable a show to be created on computer and run directly from a PC using a USB interface - a hardware tool supplied with the software. Once the show is completed, the data can be uploaded into the USB Interface, the PC can be disconnected, and the show actually run from the Interface - thanks to 'Stand Alone' mode.	620,00	744,00	EUR
Y H Y N B		Cyber Pro	CyberPro contains the multimedia extension EASY SHOW, allowing users to add multimedia music and image files (e.g. WAV, MP3, CD, AVI, MPEG, etc) into their onscreen show. Harnessing the power and potential of the 3D visualiser, the simulations will play-back with these multimedia files when using CyberPro.	1.185,00	1.422,00	EUR
Y H Y N B		Visual Control	A special version of the software - Visual Control - enables the "downloading" of show data from a lighting desk to a computer for offline editing. Visual Control works with new USB-DMX IN interface allowing to connect a DMX signal coming from any external DMX controller. Visual Control is able to show beam -pan/tilt, static and rotating gobos, color wheels, iris, CMY color mixing, shutter, dimmer and zoom of any lighting fixtures.	316,00	379,00	EUR

CONTROLLERS


Y H Y N B		DMX Control 1536	3x DMX 512 outputs, 1536 DMX channels; 48 fixtures of up to 32 channels each; 4752 scenes, consisting of presets and chases; 1152 shows, presets and/or chases can be recorded into 32 pages; 48 Multi Function Quick access buttons. Flash memory is used, which allows software updates via compact flash card.	2.823,00	3.388,00	EUR
Y H Y N B		DMX Control 1024	Total 1024 DMX channels; 2 Universe Outputs; Control 48 projectors up to 32 channels each; 48 fixture groups; 4752 programmable Scenes, 1152 presets; 1152 chases and 1152 shows; Effects engine; 4 large rotary wheels for menu and control; 8 Faders x 4 Banks; Joystick for PAN and TILT operation	1.671,00	2.005,00	EUR
Y H Y N B		DMX Control 512	Total 512 DMX channels; 1 Universe Output; Control 16 projectors up to 32 channels each; 1024 Programmable Scenes, 512 presets, 256 chases and 256 shows; Effects engine; 1 large rotary wheel for Menu and Control; 8 Faders x 4 Banks; 1 DMX output	778,00	934,00	EUR
Y H Y N B		DMX Control 480	Total 480 channels, 2 DMX outputs; Control 20 projectors up to 24 channels each; 20 fixture groups; 750 Programmable Scenes, 255 programs; 100 records; 20 programable chases; 100 projectors in library	1.251,00	1.501,00	EUR
Y H Y N B		DMX Control 24Pro	24 DMX channels; Provides 20 built-in programs and 10 userprogrammable programs; Up to 4 automated projectors each programmable projectors, max. 6 channels; 3 trigger modes; Built-in microphone and audio input connector	255,00	306,00	EUR
Y H Y N B		DMX Control 24	24 DMX channels; Provides 9 built-in programs; Up to 4 automated projectors, each max. 6 channels; 3 trigger modes; Built-in microphone and audio input connector	156,00	187,00	EUR

WEAHER PROTECTION

LightDome

Y H Y N B		LightDome 1200 Set	For protection of moving heads of 1200 AT series against weather influences; base: 3mm aluminium, black finish; Dome: transparent non-flamable PVC-P film thickness 0.2 mm; Protection factor IP 44; back-UPS holds the dome inflated for 8 minutes after random power cut; Upside down operation possible;	1.580,00	1.896,00	EUR
Y H Y N B		LightDome 1200 Soft cover	Transparent non-flamable PVC-P film thickness 0.2 mm	236,00	283,00	EUR
Y H Y N B		LightDome 575 Set	For protection of moving heads of 575 AT series against weather influences; base: 3mm aluminium, black finish; Dome: transparent non-flamable PVC-P film thickness 0.2 mm; Protection factor IP44; back-UPS holds the dome inflated for 8 minutes after random power cut; Upside down operation possible;	1.400,00	1.680,00	EUR
Y H Y N B		LightDome 575 Soft cover	Transparent non-flamable PVC-P film thickness 0.2 mm	200,00	240,00	EUR

WeatherShield

Y H Y N B		WeatherShield 1200	For partial protection of fixture's base against weather influences; Made from flame-retardant ABS; fits onto the flame ColorSpot 2500E AT, ColorSpot 1200E AT, ColorSpot 1200AT, ColorWash 1200E AT.	420,00	504,00	EUR
Y H Y N B		WeatherShield 575	For partial protection of fixture's base against weather influences. Made from flame-retardant ABS; fits onto the ColorSpot 575E AT, ColorSpot 575AT, ColorWash 575E AT, ColorWash 575AT, ColorWash 575AT Zoom.	400,00	480,00	EUR