



Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro Sound & Lighting Solutions
www.pro-technica.com

BUY ONLINE at www.MusicWorld.bg

Price List 3/2017

Effective March 1, 2017

Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.

EUR

Articles marked * will be discontinued soon!

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
-----------	-------	-------------	---------------------------	---------------------------------

FOLLOWSPOTS



ROXIE LED FOLLOWSPOT - 10,5/22,5°

300W LED Long-life source • Perfect beam shaping from 11° to 20° • Removable fully closing iris • A-size glass and metal gobo holder • Available in three colour temperatures (Warm, Neutral Day White and Cool White)

N H Y N B	1166CW	ROXIE LED 300W Followspot - 10,5/22,5° - Cool White 5700K	3.250,00	3.900,00 EUR
N H Y N B	1166WW	ROXIE LED 300W Followspot - 10,5/22,5° - Warm White 3100K	3.250,00	3.900,00 EUR
N H Y N B	1166NDW	ROXIE LED 300W Followspot - 10,5/22,5° - Neutral Daylight White 5000K	3.250,00	3.900,00 EUR
• OPTIONS				
N H Y N B	W-DMX/Z	W-DMX wireless DMX	230,00	276,00 EUR
N H Y N B	FC1124	Flight-case for Ultra Compact range / GT stand	19,00	22,80 EUR
• Accessories				
N H Y N B	IS750	Full closing iris with holder (1 included)	245,00	294,00 EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	19,00	22,80 EUR
N H Y N B	M165TP	6 ways "push/pull" colour changer (1 included)	290,00	348,00 EUR
N H Y N B	PF1114	Ø165 mm metal filter holder (6 included)	20,00	24,00 EUR
N H Y N B	GT800	Tripod stand - SWL: 40 Kg - max. height: 1550 mm	325,00	390,00 EUR
N H Y N B	GT1000	Tripod stand - SWL: 40 Kg - max. height: 1550 mm	530,00	636,00 EUR
N H Y N B	WG/T800	Set of 3 wheels for GT800/1000 stand	90,00	108,00 EUR
N H Y N B	T4000	Followspot mount for Ø50mm pipe (suspension or overhead) - SWL= 100 Kg	395,00	474,00 EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20 EUR
N H Y N B	FC1124/S	Flight-case for Ultra Compact range / GT stand	810,00	972,00 EUR
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND	180,90	217,10 EUR



CRICKET 1000/1200W TUNGSTEN FOLLOWSPOTS - 10,5/22,5°

With 100 % closing iris, "A" size gobo-holder, "push/pull" 6 way colour changer unit.
Supplied with 3m power cable mounted with 10/16A + E NF/SCHUKO plug.

N H Y N B	1116	CRICKET 1000/1200W Tungsten Followspot, G22 socket - 10,5/22,5° with fan	1.600,00	1.920,00 EUR
N H Y N B	1116A	CRICKET 1000/1200W Tungsten Followspot, GX 9.5 - 10,5/22,5° (without fan)	1.500,00	1.800,00 EUR
• Lamps				
N H Y N B	CP71 /OS/	OSRAM 64747 CP71 FKJ 1000W 230V G22 20X1	10,90	13,10 EUR
N H Y N B	CP93 /OS/	OSRAM 64756 CP/93 1200W 230V G22 20X1	22,30	26,80 EUR
N H Y N B	CP70 /OS/	OSRAM 64745 CP70 1000W 230V GX 9,5 20X1	10,50	12,60 EUR
N H Y N B	CP90 /OS/	OSRAM 64754 CP/90 1200W 230V GX9,5 20X1	16,70	20,00 EUR
N H Y N B	T19 /OS/	OSRAM 64744 T/19 1000W 230V GX9,5 20X1	11,00	13,20 EUR
N H Y N B	T29 /OS/	OSRAM 64752 T/29 1200W 230V GX9,5 20X1	15,20	18,20 EUR
• Accessories				
N H Y N B	IS750	Full closing iris with holder (1 included)	245,00	294,00 EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	19,00	22,80 EUR
N H Y N B	M165TP	6 ways "push/pull" colour changer (1 included)	290,00	348,00 EUR
N H Y N B	PF1114	Ø165 mm metal filter holder (6 included)	20,00	24,00 EUR
N H Y N B	GT800	Tripod stand - SWL: 40 Kg - max. height: 1550 mm	325,00	390,00 EUR
N H Y N B	GT1000	Tripod stand - SWL: 40 Kg - max. height: 1550 mm	530,00	636,00 EUR
N H Y N B	WG/T800	Set of 3 wheels for GT800/1000 stand	90,00	108,00 EUR
N H Y N B	T4000	Followspot mount for Ø50mm pipe (suspension or overhead) - SWL= 100 Kg	395,00	474,00 EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20 EUR
N H Y N B	FC1124/S	Flight-case for Ultra Compact range / GT stand	810,00	972,00 EUR
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND	180,90	217,10 EUR



2000/2500W TUNGSTEN FOLLOWSPOTS ALEX & GINGER

With a protected iris cassette, "A" size gobo-holder, automatic self-cancelling 6 way colour changer unit boomerang for "ALEX", push/pull system for "GINGER", soft effect on a flip lever, mechanical dimmer, G22 external fast-locking socket, insulated ergonomic handle with lateral shutter control, built-in ON/OFF switch - fan-cooled. (No model without mechanical dimmer).

N H Y N B	1417	GINGER 2000/2500W Tungsten Followspot, G22 socket, 13/24°, 3m power cable w/ Schuko connector	3.500,00	4.200,00 EUR
N H Y N B	1117	ALEX 2000/2500W Tungsten Followspot, G22 socket, 7/14,5°, 3m power cable w/ Schuko connector	3.400,00	4.080,00 EUR
• Lamps				
N H Y N B	CP92 /OS/	OSRAM 64777 CP/92 2000W 230V G22 12X1	23,30	28,00 EUR
N H Y N B	CP91 /OS/	OSRAM 64796 CP/91 2500W 230V G22 12X1	22,60	27,10 EUR
• Options (delivered mounted)				
N H Y N B	FRO/1117PV	Heavy duty adjustable yoke	206,00	247,20 EUR
N H Y N B	M210BM	6 ways "boomerang" colour changer for GINGER	0,00	0,00 EUR
N H Y N B	M210TM	6 ways "push/pull" colour changer for ALEX	0,00	0,00 EUR
N H Y N B	PG80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	125,00	150,00 EUR

EC P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
		• Accessories			
N H Y N B	CCU1	Full closing iris cassette (1 included)	580,00	696,00	EUR
N H Y N B	SGUP	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	29,00	34,80	EUR
N H Y N B	VDM100	Ø97mm frosted glass with holder (1 included)	23,00	27,60	EUR
N H Y N B	M210T	6 ways "push/pull" colour changer (Included with ALEX, Optional for GINGER)	450,00	540,00	EUR
N H Y N B	M210B	6 ways "boomerang" colour changer (Included with GINGER, Optional for ALEX)	450,00	540,00	EUR
N H Y N B	PF1011	Ø210 mm metal filter holder (6 included)	27,00	32,40	EUR
N H Y N B	M210TVCL	Light shield for M210T push/pull colour changer	170,00	204,00	EUR
N H Y N B	GT4000	Tripod stand with safety chain	930,00	1.116,00	EUR
N H Y N B	GT4000S	Tripod stand without safety chain	890,00	1.068,00	EUR
N H Y N B	GT1000	Tripod stand	530,00	636,00	EUR
N H Y N B	JPP	Monopod stand for overhead followspot	440,00	528,00	EUR
N H Y N B	CAV700A	Double slot front cassette for 215x215mm accessories	42,00	50,40	EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20	EUR
N H Y N B	FRO/1017PD	Heavy duty adjustable yoke	253,00	303,60	EUR
N H Y N B	Kit G80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	142,00	170,40	EUR
N H Y N B	T1000	TV spigot with followspots swivel head	245,00	294,00	EUR
N H Y N B	W/GT800	Set of 3 wheels for GT800/1000 stand	90,00	108,00	EUR
N H Y N B	FC1459/S	Flight-case for Compact range / GT stand / P.S.U. / accessories	900,00	1.080,00	EUR
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND	180,90	217,10	EUR



BUXIE MSD 575W HR FOLLOWSPOT, HOT RESTRIKE

With 100 % closing iris, "A" size gobo-holder, smooth dimmer shutter, "push/pull" 6 way colour changer unit, G22 socket. Separate Electronic PSU 90 - > 260V 50/60Hz with PFC, mounted on the yoke, 3m power cable w/ Schuko connector.

N H Y N B	1124D	BUXIE 575W MSD Followspot, 10,5/22,5° - Electronic PSU	2.950,00	3.540,00	EUR
		• Lamps			
N H Y N B	MSD 575 HR /PH/	PHILIPS MSD 575 HR G22, 6000K, 2000h	225,00	270,00	EUR
		• Accessories			
N H Y N B	IS750	Full closing iris with holder (1 included)	245,00	294,00	EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	19,00	22,80	EUR
N H Y N B	M165TP	6 ways "push/pull" colour changer (1 included)	290,00	348,00	EUR
N H Y N B	PF1114	Ø165 mm metal filter holder (6 included)	20,00	24,00	EUR
N H Y N B	GT800	Tripod stand	325,00	390,00	EUR
N H Y N B	W/GT800	Set of 3 wheels for GT800/1000 stand	90,00	108,00	EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20	EUR
N H Y N B	FC1124/S	Flight-case for Ultra Compact range / GT stand	810,00	972,00	EUR
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND	180,90	217,10	EUR




MSD 1200W RANGE FOLLOWSPOTS MANON & TOPAZE - COLD STRIKE

With a protected iris cassette, "A" size gobo-holder, automatic self-cancelling 6 way colour changer unit boomerang for TOPAZE, push/pull system for MANON, mechanical dimmer, G22 external auto-locking socket, soft effect on a flip lever, insulated ergonomic handle with lateral shutter control - 3-meter followspot cable.

N H Y N B	1419	MANON 1200W MSD Followspot, 13/24°, Magnetic PSU, 3m power cable w/ Schuko connector.	4.290,00	5.148,00	EUR
N H Y N B	1119	TOPAZE 1200W MSD Followspot, 7/14,5°, Magnetic PSU, 3m power cable w/ Schuko connector.	4.190,00	5.028,00	EUR
		• Lamps			
N H Y N B	MSD 1200 /MA/	MSD 1200 1CT/4, 6000K, 3000h	276,00	331,20	EUR
N H Y N B	MSD 1200 /PH/	MSD 1200 1CT/4, 6000K, 3000h	276,00	331,20	EUR
		• Options (delivered mounted)			
N H Y N B	FRO/1117PV	Heavy duty adjustable yoke	206,00	247,20	EUR
N H Y N B	M210BM	6 ways "boomerang" colour changer for MANON	0,00	0,00	EUR
N H Y N B	M210TM	6 ways "push/pull" colour changer for TOPAZE	0,00	0,00	EUR
N H Y N B	PG80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	125,00	150,00	EUR
		• Accessories			
N H Y N B	CCU1	Full closing iris cassette (1 included)	580,00	696,00	EUR
N H Y N B	SGUP	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	29,00	34,80	EUR
N H Y N B	VDM100	Ø97mm frosted glass with holder (1 included)	23,00	27,60	EUR
N H Y N B	M210T	6 ways "push/pull" colour changer (Included with MANON, Optional for TOPAZE)	450,00	540,00	EUR
N H Y N B	M210B	6 ways "boomerang" colour changer (Included with TOPAZE, Optional for MANON)	450,00	540,00	EUR
N H Y N B	PF1011	Ø210 mm metal filter holder (6 included)	27,00	32,40	EUR
N H Y N B	M210TVCL	Light shield for M210T push/pull colour changer	170,00	204,00	EUR
N H Y N B	GT4000	Tripod stand with safety chain	930,00	1.116,00	EUR
N H Y N B	GT4000S	Tripod stand without safety chain	890,00	1.068,00	EUR
N H Y N B	GT1000	Tripod stand	530,00	636,00	EUR
N H Y N B	JPP	Monopod stand for overhead followspot	440,00	528,00	EUR
N H Y N B	CAV700A	Double slot front cassette for 215x215mm accessories	42,00	50,40	EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20	EUR
N H Y N B	FCM100	Ø97mm CTO correction filter (5500K → 3400K) with holder	57,00	68,40	EUR
N H Y N B	FRO/1017PD	Heavy duty adjustable yoke	253,00	303,60	EUR
N H Y N B	Kit G80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	142,00	170,40	EUR
N H Y N B	T1000	TV spigot with followspots swivel head	245,00	294,00	EUR
N H Y N B	W/GT800	Set of 3 wheels for GT800/1000 stand	90,00	108,00	EUR
N H Y N B	FC1459/S	Flight-case for Compact range / GT stand / P.S.U. / accessories	900,00	1.080,00	EUR
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND	180,90	217,10	EUR

ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		HMI 1200W RANGE FOLLOWSPOTS LUCY & SUPER KORRIGAN - HOT RESTI <i>With a protected iris cassette, "A" size gobo-holder, automatic self-cancelling 6 way colour changer unit boomerang (SUPER KORRIGAN) or push/pull (LUCY), frosted glass on flip lever (soft light effect), insulated ergonomic handle with lateral shutter control - followspot cable with standard 16 x 16A + E Harting (separated on the DMX model, attached to the head on the manual model).</i>		
		• With mechanical dimmer.		
N H Y N B	1449	LUCY 1200W HMI Followspot, 13/24°, Magnetic PSU	6.300,00	7.560,00 EUR
N H Y N B	1149	SUPER KORRIGAN 1200W HMI Followspot, 7/14,5°, Magnetic PSU	6.100,00	7.320,00 EUR
		• With DMX control of motorized dimmer shutter, with DMX and 24V outs for Color Scroller		
N H Y N B	1449B	LUCY 1200W HMI Followspot, 13/24°, Magnetic PSU, with DMX dimmer control	7.800,00	9.360,00 EUR
N H Y N B	1149B	SUPER KORRIGAN 1200W HMI Followspot, 7/14,5°, Magnetic PSU, with DMX dimmer control	7.590,00	9.108,00 EUR
		• Lamps		
N H Y N B	HMI 1200W/DXS /OS/	OSRAM HMI 1200W/DXS SFC15,5 1x1, 6000K, 1000h	84,00	100,80 EUR
		• Options (delivered mounted)		
N H Y N B	FRO/1117PV	Heavy duty adjustable yoke	206,00	247,20 EUR
N H Y N B	M210BM	6 ways "boomerang" colour changer for LUCY	0,00	0,00 EUR
N H Y N B	M210TM	6 ways "push/pull" colour changer for SUPER KORRIGAN	0,00	0,00 EUR
N H Y N B	PG80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	125,00	150,00 EUR
N H Y N B	CAG/C	Left side controls (Iris/Dimmer/Frost/Colour changer)	330,00	396,00 EUR
		• Accessories		
N H Y N B	CCU1	Full closing iris cassette (1 included)	580,00	696,00 EUR
N H Y N B	SGUP	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	29,00	34,80 EUR
N H Y N B	VDM100	Ø97mm frosted glass with holder (1 included)	23,00	27,60 EUR
N H Y N B	M210T	6 ways "push/pull" colour changer (Included with LUCY, Optional for SUPER KORRIGAN)	450,00	540,00 EUR
N H Y N B	M210B	6 ways "boomerang" colour changer (Included with SUPER KORRIGAN, Optional for LUCY)	450,00	540,00 EUR
N H Y N B	PF1011	Ø210 mm metal filter holder (6 included)	27,00	32,40 EUR
N H Y N B	TC1149	Tool case with spare parts (1 included)	170,00	204,00 EUR
N H Y N B	M210TVCL	Light shield for M210T push/pull colour changer	170,00	204,00 EUR
N H Y N B	GT4000	Tripod stand with safety chain	930,00	1.116,00 EUR
N H Y N B	GT4000S	Tripod stand without safety chain	890,00	1.068,00 EUR
N H Y N B	GT1000	Tripod stand	530,00	636,00 EUR
N H Y N B	JPP	Monopod stand for overhead followspot	440,00	528,00 EUR
N H Y N B	CAV700A	Double slot front cassette for 215x215mm accessories	42,00	50,40 EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20 EUR
N H Y N B	FCM100	Ø97mm CTO correction filter (5500K → 3400K) with holder	57,00	68,40 EUR
N H Y N B	FRO/1017PD	Heavy duty adjustable yoke	253,00	303,60 EUR
N H Y N B	Kit G80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	142,00	170,40 EUR
N H Y N B	P1FCAN	Remote controller for dimming shutters	407,00	488,40 EUR
N H Y N B	T1000	TV spigot with followspots swivel head	245,00	294,00 EUR
N H Y N B	W/GT800	Set of 3 wheels for GT800/1000 stand	90,00	108,00 EUR
N H Y N B	FC1459/S	Flight-case for Compact range / GT stand / P.S.U. / accessories	900,00	1.080,00 EUR
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND	180,90	217,10 EUR

		MSR 1800W/DE RANGE FOLLOWSPOTS FLO & VICTOR - HOT RESTRIKE <i>With a protected iris cassette, "A" size gobo-holder, automatic self-cancelling 6 way colour changer unit boomerang (VICTOR) or push/pull (FLO), frosted glass (soft light effect) and IR filter on flip lever, insulated ergonomic handle with lateral shutter control - followspot cable with standard 16 x 16A + E Harting (separated on the DMX model, attached to the head on the manual model).</i>		
		• With mechanical dimmer		
N H Y N B	1459	FLO 1800W MSR Followspot, 13/24°, Electronic PSU	8.600,00	10.320,00 EUR
N H Y N B	1159	VICTOR 1800W MSR Followspot, 7/14,5°, Electronic PSU	8.350,00	10.020,00 EUR
		• With DMX motorized dimmer and lamp control, DMX and 24V outs for Color Scroller		
N H Y N B	1459B	FLO 1800W MSR Followspot, 13/24°, Electronic PSU, with DMX dimmer and lamp control	10.050,00	12.060,00 EUR
N H Y N B	1159B	VICTOR 1800W MSR Followspot, 7/14,5°, Electronic PSU, with DMX dimmer and lamp control	10.000,00	12.000,00 EUR
		• Lamps		
N H Y N B	MSR 1800/DE /PH/	PHILIPS MSR 1800/DE SFC 15,5-6, 6000K, 750h	192,00	230,40 EUR
		• Options (delivered mounted)		
N H Y N B	FRO/1117PV	Heavy duty adjustable yoke	206,00	247,20 EUR
N H Y N B	M210TM	6 ways "push/pull" colour changer for VICTOR	0,00	0,00 EUR
N H Y N B	PG80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	125,00	150,00 EUR
N H Y N B	CAG/C	Left side controls (Iris/Dimmer/Frost/Colour changer)	330,00	396,00 EUR
		• Accessories		
N H Y N B	CCU1	Full closing iris cassette (1 included)	580,00	696,00 EUR
N H Y N B	SGUP	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	29,00	34,80 EUR
N H Y N B	VDM100	Ø97mm frosted glass with holder (1 included)	23,00	27,60 EUR
N H Y N B	FACM100	Ø97mm UV/IR filter with holder (1 included)	63,00	75,60 EUR
N H Y N B	M210TV	6 ways "push/pull" colour changer with fan (included with FLO)	556,00	667,20 EUR
N H Y N B	M210B	6 ways "boomerang" colour changer (Included with VICTOR)	450,00	540,00 EUR
N H Y N B	PF1011	Ø210 mm metal filter holder (6 included)	27,00	32,40 EUR
N H Y N B	TC1149	Tool case with spare parts (1 included)	170,00	204,00 EUR
N H Y N B	M210TVCL	Light shield for M210T push/pull colour changer	170,00	204,00 EUR
N H Y N B	GT4000	Tripod stand with safety chain	930,00	1.116,00 EUR
N H Y N B	GT4000S	Tripod stand without safety chain	890,00	1.068,00 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
N H Y N B	GT1000	Tripod stand	530,00	636,00	EUR
N H Y N B	JPP	Monopod stand for overhead followspot	440,00	528,00	EUR
N H Y N B	CAV700A	Double slot front cassette for 215x215mm accessories	42,00	50,40	EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20	EUR
N H Y N B	FCM100	Ø97mm CTO correction filter (5500K → 3400K) with holder	57,00	68,40	EUR
N H Y N B	FRO/1017PD	Heavy duty adjustable yoke	253,00	303,60	EUR
N H Y N B	Kit G80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	142,00	170,40	EUR
N H Y N B	P1FCAN	Remote controller for dimming shutters	407,00	488,40	EUR
N H Y N B	T1000	TV spigot with followspots swivel head	245,00	294,00	EUR
N H Y N B	W/GT800	Set of 3 wheels for GT800/1000 stand	90,00	108,00	EUR
N H Y N B	FC1459/S	Flight-case for Compact range / GT stand / P.S.U. / accessories	900,00	1.080,00	EUR
N H Y N B	070CSU	MANFROTTO FOLLOW SPOT STAND	180,90	217,10	EUR



ARAMIS - HMI 2500W FOLLOWSPOTS 4,5/8° - HOT RESTRIKE

For HMI 2500W/S short lamp, quartz condenser, with protected iris cassette, "B" size gobo-holder, frosted glass (soft light effect), 5500°-- > 3400°K filter on flip lever, automatic self-cancelling 6 way colour changer unit (boomerang), new heavy duty adjustable yoke. 3-meter luminaire/P.S.U. cable with standard Harting, separate P.S.U. with 30m power cable. Two P.S.U. models: standard magnetic or electronic with P.F.C.

• With Magnetic PSU, hot restrike, power connector - 32A blue 2P+E 6h IEC60309 (CEE 32)

N H Y N B	1013+	ARAMIS 2500W HMI Followspot, 4,5/8°, Magnetic PSU, with mechanical dimmer	11.700,00	14.040,00	EUR
N H Y N B	1013+B	ARAMIS 2500W HMI Followspot, 4,5/8°, Magnetic PSU, with DMX dimmer and lamp control	13.100,00	15.720,00	EUR
N H Y N B	1013+BS	ARAMIS 2500W HMI Followspot, 4,5/8°, Magnetic PSU, with DMX dimmer control (w/o DMX lamp contro	12.800,00	15.360,00	EUR

• With Electronic PSU - flicker-free with PFC, hot restrike, power connector - Schuko

N H Y N B	1013+M	ARAMIS 2500W HMI Followspot, Electronic PSU, with mechanical dimmer	13.700,00	16.440,00	EUR
N H Y N B	1013+BSM	ARAMIS 2500W HMI Followspot, Electronic PSU, with DMX dimmer control (w/o DMX lamp control)	15.000,00	18.000,00	EUR

• Lamps

N H Y N B	HMI 2500W/s /OS/	OSRAM HMI 2500W/S XS VP 1X1, SFA21-12, 6000K, 500h	498,00	597,60	EUR
-----------	-------------------------	--	--------	---------------	-----

• Options (delivered mounted)

N H Y N B	M270TM	6 ways "push/pull" colour changer	0,00	0,00	EUR
-----------	---------------	-----------------------------------	------	-------------	-----

• Accessories

N H Y N B	CCU2	Full closing iris cassette (included)	580,00	696,00	EUR
N H Y N B	SGS	Universal "B" size gobo-holder (metal, glass, frosted glass) (1 included)	25,00	30,00	EUR
N H Y N B	VDM85	Ø85mm frosted glass with holder (1 included)	21,00	25,20	EUR
N H Y N B	FCM85	Ø85mm CTO correction filter (5500K → 3400K) with holder (1 included)	47,00	56,40	EUR
N H Y N B	M270B	6 ways "boomerang" colour changer (included)	680,00	816,00	EUR
N H Y N B	PF1013	Ø270 mm metal filter holder (6 included)	36,00	43,20	EUR
N H Y N B	TC1013	Tool case with spare parts (included)	250,00	300,00	EUR
N H Y N B	GT4000	Tripod stand with safety chain	930,00	1.116,00	EUR
N H Y N B	GT4000S	Tripod stand without safety chain	890,00	1.068,00	EUR
N H Y N B	JPP	Monopod stand for overhead followspot	440,00	528,00	EUR
N H Y N B	TMG1	TOURNESOL - "B" size motorised gobo rotator (with TSG1 gobo holder)	1.091,00	1.309,20	EUR
N H Y N B	TSG1	B size gobo-holder for TOURNESOL TMG1	170,00	204,00	EUR
N H Y N B	G56H	Ø56mm horizontal chopper	77,00	92,40	EUR
N H Y N B	M270T	6 ways "push/pull" colour changer	680,00	816,00	EUR
N H Y N B	P1 F2 XLR4 C	0/+10V Local remote control unit mounted with 3m cable XLR4 with clips	196,00	235,20	EUR
N H Y N B	P1 F2 XLR4 D	0/+10V Local remote control unit mounted with 1m cable XLR4 with clips	196,00	235,20	EUR
N H Y N B	FC1015/S	Flight-case for 2.5K Grand range / GT4000 stand / P.S.U. / accessories	1.170,00	1.404,00	EUR



CYRANO - HMI 2500W FOLLOWSPOTS 3/8° - HOT RESTRIKE

For HMI 2500W/S short lamp, quartz condenser, with protected iris cassette, "B" size gobo-holder, frosted glass (soft light effect), 5500° → 3400°K filter on flip lever, automatic self-cancelling 6 way colour changer unit (boomerang), new heavy duty adjustable yoke. 3-meter luminaire/P.S.U. cable with standard Harting, separate P.S.U. with 3m power cable. Delivered in a sturdy cardboard case. Two P.S.U. models: standard magnetic or electronic with P.F.C.

• With Magnetic PSU, hot restrike, power connector - 32A blue 2P+E 6h IEC60309 (CEE 32)

N H Y N B	1015	CYRANO 2500W HMI Followspot, 3/8°, Magnetic PSU, with mechanical dimmer	12.900,00	15.480,00	EUR
N H Y N B	1015B	CYRANO 2500W HMI Followspot, 3/8°, Magnetic PSU, with DMX dimmer and lamp control	15.300,00	18.360,00	EUR
N H Y N B	1015BS	CYRANO 2500W HMI Followspot, 3/8°, Magnetic PSU, with DMX dimmer control (w/o DMX lamp control)	15.000,00	18.000,00	EUR

• With Electronic PSU - flicker-free with PFC, hot restrike, power connector - Schuko

N H Y N B	1015M	CYRANO 2500W HMI Followspot, 3/8°, Electronic PSU, with mechanical dimmer	14.900,00	17.880,00	EUR
N H Y N B	1015BSM	CYRANO 2500W HMI Followspot, 3/8°, Electronic PSU, with DMX dimmer control (w/o DMX lamp control)	17.000,00	20.400,00	EUR

• Lamps

N H Y N B	HMI 2500W/s /OS/	OSRAM HMI 2500W/S XS VP 1X1, SFA21-12, 6000K, 500h	498,00	597,60	EUR
-----------	-------------------------	--	--------	---------------	-----

• Accessories

N H Y N B	PF1011	Ø210 mm metal filter holder (6 included)	27,00	32,40	EUR
N H Y N B	CCU2	Full closing iris cassette (included)	580,00	696,00	EUR
N H Y N B	SGS	Universal "B" size gobo-holder (metal, glass, frosted glass) (1 included)	25,00	30,00	EUR
N H Y N B	VDM1015B	Progressive frosted glass with holder - lower part (1 included)	38,00	45,60	EUR
N H Y N B	FBM120	Ø120mm blue dichroic filter with holder (1 included)	93,00	111,60	EUR
N H Y N B	FCM120	Ø120mm CTO correction filter (5500K → 3400K) with holder (1 included)	62,00	74,40	EUR
N H Y N B	TC1013	Tool case with spare parts (included)	250,00	300,00	EUR
N H Y N B	GT4000	Tripod stand with safety chain	930,00	1.116,00	EUR
N H Y N B	GT4000S	Tripod stand without safety chain	890,00	1.068,00	EUR
N H Y N B	JPP	Monopod stand for overhead followspot	440,00	528,00	EUR

ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
NHYNB	TMG1	TOURNESOL - "B" size motorised gobo rotator (with TSG1 gobo holder)	1.091,00	1.309,20	EUR
NHYNB	TSG1	B size gobo-holder for TOURNESOL TMG1	170,00	204,00	EUR
NHYNB	VDM1015H	Progressive frosted glass with holder - upper part	38,00	45,60	EUR
NHYNB	G56H	Ø56mm horizontal chopper	77,00	92,40	EUR
NHYNB	H/1015	Dust cover	160,00	192,00	EUR
NHYNB	FC1015/S	Flight-case for 2.5K Grand range / GT4000 stand / P.S.U. / accessories	1.170,00	1.404,00	EUR



LANCELOT HTI 4000W FOLLOWSPOTS 2/5°

More than just a followspot, its modular accessories make it the most powerful long throw effects projector ever built. With New high performance 6-lens optical train, double Quartz condenser optical system, fully closing iris cassette, progressive frost filter, automatic self-cancelling 6 way colour changer unit (boomerang), heavy duty adjustable yoke, large ergonomic wrapped around handle, easy-to-balance counterweight for long distance movement. Optional remote DMX-control.

NHYNB	1021TM	LANCELOT 4000W HTI Followspot, 2/5°, Electronic PSU, with mechanical dimmer	22.000,00	26.400,00	EUR
		• Lamps			
NHYNB	HTI 4000W/DE	OSRAM HTI 4000W/DE S25,5 6300K 500H	810,00	972,00	EUR
		• Options (delivered mounted)			
NHYNB	FACM150M	Ø150mm UV/IR filter with holder	205,00	246,00	EUR
NHYNB	RJNET1021	RJNET bi-directional network for motorised modules (power and data)	1.830,00	2.196,00	EUR
NHYNB	FC1021	Flight-case for followspot + stand + P.S.U.	1.184,00	1.420,80	EUR
		• Accessories			
NHYNB	PF1013	Ø270 mm metal filter holder (6 included)	36,00	43,20	EUR
NHYNB	CCUL	Full closing iris cassette (included)	710,00	852,00	EUR
NHYNB	MOL	Manual dimming shutter module (included)	460,00	552,00	EUR
NHYNB	SGUL	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	35,00	42,00	EUR
NHYNB	MFL	"CHROMIX" progressive effect module (manual) (1 included, up to 5 can be added)	583,00	699,60	EUR
NHYNB	TC1021	Tool case with spare parts (1 included)	210,00	252,00	EUR
NHYNB	FC4000PG	Flight-case for PG 4000 (Electronic P.S.U.) or A1 4000 (Magnetic P.S.U.) (included)	402,00	482,40	EUR
NHYNB	GT4000R	Tripod stand with ball head rotation with security chain	990,00	1.188,00	EUR
NHYNB	GT4000	Tripod stand with safety chain	930,00	1.116,00	EUR
NHYNB	MOLM	Motorised dimming shutter module	1.380,00	1.656,00	EUR
NHYNB	NORIA	NORIA - 6 "A" size gobo wheel (motorised)			
NHYNB	CGL	7 "A" size gobo wheel (manual)	250,00	300,00	EUR
NHYNB	MFLM	"CHROMIX" progressive effect module (motorised)	1.420,00	1.704,00	EUR
NHYNB	P1FCAN	Remote controller for dimming shutters	407,00	488,40	EUR
NHYNB	H/1021	Dust cover	380,00	456,00	EUR
NHYNB	FC1021/S	Flight-case for followspot + stand + P.S.U.	1.332,00	1.598,40	EUR



MERLIN HMI 2500W TOURING FOLLOWSPOT 3/12°

• Exclusive zoom from 3° to 12° • Onboard electronic PSU, Plug & play installation • Hot restrike lamp • RDM and wireless DMX • 4 lifting points integrated for vertical and horizontal handling • Horizontal and vertical choppers • Fully closing iris cassette • 6-way colour-changer, self-cancelling boomerang type • Ergonomic handles for comfort, safety and practicality from any operating position • Frost filter for quick soft edge beam effect • RJ Eco Mode • Adjustable yoke • Fade to Black DMX: optional DMX dimmer module a • RJ Diagnostic System • Highly efficient multi-zone cooling • 3 minutes automatic cooling down process when switching off the lamp for fast and easy packing • Universal "A" size gobo-holder (metal, glass, frosted glass) included.

NHYNB	1515	MERLIN 2500W HMI Followspot - 3/12° - Electronic PSU	14.300,00	17.160,00	EUR
		• Lamps			
NHYNB	HMI 2500W/s /OS/	OSRAM HMI 2500W/S XS VP 1X1, SFA21-12, 6000K, 500h	498,00	597,60	EUR
		• Options (delivered mounted)			
NHYNB	FC1515	Flight-case for Touring range / GT4000 stand / P.S.U. / accessories	1.040,00	1.248,00	EUR
		• Accessories			
NHYNB	PF1011	Ø210 mm metal filter holder (6 included)	27,00	32,40	EUR
NHYNB	SGUM	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	25,00	30,00	EUR
NHYNB	GT4000	Tripod stand with safety chain	930,00	1.116,00	EUR
NHYNB	GT4000S	Tripod stand without safety chain	890,00	1.068,00	EUR
NHYNB	MOMM	Motorised dimming shutter module	1.900,00	2.280,00	EUR
NHYNB	Kit W-DMX/M	W-DMX wireless DMX	98,00	117,60	EUR
NHYNB	FC1515/S	Flight-case for Touring range / GT4000 stand / P.S.U. / accessories	1.170,00	1.404,00	EUR






LED THEATRE SPOTLIGHTS



TIBO LED white - 535 Single lens luminaire

• Single lens luminaires features and focus on LED fixtures • lens size: 130mm (5") • 75W LED source - 50.000 hours • Available in two colour temperatures (3200 K and 6500 K) • Constant colour temperature when dimming • Built-in electronic flicker-free dimmable PSU • Silent operation

NHYNB	535WW	TIBO LED 75 W Single lens luminaire, 130mm Fresnel 54/85°, 3000K	1.450,00	1.740,00	EUR
NHYNB	535NW	TIBO LED 75 W Single lens luminaire, 130mm Fresnel 54/85°, 4000K	1.450,00	1.740,00	EUR
NHYNB	535CW	TIBO LED 75 W Single lens luminaire, 130mm Fresnel 54/85°, 6500K	1.450,00	1.740,00	EUR
		• Options			
NHYNB	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00	EUR
NHYNB	T-RAL9010	White housing (RAL 9010)	100,00	120,00	EUR
NHYNB	W-DMX/T	W-DMX wireless DMX for Tibo	98,00	117,60	EUR
		• Accessories			
NHYNB	PF100M	135x135mm metal filter holder (1 included)	7,00	8,40	EUR
NHYNB	CF100	4 rotating leaves on a barndoor - 135x135mm (without safety cable)	58,00	69,60	EUR

ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		TIBO LED variable - 535 Single lens luminaire • Single lens luminaires features and focus on LED fixtures • lens size: 130mm (5") • 75W LED source - 50.000 hours • Variable white ranging from 2700K to 5700K • Constant colour temperature when dimming • Built-In electronic flicker-free dimmable PSU • Silent operation		
N H Y N B	535VW	TIBO LED 75 W Single lens luminaire, 130mm Fresnel 54/85°, Variable white 2700K-5700K	1.600,00	1.920,00 EUR
		• Options		
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00 EUR
N H Y N B	T-RAL9010	White housing (RAL 9010)	100,00	120,00 EUR
		• Accessories		
N H Y N B	PF100M	135x135mm metal filter holder (1 included)	7,00	8,40 EUR
N H Y N B	CF100	4 rotating leaves on a barndoor - 135x135mm (without safety cable)	58,00	69,60 EUR
		ZEP - 340LF Single lens luminaire • Single lens luminaires features and focus on LED fixtures • lens size: 200mm (8") • Variable beam angle from 11° to 68° • 150W LED source- 50.000 hours • Available In two colour temperatures (3200 K and 6500 K) • Constant colour temperature when dimming • Built-In electronic flicker-free dimmable PSU • Silent operation		
N H Y N B	340LFWW	ZEP LED 150W Single lens luminaire, 200mm Fresnel 11/68°, 3200K	1.960,00	2.352,00 EUR
N H Y N B	340LFCW	ZEP LED 150W Single lens luminaire, 200mm Fresnel 11/68°, 6500K	1.960,00	2.352,00 EUR
		• Options		
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00 EUR
N H Y N B	PO/Z	Pole operation yoke (PAN/TILT/Focus)	600,00	720,00 EUR
N H Y N B	W-DMX/Z	W-DMX wireless DMX for ZEP	98,00	117,60 EUR
		• Accessories		
N H Y N B	PF1000M2	215x215mm metal filter holder (1 included)	11,00	13,20 EUR
N H Y N B	CF1000	4 rotating leaves on a rotating barndoor - 215x215mm (without safety cable)	71,00	85,20 EUR
N H Y N B	876	Hook clamp 40x10mm with 28mm screw for Ø35 to 50mm pipes (40Kg max)	23,00	27,60 EUR
N H Y N B	880	Hook clamp 40x10mm with 28mm screw for Ø50 to 63mm pipes (40Kg max)	24,00	28,80 EUR
N H Y N B	CS2	Safety cable Ø3 mm L= 600mm (75Kg max)	6,00	7,20 EUR
		ZEP - 360LF Single lens luminaire • Single lens luminaires features and focus on LED fixtures • lens size: 200mm (8") • Variable beam angle from 12° to 64° • 300W LED source- 50.000 hours • Constant colour temperature when dimming • Built-In electronic flicker-free PSU • Control: Local, DMX, wireless DMX (option) • Silent-running cooling fans		
N H Y N B	360LFWW	ZEP LED 300W Single lens luminaire - 200mm Fresnel - Warm White 3100K	2.360,00	2.832,00 EUR
N H Y N B	360LFCW	ZEP LED 300W Single lens luminaire - 200mm Fresnel - Cool White 5700K	2.360,00	2.832,00 EUR
N H Y N B	360LFNDW	ZEP LED 300W Single lens luminaire - 200mm Fresnel - Neutral Daylight White 5000K	2.360,00	2.832,00 EUR
N H Y N B	360LFVW	ZEP LED 300W Single lens luminaire - 200mm Fresnel - Variable White	2.360,00	2.832,00 EUR
		• Options		
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00 EUR
N H Y N B	PO/Z	Pole operation yoke (PAN/TILT/Focus)	600,00	720,00 EUR
N H Y N B	W-DMX/Z	W-DMX wireless DMX for ZEP	98,00	117,60 EUR
		• Accessories		
N H Y N B	PF1000M2	215x215mm metal filter holder (1 included)	11,00	13,20 EUR
N H Y N B	CF1000	4 rotating leaves on a rotating barndoor - 215x215mm (without safety cable)	71,00	85,20 EUR
N H Y N B	876	Hook clamp 40x10mm with 28mm screw for Ø35 to 50mm pipes (40Kg max)	23,00	27,60 EUR
N H Y N B	880	Hook clamp 40x10mm with 28mm screw for Ø50 to 63mm pipes (40Kg max)	24,00	28,80 EUR
N H Y N B	CS2	Safety cable Ø3 mm L= 600mm (75Kg max)	6,00	7,20 EUR
		TUNGSTEN THEATRE SPOTLIGHTS		
		LUTIN - 306L SERIES Ø150 LENS 1000W GX 9,5 Double slot front cassette for 180 x 180mm accessories, filter holder, 3-meter 3G 1,5mm ² power cable, mounted with 10/16A + E NF/SCHUKO plug.		
N H Y N B	306LF	LUTIN 1000W Tungsten Single lens luminaire, Ø150mm Fresnel lens 6° - 45°	395,00	474,00 EUR
N H Y N B	306LPC	LUTIN 1000W Tungsten Single lens luminaire, Ø150mm Plano convex lens 10° - 66°	395,00	474,00 EUR
N H Y N B	306LPB	LUTIN 1000W Tungsten Single lens luminaire, Ø150mm Pebble convex lens 11° - 63°	395,00	474,00 EUR
		• Lamps		
N H Y N B	T19 /OS/	OSRAM 64744 T19 1000W 230V GX9,5 20X1	11,00	13,20 EUR
N H Y N B	CP70 /OS/	OSRAM 64745 CP70 1000W 230V GX 9,5 20X1	10,50	12,60 EUR
		• Accessories		
N H Y N B	PF500M2	180x180mm metal filter holder (1 included)	9,00	10,80 EUR
N H Y N B	G500	180x180mm safety grid (1 included)	7,00	8,40 EUR
N H Y N B	CF500	4 rotating leaves on a rotating barndoor - 180x180mm (without safety cable)	67,00	80,40 EUR
		310H SERIES - Ø200 LENS 1000/1200W Double slot front cassette for 215 x 215mm accessories delivered with a filter holder.		
		1000/1200W GX 9,5 - 220/240V input model : 3-meter 3G 1,5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.		
N H Y N B	310HF	1000/1200W Tungsten Single lens luminaire, Gx9.5 socket, Ø200mm Fresnel lens 6° - 46°	445,00	534,00 EUR
N H Y N B	310HPC	1000/1200W Tungsten Single lens luminaire, Gx9.5 socket, Ø200mm Plano convex lens 8° - 63°	445,00	534,00 EUR
N H Y N B	310HPB	1000/1200W Tungsten Single lens luminaire, Gx9.5 socket, Ø200mm Pebble convex lens 8° - 63°	440,00	528,00 EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
		1000/1200W G22 - 220/240V input model : 3-meter 3G 1,5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.		
N H Y N B	310THF	1000/1200W Tungsten Single lens luminaire, G22 socket, Ø200mm Fresnel lens 6° - 46°	480,00	576,00 EUR
N H Y N B	310THPC	1000/1200W Tungsten Single lens luminaire, G22 socket, Ø200mm Plano convex lens 8° - 63°	470,00	564,00 EUR
N H Y N B	310THPB	1000/1200W Tungsten Single lens luminaire, G22 socket, Ø200mm Pebble convex lens 8° - 63°	470,00	564,00 EUR
		• Lamps		
N H Y N B	T19 /OS/	OSRAM 64744 T/19 1000W 230V GX9,5 20X1 <i>for 310 HPC/HF/HPB</i>	11,00	13,20 EUR
N H Y N B	CP70 /OS/	OSRAM 64745 CP70 1000W 230V GX 9,5 20X1 <i>for 310 HPC/HF/HPB</i>	10,50	12,60 EUR
N H Y N B	T29 /OS/	OSRAM 64752 T/29 1200W 230V GX9,5 20X1 <i>for 310 HPC/HF/HPB</i>	15,20	18,20 EUR
N H Y N B	CP90 /OS/	OSRAM 64754 CP/90 1200W 230V GX9,5 20X1 <i>for 310 HPC/HF/HPB</i>	16,70	20,00 EUR
N H Y N B	CP71 /OS/	OSRAM 64747 CP71 1000W 230V G22 20X1 <i>for 310 THPC/THF/THPB</i>	10,90	13,10 EUR
N H Y N B	CP93 /OS/	OSRAM 64756 CP/93 1200W 230V G22 20X1 <i>for 310 THPC/THF/THPB</i>	22,30	26,80 EUR
		• Accessories		
N H Y N B	PF1000M2	215 x 215mm metal filter holder <i>(1 included)</i>	11,00	13,20 EUR
N H Y N B	G1000	215 x 215mm safety grid <i>(1 included)</i>	8,00	9,60 EUR
N H Y N B	CF1000	4 rotating leaves on a rotating barndoor - 215x215mm (without safety cable)	71,00	85,20 EUR



329H SERIES - Ø200 LENS 2000/2500W G22

Double slot front cassette for 245 x 245mm accessories delivered with a metal filter holder.

N H Y N B	329HF	2000/2500W Tungsten Single lens luminaire, G22 socket, Ø200mm Fresnel lens 7° - 49°	635,00	762,00 EUR
N H Y N B	329HPC	2000/2500W Tungsten Single lens luminaire, G22 socket, Ø200mm Plano convex lens 16° - 72°	635,00	762,00 EUR
N H Y N B	329HPB	2000/2500W Tungsten Single lens luminaire, G22 socket, Ø200mm Pebble convex lens 9° - 68°	635,00	762,00 EUR
		• Lamps		
N H Y N B	CP92 /OS/	OSRAM 64777 CP/92 2000W 230V G22 20X1	23,30	28,00 EUR
N H Y N B	CP91 /OS/	OSRAM 64796 CP/91 2500W 230V G22 20X1	22,60	27,10 EUR
		• Accessories		
N H Y N B	PF329M	245x245mm metal filter holder <i>(1 included)</i>	14,00	16,80 EUR
N H Y N B	G329	245x245mm safety grid <i>(1 included)</i>	11,00	13,20 EUR
N H Y N B	CF329	4 rotating leaves on a rotating barndoor - 245x245mm (without safety cable)	80,00	96,00 EUR



CIN'K SERIES - TUNGSTEN Ø250 FRESNEL LENS 2000/2500W G22

Double slot front cassette for 333 x 333mm accessories delivered with a metal filter holder.

N H Y N B	325LF	CIN'K 2000/2500W Tungsten Single lens luminaire, G22 socket, Ø250 Fresnel lens 7° - 52°	927,00	1.112,40 EUR
		• Lamps		
N H Y N B	CP92 /OS/	OSRAM 64777 CP/92 2000W 230V G22 20X1	23,30	28,00 EUR
N H Y N B	CP91 /OS/	OSRAM 64796 CP/91 2500W 230V G22 20X1	22,60	27,10 EUR
		• Accessories		
N H Y N B	PF325	333 x 333mm Metal filter holder <i>(1 included)</i>	23,00	27,60 EUR
N H Y N B	G325L	333x333mm safety grid <i>(1 included)</i>	23,00	27,60 EUR
N H Y N B	CF325	4 rotating leaves on a rotating barndoor - 333x333mm (without safety cable)	205,00	246,00 EUR
N H Y N B	PFR325	600 x 600mm extended filter holder with 4 clips.	146,00	175,20 EUR
N H Y N B	PFR CF325	Extended filter holder and rotating barndoor set - 333x333mm	292,00	350,40 EUR



CIN'K SERIES - TUNGSTEN Ø250 FRESNEL LENS 5000W G38

*Double slot front cassette for 333 x 333mm accessories delivered with a metal filter holder.
The fan cooled front cassette allows the use of dark gels.*

N H Y N B	350LF	CIN'K 5000W Tungsten Single lens luminaire, G38 socket, Ø250 Fresnel lens 10° - 54°, w/o Fan	1.165,00	1.398,00 EUR
N H Y N B	350LFV	CIN'K 5000W Tungsten Single lens luminaire, G38 socket, Ø250 Fresnel lens 10° - 54°, with Fan	1.298,00	1.557,60 EUR
		• Lamps		
N H Y N B	CP85 /OS/	OSRAM 64805 CP/85 5000W 230V G38 1X1	75,40	90,50 EUR
		• Accessories		
N H Y N B	PF325	333 x 333mm Metal filter holder <i>(1 included)</i>	23,00	27,60 EUR
N H Y N B	G325L	333x333mm safety grid <i>(1 included)</i>	23,00	27,60 EUR
N H Y N B	CF325	4 rotating leaves on a rotating barndoor - 333x333mm (without safety cable)	205,00	246,00 EUR
N H Y N B	PFR325	600 x 600mm extended filter holder with 4 clips.	146,00	175,20 EUR
N H Y N B	PFR CF325	Extended filter holder and rotating barndoor set - 333x333mm	292,00	350,40 EUR

DISCHARGE SPOTLIGHTS



CIN'K SERIES - DISCHARGE 1200W G22 - Ø250 FRESNEL LENS

Cold strike. Double slot front cassette for 333x333mm accessories with safety grid and metal filter holder. 3m power cable mounted with a CEE 7/7 (2P+E NF/Schuko) plug.

N H Y N B	312LF	CIN'K 1200W HID Single lens luminaire, G22, 250mm Fresnel 6/53°, Magnetic PSU	2.150,00	2.580,00 EUR
		• Lamps		
N H Y N B	MSD 1200 /PH/	MSD 1200 1CT/4, 6000K, 3000h	276,00	331,20 EUR
N H Y N B	MSR 1200 /PH/	MSR 1200 1CT/4, 6000K, 800h	153,00	183,60 EUR
N H Y N B	MSR 1200/2 /PH/	MSR 1200/2 1CT/4, 7200K, 800h	171,00	205,20 EUR
		• Accessories		
N H Y N B	PF325	333x333mm metal filter holder <i>(1 included)</i>	23,00	27,60 EUR
N H Y N B	G325L	333x333mm safety grid <i>(1 included)</i>	23,00	27,60 EUR
N H Y N B	PFR325	600x600mm extended metal filter holder with 4 clips	146,00	175,20 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
N H Y N B	CF325	4 rotating leaves on a rotating barndoor - 333x333mm (without safety cable)	205,00	246,00	EUR
N H Y N B	PFR CF325	Extended filter holder and rotating barndoor set - 333x333mm	292,00	350,40	EUR
N H Y N B	JAL2/280 A1	Ø280mm JALOUSIE2 dimming shutter with adaptation for CIN'K series, <i>P.S.U. is required</i>	2.266,00	2.719,20	EUR
N H Y N B	JAL2/340 A1	Ø340mm JALOUSIE2 dimming shutter with adaptation for CIN'K series, <i>P.S.U. is required</i>	2.369,00	2.842,80	EUR



CIN'K SERIES - DISCHARGE 2500W G38 - Ø250 FRESNEL LENS

Hot restrike. Double slot front cassette for 333x333mm accessories with safety grid and metal filter holder, fan cooled front cassette. 3m power cable mounted with 32A blue 2P+E 6h IEC60309 (CEE 32) plug.

N H Y N B	326LFV	CIN'K 2500W HID Single lens luminaire, G38, 250mm Fresnel 10/ 54°, Magnetic PSU	4.600,00	5.520,00	EUR
N H Y N B	326LFV DMX	CIN'K 2500W HID Single lens luminaire, G38, 250mm Fresnel 10/ 54°, Magnetic PSU, DMX lamp cntrl.	4.860,00	5.832,00	EUR
N H Y N B	326LFVE	CIN'K 2500W HID Single lens luminaire, G38, 250mm Fresnel 10/ 54°, Electronic PSU	6.900,00	8.280,00	EUR
• Lamps					
N H Y N B	HMI 2500W/SE /OS/	OSRAM HMI 2500W/SE XS G38 1X1	180,00	216,00	EUR
N H Y N B	MSR 2500 HR	MSR 2500 HR 1CT/4	222,00	266,40	EUR
• Accessories					
N H Y N B	PF325	333x333mm metal filter holder (1 included)	23,00	27,60	EUR
N H Y N B	G325L	333x333mm safety grid (1 included)	23,00	27,60	EUR
N H Y N B	PFR325	600x600mm extended metal filter holder with 4 clips	146,00	175,20	EUR
N H Y N B	CF325	4 rotating leaves on a rotating barndoor - 333x333mm (without safety cable)	205,00	246,00	EUR
N H Y N B	PFR CF325	Extended filter holder and rotating barndoor set - 333x333mm	292,00	350,40	EUR
N H Y N B	JAL2/280 A1	Ø280mm JALOUSIE2 dimming shutter with adaptation for CIN'K series, <i>P.S.U. is required</i>	2.266,00	2.719,20	EUR
N H Y N B	JAL2/340 A1	Ø340mm JALOUSIE2 dimming shutter with adaptation for CIN'K series, <i>P.S.U. is required</i>	2.369,00	2.842,80	EUR

LED PROFILES



TIBO - 533 LED WHITE PROFILE SPOT

• 75W High Intensity LED array • Very long-life lamp source: 50 000 hours • Double condenser optics • Available in three colour temperatures - Warm White (3200K), Neutral White (4000K) and Cool White (6000K) • Variable White model available ranging from 2700K to 5700K • Separate flicker-free electronic PSU with 3m power cable w/ Schuko connector • Power consumption 90W (sleep mode 5W)


N H Y N B	533WW	TIBO LED 75W Profile spot, 30/45°, 3000K	1.650,00	1.980,00	EUR
N H Y N B	533NW	TIBO LED 75W Profile spot, 30/45°, 4000K	1.650,00	1.980,00	EUR
N H Y N B	533CW	TIBO LED 75W Profile spot, 30/45°, 6500K	1.650,00	1.980,00	EUR
N H Y N B	533VW	TIBO LED 75W Profile spot, 30/45°, Variable white 2700K-5700K	1.750,00	2.100,00	EUR
• Options					
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00	EUR
N H Y N B	T-RAL9010	White housing (RAL 9010)	100,00	120,00	EUR
N H Y N B	W-DMX/T	W-DMX wireless DMX for Tibo	98,00	117,60	EUR
• Accessories					
N H Y N B	D4	Shutter for Tibo series (4 included)	10,00	12,00	EUR
N H Y N B	PF100M	135x135mm metal filter holder (1 included)	7,00	8,40	EUR
N H Y N B	IS500	Drop-in iris (monoplane) with holder	140,00	168,00	EUR
N H Y N B	SGUT	Universal "M" size gobo-holder (metal, glass, frosted glass)	18,00	21,60	EUR




ZEP - 640SX LED Profile spot


• 150W LED engine - Light output equivalent to a 1000 W tungsten profile spot • Very long-life lamp source: 50 000 hours • Available in two colour temperatures (3200K and 6000K) • Built-in electronic flicker-free dimmable PSU • Strobe Function • Choice of plastic, metal or glass gobo • Silent Operation • Run up to 19 ZEP 640 from a single domestic power outlet 230V 16A • Shipped with 4 shutters, Universal "A" size gobo-holder, filter frame, 3m power cable w/ Schuko Plug.

N H Y N B	641SXWW	ZEP LED 150W Profile spot, 11/26°, 3200K	2.360,00	2.832,00	EUR
N H Y N B	641SXCW	ZEP LED 150W Profile spot, 11/26°, 6000K	2.360,00	2.832,00	EUR
N H Y N B	643SXWW	ZEP LED 150W Profile spot, 28/54°, 3200K	2.360,00	2.832,00	EUR
N H Y N B	643SXCW	ZEP LED 150W Profile spot, 28/54°, 6000K	2.360,00	2.832,00	EUR
N H Y N B	644SXWW	ZEP LED 150W Profile spot, 16/35°, 3200K	2.360,00	2.832,00	EUR
N H Y N B	644SXCW	ZEP LED 150W Profile spot, 16/35°, 6000K	2.360,00	2.832,00	EUR
• Options					
N H Y N B	CAV600	Double slot front cassette for 180x180mm accessories	40,00	48,00	EUR
N H Y N B	CAV600E	Double slot front cassette for 185x185mm accessories	40,00	48,00	EUR
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00	EUR
N H Y N B	W-DMX/Z	W-DMX wireless DMX for ZEP	98,00	117,60	EUR
• Accessories					
N H Y N B	D8	Shutter for SX series (4 included, can work with up to 8 shutters)	14,00	16,80	EUR
N H Y N B	PF500M2	180x180mm metal filter holder (1 included)	9,00	10,80	EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	19,00	22,80	EUR
N H Y N B	IWSX755	Drop-in iris (monoplane) with holder	105,00	126,00	EUR
N H Y N B	G500	180x180mm safety grid	7,00	8,40	EUR
N H Y N B	CAV600AE	Double slot front cassette for 185x185mm accessories	40,00	48,00	EUR
N H Y N B	CAV600A	Double slot front cassette for 180x180mm accessories	40,00	48,00	EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20	EUR
N H Y N B	FCD600	Angled yoke	32,00	38,40	EUR

ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		ZEP - 660SX LED Profile spot • 300W LED engine - Light output equivalent to a 2000 W tungsten profile spot • Very long-life lamp source: 50 000 hours • Built-In electronic flicker-free dimmable PSU • Strobe Function • Choice of metal or glass gobo • Silent Operation • Run up to 10 ZEP 660 from a single domestic power outlet 230V 16A • Shipped with 4 shutters, Universal "A" size gobo-holder, filter frame, 3m power cable w/ Schuko Plug.		
N H Y N B	661SX WW	ZEP LED 300W Profile spot - 11/26° - Warm White 3100K	2.460,00	2.952,00 EUR
N H Y N B	661SX CW	ZEP LED 300W Profile spot - 11/26° - Cool White 5700K	2.460,00	2.952,00 EUR
N H Y N B	661SX NDW	ZEP LED 300W Profile spot - 11/26° - Neutral Daylight White 5000K	2.460,00	2.952,00 EUR
N H Y N B	661SX VW	ZEP LED 300W Profile spot - 11/26° - Variable White	2.460,00	2.952,00 EUR
N H Y N B	663SX WW	ZEP LED 300W Profile spot - 28/54° - Warm White 3100K	2.460,00	2.952,00 EUR
N H Y N B	663SX CW	ZEP LED 300W Profile spot - 28/54° - Cool White 5700K	2.460,00	2.952,00 EUR
N H Y N B	663SX NDW	ZEP LED 300W Profile spot - 28/54° - Neutral Daylight White 5000K	2.460,00	2.952,00 EUR
N H Y N B	663SX VW	ZEP LED 300W Profile spot - 28/54° - Variable White	2.460,00	2.952,00 EUR
N H Y N B	664SX WW	ZEP LED 300W Profile spot - 16/35° - Warm White 3100K	2.460,00	2.952,00 EUR
N H Y N B	664SX CW	ZEP LED 300W Profile spot - 16/35° - Cool White 5700K	2.460,00	2.952,00 EUR
N H Y N B	664SX NDW	ZEP LED 300W Profile spot - 16/35° - Neutral Daylight White 5000K	2.460,00	2.952,00 EUR
N H Y N B	664SX VW	ZEP LED 300W Profile spot - 16/35° - Variable White	2.460,00	2.952,00 EUR
		• Options		
N H Y N B	CAV600	Double slot front cassette for 180x180mm accessories	40,00	48,00 EUR
N H Y N B	CAV600E	Double slot front cassette for 185x185mm accessories	40,00	48,00 EUR
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00 EUR
N H Y N B	W-DMX/Z	W-DMX wireless DMX for ZEP	98,00	117,60 EUR
		• Accessories		
N H Y N B	D8	Shutter for SX series (4 included, can work with up to 8 shutters)	14,00	16,80 EUR
N H Y N B	PF500M2	180x180mm metal filter holder (1 included)	9,00	10,80 EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) (1 included)	19,00	22,80 EUR
N H Y N B	IWSX755	Drop-in iris (monoplane) with holder	105,00	126,00 EUR
N H Y N B	G500	180x180mm safety grid	7,00	8,40 EUR
N H Y N B	CAV600AE	Double slot front cassette for 185x185mm accessories	40,00	48,00 EUR
N H Y N B	CAV600A	Double slot front cassette for 180x180mm accessories	40,00	48,00 EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20 EUR
N H Y N B	FCD600	Angled yoke	32,00	38,40 EUR

TUNGSTEN PROFILES

		TIBO - 503/513 TUNGSTEN PROFILE SPOT • Available in two versions: 300/500/650W Gy9.5 and 600W GKV G9.5 • Two different zoom ranges in one single unit: 30/45° or 15/35° by adding/removing one lens • Ellipsoidal reflector • Peak/flat adjustment • Secured lamp change by two safety switches (neutral and phase) • Convection cooling		
N H Y N B	503	TIBO 300/500/650W Tungsten Profile spot, Gy9.5 socket, 30/45°	567,00	680,40 EUR
		• Lamps		
N H Y N B	CP82 /OS/	OSRAM 64674 CP/82 FRH 500W GY9.5	8,50	10,20 EUR
N H Y N B	CP89 /OS/	OSRAM 64717 CP/89 FRL 650W 230V GY9.5 12X1	11,80	14,20 EUR
N H Y N B	T25 /OS/	OSRAM 64670 T/25 500W 230V GY9.5 12X1	12,20	14,60 EUR
N H Y N B	T27 /OS/	OSRAM 64718 T/27 650W 230V GY9.5 12X1	12,40	14,90 EUR
N H Y N B	GKV /OS/	OSRAM 64716 GKV 600W 230V G9.5 12X1	12,80	15,40 EUR
		• Options		
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00 EUR
		• Accessories		
N H Y N B	D4	Shutter for Tibo series (4 included)	10,00	12,00 EUR
N H Y N B	PF100M	135x135mm metal filter holder (1 included)	7,00	8,40 EUR
N H Y N B	IS500	Drop-in iris (monoplane) with holder	140,00	168,00 EUR
N H Y N B	SGUT	Universal "M" size gobo-holder (metal, glass, frosted glass)	18,00	21,60 EUR

		600SX RANGE TUNGSTEN PROFILES 1000/1200W Double condenser 5 lens optical system, rotating lens tube incl. 4 shutters with locking device, internal filter holder and "A" size gobo-holder; Front single slot for 180 x 180mm accessories with filter holder - 3-meter 3G1.5mm ² power cable mounted with 10/16A + E NF/SCHUKO plug.		
N H Y N B	611SX	1000/1200 W Tungsten Profile spot, Gx9.5 socket, 11/26°	885,00	1.062,00 EUR
N H Y N B	613SX	1000/1200 W Tungsten Profile spot, Gx9.5 socket, 28/54°	840,00	1.008,00 EUR
N H Y N B	614SX	1000/1200 W Tungsten Profile spot, Gx9.5 socket, 16/35°	825,00	990,00 EUR
N H Y N B	611SX 1200W	1000/1200 W Tungsten Profile spot, Gx9.5 socket, 11/26° - duran lens	910,00	1.092,00 EUR
N H Y N B	613SX 1200W	1000/1200 W Tungsten Profile spot, Gx9.5 socket, 28/54° - duran lens	865,00	1.038,00 EUR
N H Y N B	614SX 1200W	1000/1200 W Tungsten Profile spot, Gx9.5 socket, 16/35° - duran lens	865,00	1.038,00 EUR
		• Lamps		
N H Y N B	CP70 /OS/	OSRAM 64745 CP70 1000W 230V GX 9.5 20X1	10,50	12,60 EUR
N H Y N B	T19 /OS/	OSRAM 64744 T/19 1000W 230V GX9.5 20X1	11,00	13,20 EUR
N H Y N B	CP90 /OS/	OSRAM 64754 CP/90 1200W 230V GX9.5 20X1	16,70	20,00 EUR
N H Y N B	T29 /OS/	OSRAM 64752 T/29 1200W 230V GX9.5 20X1	15,20	18,20 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		• Options		
N H Y N B	CAV600	Double slot front cassette for 180x180mm accessories	40,00	48,00 EUR
N H Y N B	CAV600E	Double slot front cassette for 185x185mm accessories	40,00	48,00 EUR
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00 EUR
		• Accessories		
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot) (4 included)</i>	14,00	16,80 EUR
N H Y N B	PF500M2	180x180mm metal filter holder <i>(1 included)</i>	9,00	10,80 EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) <i>(1 included)</i>	19,00	22,80 EUR
N H Y N B	IWSX755	Drop-in iris (monoplane) with holder.	105,00	126,00 EUR
N H Y N B	G500	180 x 180mm safety grid (306, 600 & 400 range)	7,00	8,40 EUR
N H Y N B	CAV600A	Double slot front cassette for 180x180mm accessories	40,00	48,00 EUR
N H Y N B	CAV600AE	Double slot front cassette for 185x185mm accessories	40,00	48,00 EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20 EUR
N H Y N B	FCD600	Angled yoke	32,00	38,40 EUR



700SX2 RANGE TUNGSTEN PROFILES 2000/2500W

Double condenser 5 lens optical system, rotating gate incl. 4 shutters with locking device, internal filter holder and an "A" size gobo-holder. 220/240V Standard models - Front single slot for 215 x 215mm accessories, filter holder and 3-meter 3G 1.5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.

N H Y N B	710SX2	2000/2500 W Tungsten Profile spot, G22 socket, 10/25°	1.470,00	1.764,00 EUR
N H Y N B	711SX2	2000/2500 W Tungsten Profile spot, G22 socket, 8/16°	1.505,00	1.806,00 EUR
N H Y N B	713SX2	2000/2500 W Tungsten Profile spot, G22 socket, 29/50°	1.400,00	1.680,00 EUR
N H Y N B	714SX2	2000/2500 W Tungsten Profile spot, G22 socket, 15/40°	1.380,00	1.656,00 EUR
N H Y N B	710SX2 Silent	2000/2500 W Tungsten Profile spot, G22 socket, 10/25° - Very low noise fan	1.680,00	2.016,00 EUR
N H Y N B	711SX2 Silent	2000/2500 W Tungsten Profile spot, G22 socket, 8/16° - Very low noise fan	1.700,00	2.040,00 EUR
N H Y N B	713SX2 Silent	2000/2500 W Tungsten Profile spot, G22 socket, 29/50° - Very low noise fan	1.610,00	1.932,00 EUR
N H Y N B	714SX2 Silent	2000/2500 W Tungsten Profile spot, G22 socket, 15/40° - Very low noise fan	1.600,00	1.920,00 EUR
		• Lamps		
N H Y N B	CP92 /OS/	OSRAM 64777 CP/92 2000W 230V G22 12X1	23,30	28,00 EUR
N H Y N B	CP92 /GE/	GE 88506 CP/92 2000W 230-240V G22	25,40	30,50 EUR
N H Y N B	CP91 /OS/	OSRAM 64796 CP/91 2500W 230V G22 12X1	22,60	27,10 EUR
N H Y N B	CP91 /GE/	GE 88505 CP/91 2500W 230-240V G22	23,80	28,60 EUR
		• Options		
N H Y N B	CAV700	Double slot front cassette for 215x215mm accessories	41,00	49,20 EUR
N H Y N B	CAV700J	Double slot front cassette for 245x245mm accessories	47,00	56,40 EUR
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00 EUR
		• Accessories		
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot) (4 included)</i>	14,00	16,80 EUR
N H Y N B	PF1000M2	215x215mm metal filter holder <i>(1 included)</i>	11,00	13,20 EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) <i>(1 included)</i>	19,00	22,80 EUR
N H Y N B	IWSX755	Drop-in iris (monoplane) with holder.	105,00	126,00 EUR
N H Y N B	G1000	215x215mm safety grid (310, 700 and 900 range).	8,00	9,60 EUR
N H Y N B	CAV700A	Double slot front cassette for 215x215mm accessories	42,00	50,40 EUR
N H Y N B	CAV700AJ	Double slot front cassette for 245x245mm accessories	47,00	56,40 EUR
N H Y N B	RV934	Front extension cassette for 215x215mm accessories with fan	206,00	247,20 EUR
N H Y N B	RPF713	Front extension cassette for 215x215mm accessories without fan	117,00	140,40 EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20 EUR
N H Y N B	FCD700	Angled yoke	44,00	52,80 EUR

DISCHARGE PROFILES



TIBO - 523 DISCHARGE PROFILE SPOT

• CDM-T 250 W discharge lamp, 8000h lamp life • Choice of colour temperatures: 3000K and 4200K • Two different zoom ranges in one single unit: 30/45° or 15/35° by adding/removing one lens • Ellipsoidal reflector • Secured lamp change by two safety switches (neutral and phase) • Convection cooling • Separate electronic flicker-free PSU

N H Y N B	523	TIBO HID 250W Profile spot, 30/45°, Electronic PSU	990,00	1.188,00 EUR
		• Lamps		
N H Y N B	CDM 250/830 /PH/	PHILIPS MASTERColour CDM-T 250W/830 G12 1CT	60,80	73,00 EUR
N H Y N B	CDM 250/942 /PH/	PHILIPS MASTERColour CDM-T 250W/942 G12 1CT	60,80	73,00 EUR
		• Options		
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00 EUR
		• Accessories		
N H Y N B	D4	Shutter for Tibo series <i>(4 included)</i>	10,00	12,00 EUR
N H Y N B	PF100M	135x135mm metal filter holder <i>(1 included)</i>	7,00	8,40 EUR
N H Y N B	IS500	Drop-in iris (monoplane) with holder	140,00	168,00 EUR
N H Y N B	SGUT	Universal "M" size gobo-holder (metal, glass, frosted glass)	18,00	21,60 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
		QUINCY - 420SX SERIES PROFILE SPOT, MSD 575W G22 - HOT RESTRIKE			
		<i>Electronic power supply 90 → 260V 50/60Hz with PFC in a separate box, mounted on the yoke. Double condenser 5 lens optical system, rotating lens tube incl. 4 shutters and locking device, internal filter holder an "A" size gobo-holder. Standard models: front single slot for 180 x 180mm accessories with filter holder and 3-meter, 3G 1,5mm² power cable mounted with 10/16A + E NF/SCHUKO plug.</i>			
N H Y N B	421SX	QUINCY 575W MSD Profile spot, 11/26°, Electronic PSU	2.024,00	2.428,80	EUR
N H Y N B	423SX	QUINCY 575W MSD Profile spot, 28/54°, Electronic PSU	1.978,00	2.373,60	EUR
N H Y N B	424SX	QUINCY 575W MSD Profile spot, 16/35°, Electronic PSU	1.978,00	2.373,60	EUR
		• Lamps			
N H Y N B	MSD 575 HR /PH/	PHILIPS MSD 575 HR G22. 6000K, 2000h	225,00	270,00	EUR
		• Options			
N H Y N B	CAV 600	Double slot front cassette for 180x180mm accessories	40,00	48,00	EUR
N H Y N B	CAV 600E	Double slot front cassette for 185x185mm accessories	40,00	48,00	EUR
		• Accessories			
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot) (4 included)</i>	14,00	16,80	EUR
N H Y N B	PF500M2	180x180mm metal filter holder <i>(1 included)</i>	9,00	10,80	EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) <i>(1 included)</i>	19,00	22,80	EUR
N H Y N B	IWSX755	Drop-in iris (monoplane) with holder.	105,00	126,00	EUR
N H Y N B	G500	180 x 180mm safety grid (306, 600 & 400 range)	7,00	8,40	EUR
N H Y N B	CAV600A	Double slot front cassette for 180x180mm accessories	40,00	48,00	EUR
N H Y N B	CAV600AE	Double slot front cassette for 185x185mm accessories	40,00	48,00	EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20	EUR
N H Y N B	FCD600	Angled yoke	32,00	38,40	EUR





		D'ARTAGNAN - 930SNX RANGE PROFILE SPOT, MSR 2500W HR G38			
		<i>Double condenser 5 lens optical system, rotating gate includes 4 shutters with locking device, internal filter holder, front slots for 215 x 215mm accessories, "A" size gobo-holder and filter holder. Separate 3-meter lantern cable mounted with 16 x 16A + E Harting standard. 3-meter XLR7 standard remote control shutter cable. Separate power supply unit (P.S.U.) with input selector : 230/245V 50Hz and 208V 60Hz. ON/OFF Lamp addressing and light beam dimming (DMX, AVAB and 0/+10V) through CAD 900 integrated with the P.S.U. Maximum distance for Profile/P.S.U.: 30 meters. Standard models - Front single slot for 215 x 215mm accessories, filter holder and 3m power cable mounted with 32A P17 plug.</i>			
N H Y N B	930SNX	D'ARTAGNAN 2500W HID Profile spot, 10/25°, Magnetic PSU, DMX dimmer and lamp control	7.860,00	9.432,00	EUR
N H Y N B	933SNX	D'ARTAGNAN 2500W HID Profile spot, 29/50°, Magnetic PSU, DMX dimmer and lamp control	7.790,00	9.348,00	EUR
N H Y N B	934SNX	D'ARTAGNAN 2500W HID Profile spot, 16/38°, Magnetic PSU, DMX dimmer and lamp control	7.780,00	9.336,00	EUR
N H Y N B	930SNXE	D'ARTAGNAN 2500W HID Profile spot, 10/25°, Electronic PSU, DMX dimmer and lamp control	10.749,00	12.898,80	EUR
N H Y N B	933SNXE	D'ARTAGNAN 2500W HID Profile spot, 29/50°, Electronic PSU, DMX dimmer and lamp control	10.679,00	12.814,80	EUR
N H Y N B	934SNXE	D'ARTAGNAN 2500W HID Profile spot, 16/38°, Electronic PSU, DMX dimmer and lamp control	10.569,00	12.682,80	EUR
		• Lamps			
N H Y N B	HMI 2500W/SE /OS/	OSRAM HMI 2500W/SE XS G38 1X1, 6000K, 500h	180,00	216,00	EUR
N H Y N B	MSR 2500 HR	PHILIPS MSR 2500 HR 1CT/4 G38, 6000K, 500h	222,00	266,40	EUR
		• Options			
N H Y N B	CAV700	Double slot front cassette for 215x215mm accessories	41,00	49,20	EUR
N H Y N B	CAV700J	Double slot front cassette for 245x245mm accessories	47,00	56,40	EUR
		• Accessories			
N H Y N B	D8	Black treated shutter, for SX and SNX range <i>Up to 8 shutters can be used (two in each slot) (4 included)</i>	14,00	16,80	EUR
N H Y N B	PF1000M2	215x215mm metal filter holder <i>(1 included)</i>	11,00	13,20	EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass) <i>(1 included)</i>	19,00	22,80	EUR
N H Y N B	VD120	120x120mm frosted glass <i>(1 included)</i>	16,00	19,20	EUR
N H Y N B	IWSX755	Drop-in iris (monoplane) with holder.	105,00	126,00	EUR
N H Y N B	G1000	215x215mm safety grid	8,00	9,60	EUR
N H Y N B	CAV700A	Double slot front cassette for 215x215mm accessories	42,00	50,40	EUR
N H Y N B	CAV700AJ	Double slot front cassette for 245x245mm accessories	47,00	56,40	EUR
N H Y N B	RV934	Front extension cassette for 215x215mm accessories with fan	206,00	247,20	EUR
N H Y N B	FCD700	Angled yoke	42,00	50,40	EUR


CYC AND FLOOD LIGHTS




		DALIS 860 CYCLIGHT			
		<i>300W LED Cyclight - 8 colour mixing LED system: Red, Green, Blue, Royal Blue, Amber, Cyan, Warm White (2200K), Cool White (6500K) • Very wide colour gamut • Impressive range of pastel tones • True tunable white: From 2200K to 6500K • 8 or 16 bit control of each colour • Extruded aluminium housing • 48 micro optical asymmetric reflectors • One or four groups control mode • Fanless system • Flicker-free • Power and data daisy chain • Horizontal or vertical mounting • Compatible with DMX / RDM / Art-Net / sACN • System setup locally and remotely by RDM or TCP/IP - integrated display • Adjustable feet to aid floor focusing • Flexible QuickRig mounting system</i>			
N H Y N B	860	DALIS 8 colour LED 300W Cyclight	2.900,00	3.480,00	EUR
		• Options			
N H Y N B	FC860	Flight-case for 6 Dalis 860 / accessories	720,00	864,00	EUR
		• Accessories.			
N H Y N B	CAL03	3 meter power cable (3G1,5 HO7RNF) with Neutrik PowerCon® True1 and CEE 7/7 (2P+T NF/SCHUKO) connectors	28,00	33,60	EUR
N H Y N B	CAL05	Combined Neutrik PowerCon® True1 / DMX (5 pins) patch cable - length: 1m	110,00	132,00	EUR
N H Y N B	FC860/S	Flight-case for 6 Dalis 860 / accessories	720,00	864,00	EUR
N H Y N B	885	Doughty "Supaclamp" (black) with 16mm spigot hole for Ø50mm pipes max. - SWL: 20Kg	33,00	39,60	EUR
N H Y N B	QR-Pin	16mm QuickRig pin	38,00	45,60	EUR
N H Y N B	QR-Pin2	M10 QuickRig socket (without screw)	43,00	51,60	EUR
N H Y N B	872	Doughty "Twenty clamp" with M10 screw/nut for Ø48 to 51mm pipes - SWL: 20Kg - TÜV approved	23,00	27,60	EUR
N H Y N B	QR-MLA	Mini yoke with QuickRig connectors	150,00	180,00	EUR
N H Y N B	QR-CS1	QuickRig safety cable Ø3mm L=600mm - SWL: 20 Kg	30,00	36,00	EUR


ECPBR	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
		DALIS 861 Asymmetric washlight • 150W LED Cyclight • 8-colour mixing LED system: Red, Green, Blue, Royal Blue, Amber, Cyan, Warm White (2200K), Cool White (6500K) • Very wide colour gamut • Impressive range of pastel tones • True tunable white: From 2200K to 6500K • 8 or 16 bit control of each colour • Extruded aluminium housing • 48 micro optical asymmetric reflectors arranged in 4 rows • One or four groups control mode • Fanless system • Flicker-free • Power and data daisy chain • Horizontal or vertical mounting • Compatible with DMX / RDM / Art-Net / sACN • System setup locally and remotely by RDM or TCP/IP - integrated display		
N H Y N B	861	DALIS 8 colour LED 150W Asymmetric washlight	1.995,00	2.394,00 EUR
		• Accessories.		
N H Y N B	CAL03	3 meter power cable (3G1,5 HO7RNF) with Neutrik PowerCon® True1 and CEE 7/7 (2P+T NF/SCHUKO) connectors	28,00	33,60 EUR
N H Y N B	CAL05	Combined Neutrik PowerCon® True1 / DMX (5 pins) patch cable - length: 1m	110,00	132,00 EUR
N H Y N B	872	Doughty "Twenty clamp" with M10 screw/nut for Ø48 to 51mm pipes - SWL: 20Kg - TÜV approved	23,00	27,60 EUR
N H Y N B	876	Hook clamp 40x10mm with 28mm M10 screw for Ø35 to 50mm pipes - SWL: 50Kg	23,00	27,60 EUR
N H Y N B	880	Hook clamp 40x10mm with 28mm M10 screw for Ø50 to 63mm pipes - SWL: 50Kg	24,00	28,80 EUR
N H Y N B	CS2	Safety cable Ø3 mm L= 600mm - SWL: 75 Kg	6,00	7,20 EUR

		DALIS 862 Variable White Footlight • 150W LED Cyclight • True tunable white: From 2200K to 6500K • 8 or 16 bit control of each colour • Extruded aluminium housing • Two rows of 24 micro optical asymmetric reflectors (downstage and upstage lighting) • One or four groups control mode • Adjustable feet to aid floor focusing • 4 red and blue coloured position lights - individual control of each light acting as a signal and marking safely the edge of the stage without disturbing the audience • Fanless system • Flicker-free • Power and data daisy chain • Horizontal or vertical mounting • Compatible with DMX / RDM / Art-Net / sACN • System setup locally and remotely by RDM or TCP/IP - integrated display		
N H Y N B	862	DALIS LED 150 W - Variable White Footlight	2.390,00	2.868,00 EUR
		• Accessories.		
N H Y N B	CAL03	3 meter power cable (3G1,5 HO7RNF) with Neutrik PowerCon® True1 and CEE 7/7 (2P+T NF/SCHUKO) connectors	28,00	33,60 EUR
N H Y N B	CAL05	Combined Neutrik PowerCon® True1 / DMX (5 pins) patch cable - length: 1m	110,00	132,00 EUR

		HORUS - 850 CYCLIGHT 625/1000/1250W • Rapid gel changing in any position • No light spill • 2 safety switches for secure access to the lamp (hot lead / neutral) • Unique rear handle design for fast cable changing • Tip-up protection grid 3mm for easier access to the lamp • Side tilt adjustment with pointer • Delivered with 3-meter 3G1,5mm ² cable mounted with 10/16 A + E NF/SCHUKO plug		
N H Y N B	850	HORUS 625/1000/1250W Tungsten Cyclight, R7s	382,00	458,40 EUR
N H Y N B	850C	Set of 4 HORUS cyclights 850 mounted in square with yoke	1.638,00	1.965,60 EUR
N H Y N B	850L	Set of 4 HORUS cyclights 850 mounted horizontally with yoke	1.535,00	1.842,00 EUR
		• Lamps		
N H Y N B	P2/7 /OS/	OSRAM 64741 1000W 230V R7S-15 12X1	6,80	8,20 EUR
N H Y N B	P2/7 /GE/	GE 20253 P2/7 EKM 1000W 240V R7S	7,00	8,40 EUR
N H Y N B	P2/12 /OS/	OSRAM 64751 P2/12 1250W 230V R7S-15 12X1	5,30	6,40 EUR
N H Y N B	P2/12 /GE/	GE 19696 P2/12 1250W 240V R7S	6,30	7,60 EUR
		• Accessories.		
N H Y N B	CF850H	Set of 2 horizontal barndoors for cyclight	62,00	74,40 EUR
N H Y N B	CF850V	Set of 2 vertical barndoors for cyclight	67,00	80,40 EUR
N H Y N B	Kit 850L	Set for 4-in line configuration	190,00	228,00 EUR
N H Y N B	Kit 850C	Set for 2x2 configuration	370,00	444,00 EUR
N H Y N B	PAR850	Set of 2 side plates for cyclight	47,00	56,40 EUR
N H Y N B	MLA	Mini yoke	42,00	50,40 EUR

DIMMABLE FLUO LIGHTS

		SOLO SINGLE DIMMABLE FLUO LIGHT • Fluorescent dimming from 0% to 100% • High Quality electronic ballast (T8) • Outstanding result in conjunction with Digitour Fluo dimmer pack • Easy daisy chain connection system • Dedicated hanging and coupling accessories available.		
N H Y N B	744V	SOLO T8 Fluorescent (36W) Dimmable batten, Electronic ballast	325,00	390,00 EUR
N H Y N B	Kit 744V	Set of 6 SOLO 744V with accessories (6x REL / 6x RER / 1x CF / 25x VIS)	1.988,00	2.385,60 EUR
		• Accessories		
N H Y N B	CM/Solo	Solo Wieland ST18 4 Pole Male Connector	5,00	6,00 EUR
N H Y N B	CF/Solo	Solo Wieland ST18 4 Pole Female Connector	6,00	7,20 EUR
N H Y N B	REL/Solo	Solo "In Line" Connecting Plate	7,00	8,40 EUR
N H Y N B	RER/Solo	Solo "Curtain" Connecting Plate	12,00	14,40 EUR
N H Y N B	C1/Solo	1m Digitour/Solo Fluo power cable - Harting 24 pins/6xCF Solo - 1m	294,00	353,00 EUR
N H Y N B	VIS/Solo	Screw Th M10X25 Ac Z	0,50	0,60 EUR

		QUADRI 4 CHANNEL DIMMABLE FLUO BATTEN • Fluorescent dimming from 0% to 100% • High Quality electronic ballast (T8) • Outstanding result in conjunction with Digitour Fluo dimmer pack • Easy daisy chain connection system • Dedicated hanging and coupling accessories available.		
N H Y N B	741V	QUADRI 4x T8 Fluorescent (4x 36W) Dimmable batten, Electronic ballast	1.441,00	1.729,20 EUR
		• Accessories		
N H Y N B	CS3	Safety cable Ø2 mm L= 600mm (50Kg max) (2 included)	8,20	9,80 EUR
N H Y N B	C1/Quadri	Digitour/Quadri Fluo power cable - Harting 24/16 pins - 10m	454,00	544,80 EUR
N H Y N B	C2/Quadri	Quadri cable - Harting 16 pins - 1m	258,00	309,60 EUR
N H Y N B	FMD16/16 Fluo	Male Harting connector - 16x16A	73,00	87,60 EUR
N H Y N B	FFDR16/16 Fluo	Female Harting connector - 16x16A	117,00	140,40 EUR
N H Y N B	F2/Quadri	Set of 2 side brackets with screws for Quadri	26,00	31,20 EUR
N H Y N B	F3/Quadri	Set of 2 yokes with screws for Quadri	37,00	44,40 EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
-----------	-------	-------------	---------------------------	---------------------------------


DIGITAL DIMMERS



DIGITOUR 6

• Automatic DATA detection (USITT DMX 512 et AVAB) • 0/+10V analogue input • Levels and parameters accessible from the unit (LOCAL mode) or external (DMX, 0/+10V) • Channel or group address • Soft patch • 4 addressable dimmer curves by channel • Limit function for each channel (from 0 to 100%) • High resolution DMX smoothing • Software trip protection when lamp is cold • Channel level display • Setup display (address, patch, limit...) • DMX Booster • Automatic frequency detection: from 45 to 66 Hz • Protection by 6KA 230V bipolar automatic circuit breakers • Electronic protection against overvoltage • Permanent use on full power.

• Digitour 6S - LCD display, 120 memories, 190 crossfades, Local triggering for internal sequences

N H Y N B		DGT6S - 616D	Digitour 6S mobile dimmer - 6 channels of 16A - LCD display - twin CEE 7/4 (Schuko) sockets	1.830,00	2.196,00	EUR
N H Y N B		DGT6S - 616E	Digitour 6S mobile dimmer - 6 channels of 16A - LCD display - 16A blue 2P+E 6h IEC60309 sockets	1.865,00	2.238,00	EUR
N H Y N B		DGT6S - 616N	Digitour 6S mobile dimmer - 6 channels of 16A - LCD display - CEE 7/5 (2P+T NF) sockets	1.830,00	2.196,00	EUR
N H Y N B		DGT6S - 616RL	Digitour 6S mobile relay pack - 6 relay channels of 16A - LCD display - CEE 7/5 (2P+T NF) sockets	2.275,00	2.730,00	EUR
N H Y N B		DGT6S - 616S	Digitour 6S mobile dimmer - 6 channels of 16A - LCD display - triple SEV 1011 (Swiss) sockets	1.865,00	2.238,00	EUR
N H Y N B		DGT6S - 325E	Digitour 6S mobile dimmer - 3 channels of 25A - LCD display - 32A blue 2P+E 6h IEC60309 sockets	1.865,00	2.238,00	EUR
• Options						
N H Y N B		FJV1000401	Main protection: 40A 30mA "A" class RCD	196,00	235,20	EUR
N H Y N B		ML/Tour	Hanging yoke with screws	24,00	28,80	EUR
N H Y N B		Delta/Digi	Delta wiring power supply	68,00	81,60	EUR
N H Y N B		Multi/Digi	Multi-pair output: 6x16A multi-pair cable with Harting 1616+T connector (for 6 x 16A only)	165,00	198,00	EUR
N H Y N B		Fluo/Digi	Fluo output: 6x16A multi-pair cable with Harting 2416+T connector for Solo and Quadri fluorescent batters (for 6 x 16)	585,00	702,00	EUR

TIVOLI WALL MOUNTING DIMMERS



• Automatic configuration of dimmer modules in "TIVOLI" (i.e. 24, 18 or 12 dimmers) • Two fans with thermal sensors and fire speed settings or accurate temperature control • Overvoltage detection and shutdown with level settings • Automatic DATA detection (USITT DMX 512) • 0/+10V analogue input • DMX Booster • Levels accessible from the unit (LOCAL mode) • Channel or group address • Soft patch • 4 addressable dimmer curves by channel • Limit function for each channel (from 0 to 100%) • Software trip protection when lamp is cold • 150 memories and 250 crossfades, simultaneous restitution of 15 different sequences all remote controlled • Automatic frequency detection: from 45 to 66 Hz • Protection by 6KA 230V bipolar automatic circuit breakers • Permanent use on full power • Electronic protection against overvoltage • Wall mounting hardware included • Harmonized features with DIGITOUR 6 & 6S

• TIVOLI P - Socket Dimmer

N H Y N B		TIVOLI P12	TIVOLI wall mount dimmer - 12 channels of 25A - socket output	6.200,00	7.440,00	EUR
N H Y N B		TIVOLI P18	TIVOLI wall mount dimmer - 12 channels of 16A and 6 channels of 25A - socket output	6.185,00	7.422,00	EUR
N H Y N B		TIVOLI P24	TIVOLI wall mount dimmer - 24 channels of 16A - socket output	6.185,00	7.422,00	EUR
N H Y N B		TIVOLI P24/2	TIVOLI wall mount dimmer - 12 channels of 16A - socket output	4.750,00	5.700,00	EUR

• TIVOLI B - Terminal Dimmer

N H Y N B		TIVOLI B12	TIVOLI wall mount dimmer - 12 channels of 25A - terminal output	5.765,00	6.918,00	EUR
N H Y N B		TIVOLI B18	TIVOLI wall mount dimmer - 12 channels of 16A and 6 channels of 25A - terminal output	5.765,00	6.918,00	EUR
N H Y N B		TIVOLI B24	TIVOLI wall mount dimmer - 24 channels of 16A - terminal output	5.765,00	6.918,00	EUR
N H Y N B		TIVOLI B24/2	TIVOLI wall mount dimmer - 12 channels of 16A - terminal output	4.600,00	5.520,00	EUR

• Options

N H Y N B		3Alim/Tivoli	3 independant power supplies (2x63A+CPU)	144,00	172,80	EUR
N H Y N B		Delta/Tivoli	Delta wiring power supply (2P MCD compulsory) (for Tivoli B)	120,00	144,00	EUR
N H Y N B		Multi/Tivoli	Multi-pair output: 6x16A multi-pair cable with Harting 1616+T connector (for Tivoli B)	145,00	174,00	EUR
N H Y N B		PC Schuko-12C	CEE 7/4 (Schuko) sockets - for 12 channels of 16A (for Tivoli P)	0,00	0,00	EUR
N H Y N B		PC Suisse-12C	SEV 1011 (Swiss) sockets - for 12 channels of 16A (for Tivoli P)	68,00	81,60	EUR
N H Y N B		PC 16AP17-12C	16A blue 2P+E 6h IEC60309 sockets - for 12 channels of 16A (for Tivoli P)	251,00	301,20	EUR
N H Y N B		FJV1000508	Output protection: 16A "C" curve 2P MCB for 16A channel - set for 12 channels of 16A (for Tivoli B)		PoA	EUR
N H Y N B		FJV1000511	Output protection: 13A "C" curve 2P MCB for 13A channel - set for 12 channels of 13A (for Tivoli B)		PoA	EUR
N H Y N B		FJV1000509	Output protection: 25A "C" curve 2P MCB for 25A channel - set for 6 channels of 25A (for Tivoli B)		PoA	EUR
N H Y N B		FJV1000510	Output protection: 30mA N+1P 16A RCBO for 16A channel - set for 6 channels of 16A (for Tivoli B)		PoA	EUR
N H Y N B		FJV1000507	Output protection: 30mA N+1P 32A RCBO for 25A channel - set for 6 channels of 25A (for Tivoli B)		PoA	EUR
N H Y N B		FJV1000434	Main protection: "D" curve 4x125A 30mA RCBO		PoA	EUR
N H Y N B		FJV1000435	Main protection: "D" curve 4x63A 30mA RCBO for 12 channels of 16A or 6 channels of 25A		PoA	EUR
N H Y N B		FJV1000444	Main protection: 30mA RCD for 12 channels of 16A or 6 channels of 25A		PoA	EUR
N H Y N B		FJV1000443	Main protection: 30mA RCD for 6 channels of 16A or 3 channels of 25A		PoA	EUR
N H Y N B		FJV1000017	Switch (with LED indicator) for selection of 16A direct or dimmed power output - set for 12 channels of 16A	1.533,00	1.839,60	EUR

E C P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
ACCESSORIES AND SPARES FOR LUMINAIRES				
POWER SUPPLY UNITS (P.S.U.)				
• Electronic PSU for Discharge Luminaires				
N H Y N B	M250/HID-1	250W HID Cold strike Electronic PSU - 230/245V 50Hz & 208V 60Hz - European standard	425,00	510,00 EUR
N H Y N B	SCE 575 CE	575W HID Hot restrike Electronic PSU - 90 --> 265V 50/60Hz - European standard	930,00	1.116,00 EUR
N H Y N B	SCE 1800 CE	1800W HID Hot restrike Electronic PSU - 190V --> 265V 50/60Hz - European standard	2.500,00	3.000,00 EUR
N H Y N B	SCE 2500 CE	2500W HID Hot restrike Electronic PSU - 190V --> 265V 50/60Hz - European standard	4.400,00	5.280,00 EUR
N H Y N B	SCE 2500 M	2500W HID Hot restrike Electronic built-in PSU module - 190V --> 265V 50/60Hz - European standard	4.250,00	5.100,00 EUR
N H Y N B	PG 4000 CE	4000W HID Hot restrike Electronic PSU - 190V --> 265V 50/60Hz - with flight case - European standard	6.600,00	7.920,00 EUR
• Magnetic PSU for Discharge Luminaires				
N H Y N B	A1 1200 CE	1200W HID Cold strike Magnetic PSU - 230/245V 50Hz & 208V 60Hz - European standard	990,00	1.188,00 EUR
N H Y N B	A6 1200 CE	1200W HID Hot restrike Magnetic PSU - 230/245V 50Hz & 208V 60Hz - European standard	1.350,00	1.620,00 EUR
N H Y N B	A2 2500 CE	2500W HID Hot restrike Magnetic PSU - 230/245V 50Hz & 208V 60Hz - Manual control - European standard	2.200,00	2.640,00 EUR
N H Y N B	A3 2500 CE	2500W HID Hot restrike Magnetic PSU - 230/245V 50Hz & 208V 60Hz - DMX control (CAD900) - European standard	3.000,00	3.600,00 EUR
N H Y N B	A6 2500 CE	2500W HID Hot restrike Magnetic PSU - 230/245V 50Hz & 208V 60Hz - DMX control (CAD2000) - European standard	2.420,00	2.904,00 EUR
• Electronic PSU for LED Luminaires				
N H Y N B	TIB FW CE	75W LED Electronic PSU - 90 --> 265V 50/60Hz - European standard		PoA EUR
N H Y N B	TIB VW CE	75W LED Electronic PSU - 90 --> 265V 50/60Hz - European standard		PoA EUR
ACCESSORIES				
• Barndoors				
N H Y N B	CF100	4 rotating leaves on a barndoor - 135x135mm (without safety cable)	58,00	69,60 EUR
N H Y N B	CF1000	4 rotating leaves on a rotating barndoor - 215x215mm (without safety cable)	71,00	85,20 EUR
N H Y N B	CF325	4 rotating leaves on a rotating barndoor - 333x333mm (without safety cable)	205,00	246,00 EUR
N H Y N B	CF329	4 rotating leaves on a rotating barndoor - 245x245mm (without safety cable)	80,00	96,00 EUR
N H Y N B	CF500	4 rotating leaves on a rotating barndoor - 180x180mm (without safety cable)	67,00	80,40 EUR
N H Y N B	CF850H	Set of 2 horizontal barndoors for cyclight	62,00	74,40 EUR
N H Y N B	CF850V	Set of 2 vertical barndoors for cyclight	67,00	80,40 EUR
N H Y N B	PFR CF325	Extended filter holder and rotating barndoor set - 333x333mm	292,00	350,40 EUR
• Cable				
N H Y N B	CAL03	3 meter power cable (3G1,5 HO7RNF) with Neutrik PowerCon® True1 and CEE 7/7 (2P+T NF/SCHUKO) connectors	28,00	33,60 EUR
N H Y N B	CAL04	1,50m power cable UL/CSA with Neutrik PowerCon® True1 connector	49,00	58,80 EUR
N H Y N B	CAL05	Combined Neutrik PowerCon® True1 / DMX (5 pins) patch cable - length: 1m	110,00	132,00 EUR
N H Y N B	EXT/TiboFW	12 pins Tibo LED white extension cable - length = 3.5m (138")	128,00	153,60 EUR
N H Y N B	EXT/TiboVW	12 pins Tibo LED variable white extension cable - length = 3.m (138")	128,00	153,60 EUR
• Chopper				
N H Y N B	G56H	Ø56mm horizontal chopper	77,00	92,40 EUR
N H Y N B	G80	Ø80mm horizontal chopper	98,00	117,60 EUR
N H Y N B	GR120	Slot reducer for SGUP gobo holder (if PG80 option)	33,00	39,60 EUR
N H Y N B	Kit G80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	142,00	170,40 EUR
• Colour changer				
N H Y N B	M165TP	6 ways "push/pull" colour changer	290,00	348,00 EUR
N H Y N B	M210B	6 ways "boomerang" colour changer	450,00	540,00 EUR
N H Y N B	M210T	6 ways "push/pull" colour changer	450,00	540,00 EUR
N H Y N B	M210TV	6 ways "push/pull" colour changer with fan	556,00	667,20 EUR
N H Y N B	M210TVCL	Light shield for M210T push/pull colour changer	170,00	204,00 EUR
N H Y N B	M270B	6 ways "boomerang" colour changer	680,00	816,00 EUR
N H Y N B	M270T	6 ways "push/pull" colour changer	680,00	816,00 EUR
N H Y N B	MFL	CHROMIX progressive effect module (manual)	583,00	699,60 EUR
N H Y N B	MFLM	CHROMIX progressive effect module (motorised)	1.420,00	1.704,00 EUR
• Dimming shutter				
N H Y N B	JAL2/280 A1	Ø280mm JALOUSIE2 dimming shutter with adaptation for CINK series	2.266,00	2.719,20 EUR
N H Y N B	JAL2/340 A1	Ø340mm JALOUSIE2 dimming shutter with adaptation for CINK series	2.369,00	2.842,80 EUR
N H Y N B	JN2/280	Ø280mm JALOUSIE2 dimming shutter without adaptation / filter holder	2.215,00	2.658,00 EUR
N H Y N B	JN2/340	Ø340mm JALOUSIE2 dimming shutter without adaptation / filter holder	2.318,00	2.781,60 EUR
N H Y N B	MOL	Manual dimming shutter module	460,00	552,00 EUR
N H Y N B	MOLM	Motorised dimming shutter module	1.380,00	1.656,00 EUR
N H Y N B	MOMM	Motorised dimming shutter module	1.900,00	2.280,00 EUR
• Filter holders				
N H Y N B	PF1000M2	215x215mm metal filter holder	11,00	13,20 EUR
N H Y N B	PF100M	135x135mm metal filter holder	7,00	8,40 EUR
N H Y N B	PF1011	Ø210 mm metal filter holder	27,00	32,40 EUR
N H Y N B	PF1013	Ø270 mm metal filter holder	36,00	43,20 EUR
N H Y N B	PF1114	Ø165 mm metal filter holder	20,00	24,00 EUR
N H Y N B	PF325	333x333mm metal filter holder	23,00	27,60 EUR
N H Y N B	PF329M	245x245mm metal filter holder	14,00	16,80 EUR
N H Y N B	PF500M2	180x180mm metal filter holder	9,00	10,80 EUR
N H Y N B	PF600M2	185x185mm metal filter holder	10,50	12,60 EUR
N H Y N B	PFR325	600x600 mm extended metal filter holder with 4 clips	146,00	175,20 EUR
• Flight case				
N H Y N B	FC1015/S	Flight-case for 2.5K Grand range / GT4000 stand / P.S.U. / accessories	1.170,00	1.404,00 EUR
N H Y N B	FC1021/S	Flight-case for 4K Grand range / GT4000 stand / P.S.U. / accessories	1.332,00	1.598,40 EUR
N H Y N B	FC1124/S	Flight-case for Ultra Compact range / GT stand	810,00	972,00 EUR
N H Y N B	FC1459/S	Flight-case for Compact range / GT stand / P.S.U. / accessories	900,00	1.080,00 EUR
N H Y N B	FC1515/S	Flight-case for Touring range / GT4000 stand / P.S.U. / accessories	1.170,00	1.404,00 EUR
N H Y N B	FC4000PG	Flight-case for PG 4000 or A1 4000	402,00	482,40 EUR
N H Y N B	FC860/S	Flight-case for 6 Dalis 860 / accessories	720,00	864,00 EUR

EC P B R	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)	
		• Fluorescent			
N H Y N B	C1/Quadri	Digitour/Quadri Fluo power cable - Harting 24/16 pins - 10m	454,00	544,80	EUR
N H Y N B	C1/Solo 1m	Digitour/Solo Fluo power cable - Harting 24 pins/6xCF Solo - 1m	294,00	352,80	EUR
N H Y N B	C2/Quadri	Quadri cable - Harting 16 pins - 1m	258,00	309,60	EUR
N H Y N B	CF/Solo	Solo Wieland ST18 4 Pole Female Connector	6,00	7,20	EUR
N H Y N B	CM/Solo	Solo Wieland ST18 4 Pole Male Connector	5,00	6,00	EUR
N H Y N B	F2/Quadri	Set of 2 side brackets with screws for Quadri	26,00	31,20	EUR
N H Y N B	F3/Quadri	Set of 2 yokes with screws for Quadri	37,00	44,40	EUR
N H Y N B	FFDR16/16 Fluo	Female Harting connector - 16x16A	117,00	140,40	EUR
N H Y N B	FMD16/16 Fluo	Male Harting connector - 16x16A	73,00	87,60	EUR
N H Y N B	REL/Solo	Solo "In Line" Connecting Plate	7,00	8,40	EUR
N H Y N B	RER/Solo	Solo "Curtain" Connecting Plate	12,00	14,40	EUR
N H Y N B	VIS/Solo	Screw Th M10X25 Ac Z	0,50	0,60	EUR
		• Front accessory holder			
N H Y N B	CAV600A	Double slot front cassette for 180x180mm accessories	40,00	48,00	EUR
N H Y N B	CAV600AC	Double slot front cassette for 191x191mm (7-1/2") accessories	60,00	72,00	EUR
N H Y N B	CAV600AE	Double slot front cassette for 185x185mm accessories	40,00	48,00	EUR
N H Y N B	CAV600AJ	Double slot front cassette for 195x195mm accessories	51,00	61,20	EUR
N H Y N B	CAV700A	Double slot front cassette for 215x215mm accessories	42,00	50,40	EUR
N H Y N B	CAV700AJ	Double slot front cassette for 245x245mm accessories	47,00	56,40	EUR
N H Y N B	CAV700NA	Single slot front holder for 254x254mm (10x10") accessories	30,00	36,00	EUR
N H Y N B	RPF613	180x180mm front extension cassette for 215x215mm accessories without fan (recomm. for dark colours on 613SX/663SX)	134,00	160,80	EUR
N H Y N B	RPF613E	180x180mm front extension cassette for 245x245mm accessories without fan (recomm. for dark colours on 613SX)		PoA	
N H Y N B	RPF713	Front extension cassette for 215x215mm accessories without fan	117,00	140,40	EUR
N H Y N B	RPF713C	Front extension cassette for 254x254mm (10") accessories without fan	140,00	168,00	EUR
N H Y N B	RV934	Front extension cassette for 215x215mm accessories with fan	206,00	247,20	EUR
N H Y N B	RVC934	Front extension cassette for 254x254mm (10") accessories with fan	248,00	297,60	EUR
		• Glass filter			
N H Y N B	FACM100	Ø97mm UV/IR filter with holder	63,00	75,60	EUR
N H Y N B	FBM120	Ø120mm blue dichroic filter with holder	93,00	111,60	EUR
N H Y N B	FCM100	Ø97mm CTO correction filter (5500K → 3400K) with holder	57,00	68,40	EUR
N H Y N B	FCM120	Ø120mm CTO correction filter (5500K → 3400K) with holder	62,00	74,40	EUR
N H Y N B	FCM85	Ø85mm CTO correction filter (5500K → 3400K) with holder	47,00	56,40	EUR
N H Y N B	VD120	120x120mm frosted glass	16,00	19,20	EUR
N H Y N B	VDM100	Ø97mm frosted glass with holder	23,00	27,60	EUR
N H Y N B	VDM1015B	Progressive frosted glass with holder - lower part	38,00	45,60	EUR
N H Y N B	VDM1015H	Progressive frosted glass with holder - upper part	38,00	45,60	EUR
N H Y N B	VDM85	Ø85mm frosted glass with holder	21,00	25,20	EUR
		• Gobo holder			
N H Y N B	CGL	7 "A" size gobo wheel (manual)	250,00	300,00	EUR
N H Y N B	SGCX2	A size folded metal gobo-holder	16,00	19,20	EUR
N H Y N B	SGS	Universal "B" size gobo-holder (metal, glass, frosted glass)	25,00	30,00	EUR
N H Y N B	SGUL	Universal "A" size gobo-holder (metal, glass, frosted glass)	35,00	42,00	EUR
N H Y N B	SGUM	Universal "A" size gobo-holder (metal, glass, frosted glass)	25,00	PoA	EUR
N H Y N B	SGUP	Universal "A" size gobo-holder (metal, glass, frosted glass)	29,00	34,80	EUR
N H Y N B	SGUT	Universal "M" size gobo-holder (metal, glass, frosted glass)	18,00	21,60	EUR
N H Y N B	SGUX	Universal "A" size gobo-holder (metal, glass, frosted glass)	19,00	22,80	EUR
N H Y N B	TMG1	TOURNESOL - "B" size motorised gobo rotator (with TSG1 gobo holder)	1.091,00	1.309,20	EUR
N H Y N B	TSG1	B size gobo-holder for TOURNESOL TMG1	170,00	204,00	EUR
		• Hook clamp			
N H Y N B	872	Doughty Twenty clamp with M10 screw/nut for Ø48 to 51mm pipes - SWL: 20Kg - TÜV approved	23,00	27,60	EUR
N H Y N B	876	Hook clamp 40x10mm with 28mm screw for Ø35 to 50mm pipes (40Kg max)	23,00	27,60	EUR
N H Y N B	876SV	Hook clamp 40x10mm without screw for Ø35 to 50mm pipes	23,00	27,60	EUR
N H Y N B	878	Hook clamp 25x6mm with 23mm screw for Ø35 to 50mm pipes (15Kg max)	16,00	19,20	EUR
N H Y N B	880	Hook clamp 40x10mm with 28mm screw for Ø50 to 63mm pipes (40Kg max)	24,00	28,80	EUR
N H Y N B	885	Doughty "Supaclamp" (black) with 16mm spigot hole for Ø50mm pipes max. - SWL: 20Kg	33,00	PoA	EUR
N H Y N B	MLA	Mini yoke (with screws)	42,00	PoA	EUR
N H Y N B	OmegaP	Omega bracket with screw for PSU	40,00	PoA	EUR
N H Y N B	OmegaT2	Omega bracket with quarter turn bolt sets for PSU	40,00	PoA	EUR
N H Y N B	QR-MLA	Mini yoke with QuickRig connectors	150,00	PoA	EUR
N H Y N B	QR-Pin	16mm QuickRig pin	38,00	PoA	EUR
N H Y N B	QR-Pin2	M10 QuickRig socket (without screw)	43,00	PoA	EUR
		• Iris			
N H Y N B	CCU1	Full closing iris cassette	580,00	696,00	EUR
N H Y N B	CCU2	Full closing iris cassette	580,00	696,00	EUR
N H Y N B	CCUL	Full closing iris cassette	710,00	852,00	EUR
N H Y N B	IS500	Drop-in iris (monoplane) with holder	140,00	168,00	EUR
N H Y N B	IS750	Full closing iris with holder	245,00	294,00	EUR
N H Y N B	IWSX755	Drop-in iris (monoplane) with holder	105,00	126,00	EUR
		• Lamp compartment			
N H Y N B	K/575SXE	Lamp compartment for G22 MSD 575W lamps with built-in hot restrike igniter and electronic P.S.U. - 3 meter power cable with CEE 7/7 (2P+T NF/SCHUKO) connector	1.133,00	1.359,60	EUR
N H Y N B	K/575SXE	Lamp compartment for G22 MSD 575W lamps with built-in hot restrike igniter and electronic P.S.U. - 3 meter power cable with CEE 7/7 (2P+T NF/SCHUKO) connector	1.133,00	PoA	EUR
N H Y N B	T/312LF	312LF lamp compartment (P.S.U. required)	725,00	870,00	EUR
N H Y N B	T/325LF	325LF lamp compartment - 3 meter power cable with CEE 7/7 (2P+T NF/SCHUKO) connector	376,00	451,20	EUR
N H Y N B	T/326LFV	326LFV lamp compartment (P.S.U. required)	2.250,00	2.700,00	EUR
N H Y N B	T/350LF	350LF lamp compartment - 3 meter power cable with CEE 7/7 (2P+T NF/SCHUKO) connector	660,00	792,00	EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>	
N H Y N B	T/350LFV	350LFV lamp compartment - fan cooled front cassette- 3 meter power cable with CEE 7/7 (2P+T NF/SCHUKO) connector	794,00	952,80	EUR
N H Y N B	T/600SX	Lamp compartment for 1000/1200W tungsten GX9,5 lamps - 3 meter power cable with CEE 7/7 (2P+T NF/SCHUKO) connector	101,00	121,20	EUR
N H Y N B	T/600VSX	Lamp compartment for 1000/1200W tungsten G22 lamps with fan - 3 meter power cable with CEE 7/7 (2P+T NF/SCHUKO) connector	225,00	270,00	EUR
		• Lens			
N H Y N B	L 150 F	Ø150 R110 Fresnel lens with lens holder	56,00	67,20	EUR
N H Y N B	L 150 PB	Ø150 R106 Pebble convex lens with lens holder	56,00	67,20	EUR
N H Y N B	L 150 PC	Ø150 R150 Plano-convex lens with lens holder	56,00	67,20	EUR
		• Miscellaneous			
N H Y N B	H/1015	Dust cover	160,00	192,00	EUR
N H Y N B	H/1021	Dust cover	380,00	456,00	EUR
N H Y N B	Kit TELRAD	Telrad followspot sight with raiser and universal mounting kit	160,00	192,00	EUR
N H Y N B	PAR850	Set of 2 side plates for cyclight	47,00	56,40	EUR
N H Y N B	SDUP	Followspot cue sheet holder with universal mounting kit	72,00	86,40	EUR
N H Y N B	TC1013	Tool case with spare parts	250,00	300,00	EUR
N H Y N B	TC1015	Tool case with spare parts	250,00	300,00	EUR
N H Y N B	TC1021	Tool case with spare parts	210,00	252,00	EUR
N H Y N B	TC1149	Tool case with spare parts	170,00	204,00	EUR
		• Remote control			
N H Y N B	Kit W-DMX/M	W-DMX wireless DMX	98,00	PoA	EUR
N H Y N B	P1 F2 XLR4 C	0/+10V Local remote control unit mounted with 3m cable XLR4 with clips	196,00	235,20	EUR
N H Y N B	P1 F2 XLR4 D	0/+10V Local remote control unit mounted with 1m cable XLR4 with clips	196,00	235,20	EUR
N H Y N B	P1FCAN	Remote controller for dimming shutters	407,00	488,40	EUR
		• Safety cable			
N H Y N B	CS2	Safety cable Ø3 mm L= 600mm (75Kg max)	6,00	7,20	EUR
N H Y N B	CS3	Safety cable Ø2 mm L= 600mm (50Kg max)	8,20	9,80	EUR
N H Y N B	CS4	Safety cable Ø1,5 mm L=300mm (5Kg max)	7,00	8,40	EUR
N H Y N B	QR-CS1	QuickRig safety cable Ø3mm L=600mm - SWL: 20 Kg	30,00	PoA	EUR
		• Safety grid			
N H Y N B	G1000	215x215mm safety grid	8,00	9,60	EUR
N H Y N B	G1000C	254x254mm safety grid	13,00	15,60	EUR
N H Y N B	G325L	333x333mm safety grid	23,00	27,60	EUR
N H Y N B	G329	245x245mm safety grid	11,00	13,20	EUR
N H Y N B	G500	180x180mm safety grid	7,00	8,40	EUR
		• Shutter			
N H Y N B	D4	Shutter for Tibo series	10,00	12,00	EUR
N H Y N B	D8	Shutter for SX series	14,00	16,80	EUR
		• Stand			
N H Y N B	GT1000	Tripod stand	530,00	636,00	EUR
N H Y N B	GT4000	Tripod stand with safety chain	930,00	1.116,00	EUR
N H Y N B	GT4000R	Tripod stand with ball head rotation with security chain	990,00	1.188,00	EUR
N H Y N B	GT4000S	Tripod stand without safety chain	890,00	1.068,00	EUR
N H Y N B	GT800	Tripod stand	325,00	390,00	EUR
N H Y N B	JPP	Monopod stand for overhead followspot	440,00	528,00	EUR
N H Y N B	T1000	TV spigot with followspots swivel head	245,00	294,00	EUR
N H Y N B	T4000	Followspot mount for Ø50mm pipe (suspension or overhead) - SWL= 100 Kg	395,00	PoA	EUR
		• Stand accessory			
N H Y N B	R/GT4000	Ball bearing kit for GT4000 and GT4000S stand	80,00	96,00	EUR
N H Y N B	W/GT800	Set of 3 wheels for GT800/1000 stand	90,00	108,00	EUR
		• Yoke			
N H Y N B	FCD600	Angled yoke	32,00	38,40	EUR
N H Y N B	FCD700	Angled yoke	44,00	52,80	EUR
N H Y N B	FCD900SNX	Angled yoke	54,00	PoA	EUR
N H Y N B	FD700	Straight yoke	36,00	PoA	EUR
N H Y N B	FD900SNX	Straight yoke	40,00	PoA	EUR
N H Y N B	FRO/1017PD	Heavy duty adjustable yoke	253,00	303,60	EUR
N H Y N B	Kit 850C	Set for 2x2 configuration	370,00	444,00	EUR
N H Y N B	Kit 850L	Set for 4-in line configuration	190,00	228,00	EUR
		OPTIONS			
		• Chopper			
N H Y N B	PG80	Ø80mm chopper kit (G80+ GR120+ adaptation kit)	125,00	150,00	EUR
		• Colour changer			
N H Y N B	M210BM	6 ways "boomerang" colour changer for GINGER	0,00	0,00	EUR
N H Y N B	M210TM	6 ways "push/pull" colour changer for ALEX	0,00	0,00	EUR
N H Y N B	M270TM	6 ways "push/pull" colour changer	0,00	0,00	EUR
		• Connector			
N H Y N B	PCP1716A	16A blue 2P+E 6h IEC60309 power connector	20,00	24,00	EUR
		• Flight case			
N H Y N B	FC1015	Flight-case for 2.5K Grand range / GT4000 stand / P.S.U. / accessories	1.040,00	PoA	EUR
N H Y N B	FC1021	Flight-case for 4K Grand range / GT4000 stand / P.S.U. / accessories	1.184,00	1.420,80	EUR
N H Y N B	FC1124	Flight-case for Ultra Compact range / GT stand	720,00	PoA	EUR
N H Y N B	FC1459	Flight-case for Compact range / GT stand / P.S.U. / accessories	800,00	PoA	EUR
N H Y N B	FC1515	Flight-case for Touring range / GT4000 stand / P.S.U. / accessories	1.040,00	PoA	EUR
N H Y N B	FC860	Flight-case for 6 Dalis 860 / accessories	720,00	PoA	EUR

<i>E C P B R</i>	<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>	
		• Fluorescent			
N H Y N B	Kit 744V	Set of 6 SOLO 744V with accessories (6x REL / 6x RER / 1x CF / 25x VIS)	1.988,00	2.385,60	EUR
		• Front accessory holder			
N H Y N B	CAV306E	Double slot front cassette for 185x185mm accessories	30,00	PoA	EUR
N H Y N B	CAV600	Double slot front cassette for 180x180mm accessories	40,00	48,00	EUR
N H Y N B	CAV600C	Double slot front cassette for 191x191mm (7-1/2") accessories	60,00	72,00	EUR
N H Y N B	CAV600E	Double slot front cassette for 185x185mm accessories	40,00	48,00	EUR
N H Y N B	CAV700	Double slot front cassette for 215x215mm accessories	41,00	49,20	EUR
N H Y N B	CAV700J	Double slot front cassette for 245x245mm accessories	47,00	56,40	EUR
		• Glass filter			
N H Y N B	FACM150M	Ø150mm UV/IR filter with holder	205,00	246,00	EUR
		• Miscellaneous			
N H Y N B	850C	Set of 4 HORUS cyclights 850 mounted in square with yoke	1.638,00	1.965,60	EUR
N H Y N B	850L	Set of 4 HORUS cyclights 850 mounted horizontally with yoke	1.535,00	1.842,00	EUR
N H Y N B	CAG/C	Left side controls (Iris/Dimmer/Frost/Colour changer)	330,00	396,00	EUR
N H Y N B	RJNET1021	RJNET bi-directional network for motorised modules (power and data)	1.813,00	2.175,60	EUR
N H Y N B	T-RAL9010	White housing (RAL 9010)	100,00	120,00	EUR
		• Remote control			
N H Y N B	W-DMX/T	W-DMX wireless DMX for Tibo	98,00	117,60	EUR
N H Y N B	W-DMX/Z	W-DMX wireless DMX for ZEP	98,00	117,60	EUR
N H Y N B	W-DMX/ZF	W-DMX wireless DMX	98,00	PoA	EUR
N H Y N B	W-DMX/ZF2	W-DMX wireless DMX	98,00	PoA	EUR
		• Yoke			
N H Y N B	FRO/1117PV	Heavy duty adjustable yoke	206,00	247,20	EUR
N H Y N B	PO/Z	Pole operation yoke (PAN/TILT/Focus)	600,00	720,00	EUR