






Which HARDCASE[®] fits my drums?



Measure across drum rim diameter, plus tensioners plus mounting lug, then add 25mm for clearance.

Measure across diameter of drum rim plus tensioners then add 25mm for clearance. For floor toms add size of leg lugs also.



Measure overall size including rims to ensure it is between max. and min. depth.

NOTE: Take extra care with RIMS mount system to get the right size case. If you have questions - give us a call.

HARDCASE[®]

TECHNICAL SPECIFICATIONS



- Waterproof high impact plastic
- Lifetime Warranty
- Maximum Drum Protection
- Strong one piece moulding travelling and storing
- All cases nest for storage
- ISO 9001 Manufacturer

For help and advice

contact +359 2 978 20 25

Millimetres & Kilograms

PERCUSSION

PICCOLO/SNARE CASES

Model no.	Dim 'A'	Dia 'B'	Depth	
			Min	Max
HN10P	356	313	76	127
HN12P	408	360	76	127
HN13P	448	399	76	127
HN14P	497	439	114	165
HN10S	356	313	127	165
HN12S	408	360	150	229
HN13S	448	399	127	229
HN14S	497	439	150	229
HN14FFS	535	476	150	229
Length	Width			
HCSSK	533	432	140	203
HCFFSK	762	457	150	214

TOM CASES

Model no.	Dim 'A'	Dia 'B'	Depth	
			Min	Max
HN8T	335	271	203	254
HN10T	356	313	191	317
HN12T	408	360	216	343
HN13T	448	399	216	368
HN14T	497	439	254	356
HN15T	535	476	292	419

FLOOR TOM CASES

HN14FT	535	476	356	381
HN16FT	590	517	330	457
HN18FT	635	561	330	457

BASS CASES

HN18B	635	561	458	610
HN20B	694	606	458	610
HN22B	774	678	458	610
HN24B	853	749	458	610
HN26B	918	810	458	610

TOM COMBO CASES

HC8-10C	336	305	406	508
HN10-12C	408	360	432	559
HN12-13C	448	399	449	635
HN13-14C	497	439	483	610
HN14-15C	535	476	610	794

GONG CASES

HN20G	635	561	140	140
HN22G	694	606	140	140
HN24G	774	678	140	140
HN26G	853	749	140	140
HN28/30G	918	810	140	140

PAN CASES

HNPAN1	694	606	-	254
HNPAN2	694	606	-	280
HNPAN3	694	606	-	570
HNPAN4	694	606	-	690
HNPAN5	694	606	-	914

CYMBAL CASES

Model no.	Dia 'B'	Depth	Cymbal size	Max No.
HN6CYM22	584	104	22	6
HN9CYM22	595	130	22	9
HNPROCYM	630	155	24	12
HN12HC	360	62	12	1 pair
HN14HC	399	76	14	1 pair
HN16HC	476	76	16	1 pair
HN18HC	517	89	18	1 pair
HN20HC	561	102	20	1 pair
HN22HC	678	127	22	1 pair

HARDWARE CASES

Model no.	Length	Width	Height	Max Load
HN28	703	226	216	17 kgs
HN36W	920	470	267	50 kgs
HN40W	1003	272	267	30 kgs
HN48W	1207	272	267	35 kgs
HC52W	1308	394	368	48 kgs
HN58W	1460	378	378	53 kgs

WHEELED TROLLEY

HNTROLLEY	Takes HN22B case			TBA
-----------	------------------	--	--	-----

LATIN PERCUSSION CASES

Model no.	Dim 'A'	Dia 'B'	Depth		
			Min	Max	
HNQUINTO	448	399	711	787	
HNCONGA	497	439	711	787	
HNTUMBA	535	476	711	787	
HCSTUMBA	559	533	711	787	
HN10-12T	408	360	216	343	
HN12-13T	448	399	216	368	
HN13-14T	497	439	254	356	
HN14-15T	535	476	292	406	
Length	Width	Min	Max		
HNBONGO	482	279	180	203	

ETHNIC PERCUSSION CASES

Model no.	Dim 'A'	Dia 'B'	Depth
HNDJ10	408	360	606
HNDJ12	448	399	606
HNDJ14	535	476	641
HCDJ16	559	533	679
HCDJ18	559	533	712
HCDB10	336	305	457
HNDB12	408	360	457
HNDB14	497	439	508
HCDB16	559	533	559

TRADITIONAL INDIAN DRUM CASES

HCDHOL12	336	305	457
HNDHOL15	448	399	635
HNDHOL16	497	439	635
HNDHOL17	535	476	635
HNTABLA	408	360	680

DRUM CORPS/PIPE/MARCHING BAND CASES

Model no.	Dim 'A'	Dia 'B'	Min	Max
HNMS14	497	439	254	330
HNMS14(S)	497	439	191	317
HNMS14(M)	497	439	356	381
HNMS14(AR)	535	476	317	330
HNMS14(AR-S)	535	746	191	317
HNMS14HT	535	476	317	330
HNMS14HT(S)	535	476	216	317
HNMT15(HB12)	497	439	356	381
HNMT16(HB12)	535	476	356	381
HNMT16(HB14)	535	476	406	445
HNMT18(HB14)	559	533	406	445
HNMT15(SH)	497	439	317	343
HNMT16(SH)	535	476	317	343
HNMT18(SH)	590	517	317	343
HNMT16(WH)	535	476	346	381
HNMT18(WH)	590	517	356	381
HNMB18	635	561	330	432
HNMB20	694	606	330	432
HNMB22	774	678	330	432
HNMB24	774	678	330	432
HNMB26	853	749	330	432
HNMB28	918	810	330	432
HNMB28(M)	918	810	292	368
HNMB28(HB)	918	810	445	584

GIG TRANSPORTERS

Model no.	Length	Width	Depth	Max Load
HCPR28	686	483	394	37kgs
HCPR36	902	521	724	85kgs
HCPR38	953	597	597	85kgs
HCTRP22	635	432	559	42kgs
HCTRP31	635	432	787	53kgs

SPECIALIST CASES

HNSBP	390	240	285	
HNDBP	482	279	225	
HNPA	482	279	225	
HCSC	546 HEIGHT	241 DIA	12 PAIRS	

CELTIC DRUM CASES

Model no.	Dim 'A'	Dia 'B'	Min	Max
HN16BODH	497	439	100	152
HN18BODH	535	476	100	152

SOUND/ELECTRONIC

AMPLIFIER CASES

Model no.	Height	Width	Depth	Max Load
HN100	510	595	290	25kgs
HN110	312	750	305	27 kgs
HN120	660	680	370	40 kgs

MUTE CASES

HNMUTE1	600	600	200	
---------	-----	-----	-----	--

MIC CASES

Model no.	Length	Width	Height
HNMIC4	482	279	51
HNMIC12	703	226	216
HNMIC18	703	226	216
HNMIC30	703	226	216
HNRMIC	482	279	51

UTILITY CASES

HNUTIL	482	279	102	
HNUTIL/LARGE	600	600	200	

SPECIALIST CASES

HN1U	482	279	45	
HN2U	482	279	90	
HN3U	482	279	135	

GUITAR CASES

Model no.	Length	Width	Height	Weight (empty)
HNEG	1040	360	130	7 kgs
HNBG	1250	400	150	9 kgs

For help and advice

contact +359 2 978 20 25

Inches & Pounds

PERCUSSION

Model no.	PICCOLO/SNARE CASES		Depth	
	Dim 'A'	Dia 'B'	Min	Max
HN10P	14.0	12.3	3.0	5.0
HN12P	16.1	14.2	3.0	5.0
HN13P	17.6	15.7	3.0	5.0
HN14P	19.6	17.3	4.5	6.5
HN10S	14.0	12.3	5.0	6.5
HN12S	16.1	14.2	5.9	9.0
HN13S	17.6	15.7	5.0	9.0
HN14S	19.6	17.3	5.9	9.0
HN14FFS	21.1	18.7	5.9	9.0
	Length	Width		
HCSSK	21.0	17.0	5.5	8.0
HCFFSK	30.0	18.0	5.9	8.4

TOM CASES

	Dim 'A'	Dia 'B'		
HN8T	13.2	10.7	8.0	10.0
HN10T	14.0	12.3	7.5	12.5
HN12T	16.1	14.2	8.5	13.5
HN13T	17.6	15.7	8.5	14.5
HN14T	19.6	17.3	10.0	14.0
HN15T	21.1	18.7	11.5	16.5

FLOOR TOM CASES

HN14FT	21.1	18.7	14.0	15.0
HN16FT	23.2	20.4	13.0	18.0
HN18FT	25.0	22.1	13.0	18.0

BASS CASES

HN18B	25.0	22.1	18.0	24.0
HN20B	27.3	23.9	18.0	24.0
HN22B	30.5	26.7	18.0	24.0
HN24B	33.6	29.5	18.0	24.0
HN26B	36.1	31.9	18.0	24.0

TOM COMBO CASES

HC8-10C	13.2	12.0	16.0	20.0
HN10-12C	16.1	14.2	17.0	22.0
HN12-13C	17.6	15.7	17.7	25.0
HN13-14C	19.6	17.3	19.0	24.0
HN14-15C	21.1	18.7	24.0	31.3

GONG CASES

HN20G	25.0	22.1	5.5	5.5
HN22G	27.3	23.9	5.5	5.5
HN24G	30.5	26.7	5.5	5.5
HN26G	33.6	29.5	5.5	5.5
HN28/30G	36.1	31.9	5.5	5.5

PAN CASES

HNPAN1	27.3	23.9	-	10.0
HNPAN2	27.3	23.9	-	11.0
HNPAN3	27.3	23.9	-	22.4
HNPAN4	27.3	23.9	-	27.2
HNPAN5	27.3	23.9	-	36.0

CYMBAL CASES

	Dia 'B'	Depth	Cymbal size	Max No.
HN6CYM22	23.0	4.1	22	6
HN9CYM22	23.4	5.1	22	9
HNPROCYM	24.8	6.1	24	12
HN12HC	14.2	2.4	12	1 pair
HN14HC	15.7	3.0	14	1 pair
HN16HC	18.7	3.0	16	1 pair
HN18HC	20.4	3.5	18	1 pair
HN20HC	22.1	4.0	20	1 pair
HN22HC	26.7	5.0	22	1 pair

HARDWARE CASES

	Length	Width	Height	Max Load
HN28	27.7	8.9	8.5	37 lbs
HN36W	36.2	18.5	10.5	110 lbs
HN40W	39.5	10.7	10.5	66 lbs
HN48W	47.5	10.7	10.5	77 lbs
HC52W	51.5	15.5	14.5	106 lbs
HN58W	57.5	14.9	14.9	117 lbs

WHEELED TROLLEY

HNTROLLEY Takes HN22B case TBA

LATIN PERCUSSION CASES

	Depth			
	Dim 'A'	Dia 'B'	Min	Max
HNQUINTO	17.6	15.7	28.0	31.0
HNCONGA	19.6	17.3	28.0	31.0
HNTUMBA	21.1	18.7	28.0	31.0
HCSTUMBA	22.0	21.0	28.0	31.0
HN10-12T	16.1	14.2	8.5	13.5
HN12-13T	17.6	15.7	8.5	14.5
HN13-14T	19.6	17.3	10.0	14.0
HN14-15T	21.1	18.7	11.5	16.0
	Length	Width	Min	Max
HNBONGO	19.0	11.0	7.1	8.0

ETHNIC PERCUSSION CASES

	Dim 'A'	Dia 'B'	Depth
HNDJ10	16.1	14.2	23.9
HNDJ12	17.6	15.7	23.9
HNDJ14	21.1	18.7	25.2
HCDJ16	22.0	21.0	26.7
HCDJ18	22.0	21.0	28.0
HCDB10	13.2	12.0	18.0
HNDB12	16.1	14.2	18.0
HNDB14	19.6	17.3	20.0
HCDB16	22.0	21.0	22.0
	Length	Width	Depth
HCDHOL12	13.2	12.0	18.0
HNDHOL15	17.6	15.7	25.0
HNDHOL16	19.6	17.3	25.0
HNDHOL17	21.1	18.7	25.0
HNTABLA	16.1	14.2	26.8

TRADITIONAL INDIAN DRUM CASES

DRUM CORPS/PIPE/MARCHING BAND CASES

	Dim 'A'	Dia 'B'	Min	Max
HNMS14	19.6	17.3	10.0	13.0
HNMS14(S)	19.6	17.3	7.5	12.5
HNMS14(M)	19.6	17.3	14.0	15.0
HNMS14(AR)	21.1	18.7	12.5	13.0
HNMS14(AR-S)	21.1	29.4	7.5	12.5
HNMS14HT	21.1	18.7	12.5	13.0
HNMS14HT(S)	21.1	18.7	8.5	12.5
HNMT15(HB12)	19.6	17.3	14.0	15.0
HNMT16(HB12)	21.1	18.7	14.0	15.0
HNMT16(HB14)	21.1	18.7	16.0	17.5
HNMT18(HB14)	22.0	21.0	16.0	17.5
HNMT15(SH)	19.6	17.3	12.5	13.5
HNMT16(SH)	21.1	18.7	12.5	13.5
HNMT18(SH)	23.2	20.4	12.5	13.5
HNMT16(WH)	21.1	18.7	13.6	15.0
HNMT18(WH)	23.2	20.4	14.0	15.0
HNMB18	25.0	22.1	13.0	17.0
HNMB20	27.3	23.9	13.0	17.0
HNMB22	30.5	26.7	13.0	17.0
HNMB24	30.5	26.7	13.0	17.0
HNMB26	33.6	29.5	13.0	17.0
HNMB28	36.1	31.9	13.0	17.0
HNMB28(M)	36.1	31.9	11.5	14.5
HNMB28(HB)	36.1	31.9	17.5	23.0

GIG TRANSPORTERS

	Length	Width	Depth	Max Load
HCPR28	27.0	19.0	15.5	81 lbs
HCPR36	35.5	20.5	28.5	187 lbs
HCPR38	37.5	23.5	23.5	187 lbs
HCTRP22	25.0	17.0	22.0	92 lbs
HCTRP31	25.0	17.0	31.0	117 lbs

SPECIALIST CASES

HNSBP	15.4	9.4	11.2	
HNDBP	19.0	11.0	8.9	
HNPA	19.0	11.0	8.9	
HCSC	21.5 HEIGHT	9.5 DIA	12 PAIRS	

CELTIC DRUM CASES

	Dim 'A'	Dia 'B'	Min	Max
HN16BODH	19.6	17.3	3.9	6.0
HN18BODH	21.1	18.7	3.9	6.0

SOUND/ELECTRONIC

AMPLIFIER CASES

	Height	Width	Depth	Max Load
HN100	20.1	23.4	11.4	55 lbs
HN110	12.3	29.5	12.0	59 lbs
HN120	26.0	26.8	14.6	88 lbs

MUTE CASES

HNMUTE1	23.6	23.6	7.9	
---------	------	------	-----	--

MIC CASES

	Length	Width	Height
HNMIC4	19.0	11.0	2.0
HNMIC12	27.7	8.9	8.5
HNMIC18	27.7	8.9	8.5
HNMIC30	27.7	8.9	8.5
HNRMIC	19.0	11.0	2.0

UTILITY CASES

HNUTIL	19.0	11.0	4.0	
HNUTIL/LARGE	23.6	23.6	7.9	

SPECIALIST CASES

HN1U	19.0	11.0	1.8	
HN2U	19.0	11.0	3.5	
HN3U	19.0	11.0	5.3	

GUITAR CASES

	Length	Width	Height	Weight
HNEG	40.9	14.2	5.1	15 lbs
HNBG	49.2	15.7	5.9	20 lbs