



GLP German Light Products GmbH

Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro Sound & Lighting Solutions

www.pro-technica.com

BGN

Price List 11/2011

Effective November 7, 2011






Subject to change without prior notice.



All former price lists expire with the publishing of this version.

All prices are suggested net retail prices; ex works.

There are applicable our General Terms of Business, only.


Articles marked * will be discontinued soon!

Model	Description	BGN Netto (ex. VAT)	BGN + 20% DDS (incl. VAT)	
LED MOVING HEADS				
LED Moving Head / RGB, RGBW				
	NEW impression Spot One	A high power Spot fixture, with 400 LED source, Black 400 Watt RGB LED Chipset; Motorized Zoom: 10° - 32°; Motorized Focus: 2m - infinity; Full red, green and blue additive colour mixing system; Internal colour presets; Gobo wheel 1: 7 gobos + open, rotating and indexable, interchangeable; Gobo wheel 2: 7 gobos + open, rotating and indexable, interchangeable; Rotating and indexable effect wheel, different designs interchangeable; High-speed iris 100%-4% (aperture time 0.2 sec); Rotating and indexable interchangeable 3-facet prism; Electronic dimmer 0-100%; Electronic high-speed shutter 0-10 Hz; 540° Pan / 280° Tilt; Control: USITT DMX 512 protocol, ArtNet in/out; 24 DMX channel: normal mode, 31 DMX channel; Weight: 22 kg; tripod with brackets for ratchet belt (supplied); Black	10.121,00	12.145,20 BGN
	NEW impression Wash One	A high power Wash fixture, with 400 LED source, Black 400 Watt RGB LED Chipset; Average service life: 20,000 hours; Full red, green and blue additive color mixing system; Motorized Zoom: 6° - 60°; Beam Mode: 3°; Soft Edge Control / Focus; Enhanced Beamshape: Controllable in size and rotation; Electronic dimmer 0-100%; Electronic high-speed shutter 0-10Hz; 540° Pan / 280° Tilt, 8 or 16 bit resolution selectable; Position feedback; DMX & ArtNet in/out; 24 DMX channel: normal mode, 31 DMX channel: high resolution mode; Backlit graphic LCD menu with 2 illuminated buttons; Over temperature protection; Internal color presets; Power consumption: Max. 550VA (Watt); Power Input: Auto sensing 100-240V AC, 50-60 Hz; Dimensions (head vertical): 472 x 229 x 618 mm; Weight: 22 kg; Upright: tripod (supplied) with brackets for ratchet belt; Black	9.784,00	11.740,80 BGN
	impression Meisterstück	600W RGBW LEDs, Black 600 Watt RGBW LED chipset; Liquid cooling system giving near silent operation; Pure white light output with variable color temperature (3.200K - 8.000K); Variable zoom range with 9° to 33° beam angle (Micro Fresnel, 50% cut-off) or 10° to 34° beam angle (Glass Fresnel, 50% cut-off); Full red, green, blue and white color mixing system; Full range dimming of 0-100% on all colors; Variable shutter speed of 0-10 Hz; Pan: 540°, Tilt: 245°; Control: USITT DMX-512, ArtNet; Built in color presets; Weight: 32kg; Dimensions (LxWxH): 280 x 510 x 650mm	13.360,00	16.032,00 BGN
	impression 300 XL RZ RGB (black)	with 297 Luxeon Rebel High Performance RGB LEDs with zoom, Black 297 Luxeon Rebel High Performance LEDs - 105 red, 96 green, 96 blue LED's per color; motorized zoom range of 10° to 26°; wave lengths are optimized for maximum visible color gamut; scrollwheel function; internal color-presets; very quiet, temperature controlled ventilation system, convection cooling possible if needed; PAN: 660°, Tilt: 330°; Dimensions: 550 x 515 x 200mm; Weight: 24kg; tripod with brackets for ratchet belt (supplied); Black	12.820,00	15.384,00 BGN
	impression 240 XL RGB (black)	with 240 Luxeon K2 high power RGB LEDs, Black 240 Luxeon K2 high performance LED's, RGB - 78 red, 84 green, 78 blue LED's per color; interchangeable lens carrier with 10° beam angle, 25° and 40° lenses are available as optional; integrated stray light screen; honeycomb available as optional; wave lengths optimized for a maximum visible color gamut; internal color-presets; very quiet, temperature controlled ventilation system, convection cooling possible if needed; PAN: 660°, Tilt: 330°; tripod with brackets for ratchet belt (supplied); Dimensions (LxWxH): 200 x 550 x 515 mm; Net Weight: 23.5 kg; Black	12.011,00	14.413,20 BGN
	impression 240 XL RGBW (black)	with 240 Luxeon K2 high power RGB LEDs, Black 240 Luxeon K2 high performance LED's, RGB - 50 red, 50 green, 56 blue, 54 warm white (3200K), 30 cold white (7200K); interchangeable lens carrier with 10° beam angle, 25° and 40° lenses are available as optional; integrated stray light screen; honeycomb available as optional; wave lengths optimized for a maximum visible color gamut; internal color-presets; very quiet, temperature controlled ventilation system, convection cooling possible if needed; PAN: 660°, Tilt: 330°; tripod with brackets for ratchet belt (supplied); Dimensions (LxWxH): 200 x 550 x 515 mm; Net Weight: 23.5 kg; Black	13.212,00	15.854,40 BGN
	impression 120 RZ RGB (black)	with 120 Luxeon Rebel LED RGB with zoom, Black 120 Luxeon Rebel high power LEDs - 42 green LEDs, 36 blue LEDs, 42 red LEDs, wavelength optimized for a maximum visible color gamut; Additive color mixing; Internal color-presets; Zoomable optical system with 10° to 26° light distribution angle; 660° Pan in 2sec, 300° Tilt in 1sec; Strobe-effect with variable speed between 1-10 flashes per second, random-strobe, pulse effects; Continuous dimmer 0-100%; very quiet, temperature controlled ventilation system, convection cooling possible if needed; Dimensions: 145mm x 340mm x 370mm; Weight: 8 kg; tripod with brackets for ratchet belt (supplied); Black	6.410,00	7.692,00 BGN
	impression 90 RGB (black)	with 90 Luxeon K2 high power RGB LEDs, Black 90 Luxeon K2 high power LED's - 30 red, 30 green, 30 blue LED's; Wave lengths are optimized for maximum visible color gamut; Additive color mixing; Internal color-presets; interchangeable lens carrier with 10° beam angle (25° and 40° optional); Strobe-effect with variable speed between 1-10 flashes per second, random-strobe, pulse effects; Continuous dimmer 0-100%; 660° pan in 2 seconds, 300° tilt in 1 second; Very quiet, temperature controlled ventilation system, convection cooling possible if needed; Dimensions: 145 x 340 x 370 mm; Weight: 7.5kg; Tripod with brackets for ratchet belt (supplied); Black	6.005,00	7.206,00 BGN
	impression 90 RGB (white)	with 90 Luxeon K2 high power RGB LEDs, White	6.005,00	7.206,00 BGN
	impression 90 RGB (silver)	with 90 Luxeon K2 high power RGB LEDs, Silver	6.005,00	7.206,00 BGN
	impression 90 static RGB (black)	with 90 Luxeon K2 high power LEDs Static unit if they just need to be locked off into position, or operated manually 90 Luxeon K2 high power LED's - 30 red, 30 green, 30 blue LED's; Wave lengths are optimized for maximum visible color gamut; Additive color mixing; Internal color-presets; interchangeable lens carrier with 10° beam angle (25° and 40° optional); Strobe-effect with variable speed between 1-10 flashes per second, random-strobe, pulse effects; Continuous dimmer 0-100%; Very quiet, temperature controlled ventilation system, convection cooling possible if needed; Dimensions: 145 x 340 x 370 mm; Weight: 7.5kg; Tripod with brackets for ratchet belt (supplied); Black	4.804,00	5.764,80 BGN
	impression 90 static RGB (white)	with 90 Luxeon K2 high power LEDs, Static unit	4.804,00	5.764,80 BGN
	impression 90 static RGB (silver)	with 90 Luxeon K2 high power LEDs; Static unit	4.804,00	5.764,80 BGN
	impression 90 RGB integrated version (white)	with 90 Luxeon K2 high power LEDs Recessed version for mounting in suspended ceilings 90 Luxeon K2 high power LED's - 30 red, 30 green, 30 blue LED's; Wave lengths are optimized for maximum visible color gamut; Additive color mixing; Internal color-presets; interchangeable lens carrier with 10° beam angle (25° and 40° optional); Strobe-effect with variable speed between 1-10 flashes per second, random-strobe, pulse effects; Continuous dimmer 0-100%; Very quiet, temperature controlled ventilation system, convection cooling possible if needed; Dimensions: 145 x 340 x 370 mm; Weight: 7.5kg; Tripod with brackets for ratchet belt (supplied); White	6.005,00	7.206,00 BGN
	impression Laser RGB 1.5	solid state class 4 RGB Laser Laser class: 4; Laser technology: solid state; Red: 636nm, Green: 532nm, Blue: 446nm; The color balance is just 4nm (0.03y) away from the absolute white balance point according to the CIE L color palette; Divergency: 0.8mrad; Beam diameter: 2.2mm; Max. output at laser source: 1500mW; Max. output at laser aperture: 1200mW; Controller: Pangolin compatible playback system; The internal controller with a memory card can be controlled by 16 DMX channels and is capable to store 432 cues in 128MB Flashmemory; Scanning unit: CT 6210H Cambridge technology; Scanspeed controller: 30kps; Scanspeed Scanning unit: 60kps; Scanning angle: 80° horizontal / 80° vertical; Power consumption: <100W@230Vac; 660° Pan in 2sec, 300° Tilt in 1sec	47.233,00	56.679,60 BGN
	VOLKSLICHT 60 Zoom RGB (black)	with 60 Luxeon rebel LED RGB 60x Luxeon Rebel High Power LEDs - 21 Green LEDs, 21 blue LEDs, 18 Red LEDs, wavelength optimized for a maximum presentable color space; Additive Color mixing; Motorized Zoom 10° - 26°; Strobe - Effect with variable speed between 1 - 10 flashes per second, Random - Strobe, Pulse Effects; Continuous Dimmer 0 - 100%; Pan-movement 660° in min. 2 seconds, with position feedback, Tilt- movement 300° in min. 1 seconds, with position feedback; Dimensions: 270 x 285 x 355mm; Weight: ~ 8 kg, Black	3.036,00	3.643,20 BGN



Model	Description	BGN Netto (ex. VAT)	BGN + 20% DDS (incl. VAT)		
	with 60 Luxeon rebel LED RGB LED Type 60x Luxeon Rebel High Power LEDs - 21 Green LEDs, 21 blue LEDs, 18 Red LEDs, wave lengths optimized for a maximum visible color gamut; Additive color mixing; Highly efficient collimator cluster; Inchangeable lens carrier with 11° beam angle; 660° Pan in 3 seconds, Tilt 300° in 3 seconds; Strobe effect with variable speed between 1 – 10 flashes per second, random strobe, pulse effects; Continuous dimmer 0 – 100%; Dimensions: 242 x 285 x 356 mm; Weight: 7.8 kg	2.227,00	2.672,40	BGN	
VOLKSLICHT 60 RGB (black)					
VOLKSLICHT 60 RGB (white)	with 60 Luxeon rebel LEDs (R18, G21, B21)	2.227,00	2.672,40	BGN	
VOLKSLICHT 60 RGB (silver)	with 60 Luxeon rebel LEDs (R18, G21, B21)	2.227,00	2.672,40	BGN	
LED Moving Head / warm - white (WWC)					
impression 240 XL WWC (black)	with 240 Luxeon K2 high power LEDs - 160 warm white (3200K), 80 cold white (7200K), Black	12.011,00	14.413,20	BGN	
impression 90 WWC (black)	with 90 Luxeon K2 high power LEDs - 60 warm white (3200K), 30 cold white (7200K), Black	6.005,00	7.206,00	BGN	
impression 90 WWC (white)	with 90 Luxeon K2 high power LEDs - 60 warm white (3200K), 30 cold white (7200K), White	6.005,00	7.206,00	BGN	
impression 90 WWC (silver)	with 90 Luxeon K2 high power LEDs - 60 warm white (3200K), 30 cold white (7200K), Silver	6.005,00	7.206,00	BGN	
impression 90 WWC (black)	with 90 Luxeon K2 high power LEDs - 60 warm white (3200K), 30 cold white (7200K), Static unit, Black	4.804,00	5.764,80	BGN	
impression 90 WWC (white)	with 90 Luxeon K2 high power LEDs - 60 warm white (3200K), 30 cold white (7200K), Static unit, White	4.804,00	5.764,80	BGN	
impression 90 WWC (silver)	with 90 Luxeon K2 high power LEDs - 60 warm white (3200K), 30 cold white (7200K), Static unit, Silver	4.804,00	5.764,80	BGN	
LED Moving Head / cold - white (WCC)					
impression 240 XL WCC (black)	with 240 Luxeon K2 high power LEDs - 80 warm white (3200K), 160 cold white (7200K), Black	12.011,00	14.413,20	BGN	
impression 90 WCC (black)	with 90 Luxeon K2 high power LEDs - 30 warm white (3200K), 60 cold white (7200K), Black	6.005,00	7.206,00	BGN	
impression 90 WCC (white)	with 90 Luxeon K2 high power LEDs - 30 warm white (3200K), 60 cold white (7200K), White	6.005,00	7.206,00	BGN	
impression 90 WCC (silver)	with 90 Luxeon K2 high power LEDs - 30 warm white (3200K), 60 cold white (7200K), Silver	6.005,00	7.206,00	BGN	
impression 90 CCB (black)	with 90 Luxeon K2 high power LEDs - 30 Royal-Blue, 60 cold white (7200K), Black	6.005,00	7.206,00	BGN	
impression 90 CCB (silver)	with 90 Luxeon K2 high power LEDs - 30 Royal-Blue, 60 cold white (7200K), Silver	6.005,00	7.206,00	BGN	
impression static 90 WCC (black)	with 90 Luxeon K2 high power LEDs - 30 warm white (3200K), 60 cold white (7200K), Static unit, Black	4.804,00	5.764,80	BGN	
impression static 90 WCC (white)	with 90 Luxeon K2 high power LEDs - 30 warm white (3200K), 60 cold white (7200K), Static unit, White	4.804,00	5.764,80	BGN	
impression static 90 WCC (silver)	with 90 Luxeon K2 high power LEDs - 30 warm white (3200K), 60 cold white (7200K), Static unit, Silver	4.804,00	5.764,80	BGN	
TOURPACKS					
Tourpacks / RGB					
	impression Wash One Tourpack 2 (black)	2x impression Wash One, 4x omega bracket + 4 with handle, 2-unit stack case	20.884,00	25.060,80	BGN
	impression Spot One Tourpack 2 (black)	2x impression Spot One, 4x omega bracket + 4 with handle, 2-unit stack case	21.559,00	25.870,80	BGN
	impression Meisterstück Tourpack 2 (black)	2x impression Meisterstück, 4x omega bracket + 4 with handle, 2-unit stack case	28.003,00	33.603,60	BGN
	impression 240 XL RGB Tourpack 2	2x impression 240 XL RGB Black, with 10° optics, 2x 25° optics, 4x omega clamp, 2-unit stack case	26.977,00	32.372,40	BGN
	impression 240 XL RGB Tourpack 4	4x impression 240 XL RGB Black, with 10° optics, 4x 25° optics, 8x omega clamp, 4-unit stack case	52.024,00	62.428,80	BGN
	impression 120 RZ RGB Tourpack 4	4x impression 120 RZ RGB Black, 4x half coupler, 4-unit stack case	25.897,00	31.076,40	BGN
	impression 120 RZ RGB Tourpack 6	6x impression 120 RZ RGB Black, 6x half coupler, 6-unit stack case	38.850,00	46.620,00	BGN
	impression 90 RGB Tourpack 4 (black)	4x impression 90 RGB Black with 10° optics, 4x 25° optics, 4x half coupler, 4-unit stack case	25.897,00	31.076,40	BGN
	impression 90 RGB Tourpack 4 (silver)	4x impression 90 RGB Silver with 10° optics, 4x 25° optics, 4x half coupler, 4-unit stack case	25.897,00	31.076,40	BGN
	impression 90 RGB Tourpack 4 (white)	4x impression 90 RGB White with 10° optics, 4x 25° optics, 4x half coupler, 4-unit stack case	25.897,00	31.076,40	BGN
	impression 90 RGB Tourpack 6 (black)	6x impression 90 RGB Black with 10° optics, 6x 25° optics, 6x half coupler, 6-unit stack case	37.098,00	44.517,60	BGN
	impression 90 RGB Tourpack 6 (silver)	6x impression 90 RGB Silver with 10° optics, 6x 25° optics, 6x half coupler, 6-unit flight case	37.098,00	44.517,60	BGN
	impression 90 RGB Tourpack 6 (white)	6x impression 90 RGB White with 10° optics, 6x 25° optics, 6x half coupler, 6-unit flight case	37.098,00	44.517,60	BGN
	VOLKSLICHT 60 Z RGB Tourpack 4 (black)	4x VOLKSLICHT 60 Zoom RGB, Black, 4x half coupler VOLKSLICHT, 4-unit stack case	13.428,00	16.113,60	BGN
	VOLKSLICHT 60 Z RGB Tourpack 6 (black)	6x VOLKSLICHT 60 Zoom RGB, Black, 6x half coupler VOLKSLICHT, 6-unit stack case	19.636,00	23.563,20	BGN
	VOLKSLICHT 60 RGB Tourpack 4 (black)	4x VOLKSLICHT 60 RGB, Black, 4x half coupler VOLKSLICHT, 4-unit stack case	10.189,00	12.226,80	BGN
	VOLKSLICHT 60 RGB Tourpack 4 (silver)	4x VOLKSLICHT 60 RGB, Silver, 4x half coupler VOLKSLICHT, 4-unit stack case	10.189,00	12.226,80	BGN
	VOLKSLICHT 60 RGB Tourpack 4 (white)	4x VOLKSLICHT 60 RGB, White, 4x half coupler VOLKSLICHT, 4-unit stack case	10.189,00	12.226,80	BGN
	VOLKSLICHT 60 RGB Tourpack 6 (black)	6x VOLKSLICHT 60 RGB, Black, 6x half coupler VOLKSLICHT, 6-unit stack case	14.777,00	17.732,40	BGN
	VOLKSLICHT 60 RGB Tourpack 6 (silver)	6x VOLKSLICHT 60 RGB, Silver, 6x half coupler VOLKSLICHT, 6-unit stack case	14.777,00	17.732,40	BGN
	VOLKSLICHT 60 RGB Tourpack 6 (white)	6x VOLKSLICHT 60 RGB, White, 6x half coupler VOLKSLICHT, 6-unit stack case	14.777,00	17.732,40	BGN
Tourpacks / warm - white					
	impression 240 XL WWC Tourpack 2	2x impression 240 XL WWC Black, with 10° optics, 2x 25° optics, 4x omega clamp, 2-unit stack case	26.977,00	32.372,40	BGN
	impression 240 XL WWC Tourpack 4	4x impression 240 XL WWC Black, with 10° optics, 4x 25° optics, 8x omega clamp, 4-unit stack case	52.024,00	62.428,80	BGN
	impression 90 WWC Tourpack 4 (black)	4x impression 90 WWC Black with 10° optics, 4x 25° optics, 4x half coupler, 4-unit flight stack case	25.897,00	31.076,40	BGN
	impression 90 WWC Tourpack 4 (white)	4x impression 90 WWC Silver with 10° optics, 4x 25° optics, 4x half coupler, 4-unit flight stack case	25.897,00	31.076,40	BGN
	impression 90 WWC Tourpack 4 (silver)	4x impression 90 WWC White with 10° optics, 4x 25° optics, 4x half coupler, 4-unit flight stack case	25.897,00	31.076,40	BGN
	impression 90 WWC Tourpack 6 (black)	6x impression 90 WWC Black with 10° optics, 6x 25° optics, 6x half coupler, 6-unit flight stack case	37.098,00	44.517,60	BGN
	impression 90 WWC Tourpack 6 (white)	6x impression 90 WWC Silver with 10° optics, 6x 25° optics, 6x half coupler, 6-unit flight stack case	37.098,00	44.517,60	BGN
	impression 90 WWC Tourpack 6 (silver)	6x impression 90 WWC White with 10° optics, 6x 25° optics, 6x half coupler, 6-unit flight stack case	37.098,00	44.517,60	BGN
Tourpacks / cold - white					
	impression 240 XL WCC Tourpack 2	2x impression 240 XL WCC Black, with 10° optics, 2x 25° optics, 4x omega clamp, 2-unit stack case	26.977,00	32.372,40	BGN
	impression 240 XL WCC Tourpack 4	4x impression 240 XL WCC Black, with 10° optics, 4x 25° optics, 8x omega clamp, 4-unit stack case	52.024,00	62.428,80	BGN
	impression 90 WCC Tourpack 4 (black)	4x impression 90 WCC Black with 10° optics, 4x 25° optics, 4x half coupler, 4-unit stack case	25.897,00	31.076,40	BGN
	impression 90 WCC Tourpack 4 (white)	4x impression 90 WCC Silver with 10° optics, 4x 25° optics, 4x half coupler, 4-unit stack case	25.897,00	31.076,40	BGN
	impression 90 WCC Tourpack 4 (silver)	4x impression 90 WCC White with 10° optics, 4x 25° optics, 4x half coupler, 4-unit stack case	25.897,00	31.076,40	BGN
	impression 90 WCC Tourpack 6 (black)	6x impression 90 WCC Black with 10° optics, 6x 25° optics, 6x half coupler, 6-unit stack case	37.098,00	44.517,60	BGN
	impression 90 WCC Tourpack 6 (white)	6x impression 90 WCC Silver with 10° optics, 6x 25° optics, 6x half coupler, 6-unit stack case	37.098,00	44.517,60	BGN
	impression 90 WCC Tourpack 6 (silver)	6x impression 90 WCC White with 10° optics, 6x 25° optics, 6x half coupler, 6-unit stack case	37.098,00	44.517,60	BGN
IMPRESSION ACCESSORIES					
impression XL accessories					
7050	impression 240 XL optics 10° (black)	1.265,00	1.518,00	BGN	
7051	impression 240 XL optics 25° (black)	1.265,00	1.518,00	BGN	
7049	impression 240 XL optics 40° (black)	1.265,00	1.518,00	BGN	
87070	omega bracket for impression XL	66,00	79,20	BGN	
87072	omega bracket with handle for impression XL	101,00	121,20	BGN	
6750	trussbar for impression XL (black) incl. 2x half coupler impression	213,00	255,60	BGN	
7257	flower for 5 impression XL Rigging Version (black)	2.968,00	3.561,60	BGN	
7258	flower for 5 impression XL Rigging Version (silver)	2.698,00	3.237,60	BGN	
7259	flowerstand for 5 impression XL (black)	3.237,00	3.884,40	BGN	
7260	flowerstand for 5 impression XL (silver)	2.968,00	3.561,60	BGN	
84501	honeycomb 20mm for impression 240 XL RGB	120,00	144,00	BGN	
877007-1	top hat for impression 240 XL	673,00	807,60	BGN	
8054ST	stack case for 2x impression XL	1.483,00	1.779,60	BGN	
8056ST	stack case for 4x impression XL	1.888,00	2.265,60	BGN	

Model	Description	BGN Netto (ex. VAT)	BGN + 20% DDS (incl. VAT)	
impression accessories				
7010	impression 90 optics 10° (black)	506,00	607,20	BGN
7010S	impression 90 optics 10° (silver)	506,00	607,20	BGN
7010W	impression 90 optics 10° (white)	506,00	607,20	BGN
7011	impression 90 optics 10° with cover (black)	538,00	645,60	BGN
7011S	impression 90 optics 10° with cover (silver)	538,00	645,60	BGN
7011W	impression 90 optics 10° with cover (white)	538,00	645,60	BGN
7025	impression 90 optics 25° (black)	506,00	607,20	BGN
7025S	impression 90 optics 25° (silver)	506,00	607,20	BGN
7025W	impression 90 optics 25° (white)	506,00	607,20	BGN
7026	impression 90 optics 25° with cover (black)	538,00	645,60	BGN
7026S	impression 90 optics 25° with cover (silver)	538,00	645,60	BGN
7026W	impression 90 optics 25° with cover (white)	538,00	645,60	BGN
7040	impression 90 optics 40° with cover (black)	506,00	607,20	BGN
7040S	impression 90 optics 40° with cover (silver)	506,00	607,20	BGN
7040W	impression 90 optics 40° with cover (white)	506,00	607,20	BGN
87069	omega bracket for impression	66,00	79,20	BGN
6702	half coupler impression M10x25	20,00	24,00	BGN
6751	trussbar for impression (black)	105,00	126,00	BGN
6752	trussbar for impression (silver)	105,00	126,00	BGN
7157	Flower for 5 impression Rigging Version (black)	1.482,00	1.778,40	BGN
7158	Flower for 5 impression Rigging Version (silver)	1.347,00	1.616,40	BGN
7159	flowerstand for 5 impression (silver)	1.347,00	1.616,40	BGN
7160	flowerstand for 5 impression (black)	1.482,00	1.778,40	BGN
9501	AVR Programmer for impression	156,00	187,20	BGN
84500	honeycomb 20mm for impression 90 RGB	54,00	64,80	BGN
84502	honeycomb 20mm for impression 120 RZ RGB	54,00	64,80	BGN
877007	top hat for impression 90	538,00	645,60	BGN
877007-2	top hat for impression 120 RZ	538,00	645,60	BGN
7170	raincover for impression + blower outdoor version	1.348,00	1.617,60	BGN
7166	raincover V2 for impression incl. dome and mouting system	537,00	644,40	BGN
6062ST	stack case for 2x impression Wash One / Spot One	1.618,00	1.941,60	BGN
5052ST	stack case for 2x impression Meisterstück	1.618,00	1.941,60	BGN
7054	case for 4x for impression	1.329,00	1.594,80	BGN
7054 ST	stack case for 4x for impression	1.416,00	1.699,20	BGN
7056 ST	stack case for 6x for impression	1.564,00	1.876,80	BGN
VOLKSLICHT 60 accessories				
9054 ST	case for 4x VOLKSLICHT 60, stacking version	1.335,00	1.602,00	BGN
9056 ST	case for 6x VOLKSLICHT 60, stacking version	1.497,00	1.796,40	BGN
6712	half coupler VOLKSLICHT with screw M10x20	20,00	24,00	BGN


YPOC SERIES**Ypoc 700 series (lamp included)**


	YPOC 700 CMY	Lamp: Philips MSR 700 SA/2 DE / Osram SharXS HTI 700/DE; CMY color mixing: Variable cyan, magenta and yellow filters CTO-filter: Variable CTO-filter 0-100% (3200K); Color wheel 1: 8 interchangeable dichroic color filters + white, with rotation macros; Gobo wheel 1: 5 x glass gobos and 2 x metal gobos, rotating and indexable, interchangeable; Gobo wheel 2: 9 static metal gobos + open; Effect wheel: Rotating and indexable effect wheel, different designs interchangeable; Zoom: 14° - 32°; Motorized focus: 2 m - infinity; High-speed iris 100%-4% (aperture time 0.2 sec); Variable Frost 0-100%; Mechanical dimmer 0-100%; Mechanical high-speed shutter 0-10Hz; 540° Pan, 280° Tilt; Dimension: 490 x 380 x 646 mm; Weight: 28.5 kg / 63 lbs.	8.084,00	9.700,80	BGN
Accessories					
3119	Case for 1x Ypoc 700	1.213,00	1.455,60	BGN	
3120	Case for 2x Ypoc 700	1.618,00	1.941,60	BGN	
9500	AVR Programmer	156,00	187,20	BGN	
15-005-0019KIT	Power Con cable kit	39,00	46,80	BGN	
28-002-0206	Omega Clamp for Ypoc 700	43,00	51,60	BGN	
28-002-0616	Ypoc 700 CMY module	3.360,00	4.032,00	BGN	
Lamps					
MSR GOLD 700W/DE/75	PHILIPS MSR GOLD 700 SA/2 DE 1CT/4 (136.0mm)	280,00	336,00	BGN	
HTI 700W/D4/60 /OS/	OSRAM SHARXS HTI 700W/D4/60 SFc10-4 10X1 (136.0mm)	233,00	279,60	BGN	
HTI 700W/D4/75 /OS/	OSRAM SHARXS HTI 700W/D4/75 SFc10-4 10X1 (136.0mm)	233,00	279,60	BGN	



Ypoc 575 series (lamp included)







	YPOC 575	Lamp: CSR 575/SS/DE/75 GE, MSR 575 SA/2 DE Philips, HTI 575/DE Osram; Colorwheel: 11 dichroic colorfilter + white, 12 bicolors slow rotation to fast rainboweffekt; Gobowheel 1: 7 rotating and positionable gobos + open 4 glass gobos, 3 metal gobos, NEW; Quick-Snap-System for an easy gobo exchange; Gobowheel 2: 9 static metal gobos + open all gobos interchangeable; High-speed iris 100%-4% (aperture time 0.2 sec); Focus: 2 m - infinity (motorized); Projection angle: 15° (optional 18°); Rotating and positionable 3-facet prism slow to very fast rotation; Projection angle: 15° (optional 18°); Mechanical dimmer 0-100%; Mechanical high-speed shutter 0-10Hz; Laser: 4.5 mW red laserdiode with DMX control; Pan: 540°, Tilt: 280°, 16bit (position feedback); Dimension: 375 x 430 x 450 mm; Weight: 24 kg	2.630,00	3.156,00	BGN
	YPOC 575 PRO	Lamp: CSR 575/SS/DE/75 GE, MSR 575 SA/2 DE Philips, HTI 575/DE Osram; Colorwheel: 11 dichroic colorfilter + white, 12 bicolors slow rotation to fast rainboweffekt; Gobowheel 1: 7 rotating and positionable gobos + open 4 glass gobos, 3 metal gobos, NEW; Quick-Snap-System for an easy gobo exchange; Gobowheel 2: 9 static metal gobos + open all gobos interchangeable; High-speed iris 100%-4% (aperture time 0.2 sec); Focus: 2 m - infinity (motorized); Projection angle: 15° (optional 18°); Rotating and positionable 3-facet prism slow to very fast rotation; Mechanical dimmer 0-100%; Mechanical high-speed shutter 0-10Hz; Laser: 4.5 mW red laserdiode with DMX control; Pan: 540°, Tilt: 280°, 16bit (position feedback); Dimension: 375 x 430 x 450 mm; Weight: 19 kg	3.372,00	4.046,40	BGN
Accessories					
3105	Case for 2x Ypoc 575	1.105,00	1.326,00	BGN	
28-002-0206	Omega Clamp für Ypoc 575 Range	43,00	51,60	BGN	
9500	AVR Programmer	156,00	187,20	BGN	
Lamps					
MSR GOLD 575W/DE/75 /PH/	PHILIPS MSR GOLD 575 SA/2 DE 1CT/4 (92.0mm)	289,00	346,80	BGN	
HTI 575W/D5/56 /OS/	OSRAM Baby SharXS HTI 575W/D5/56 SFc10-4 (93.0mm)	215,00	258,00	BGN	






Model	Description	BGN Netto (ex. VAT)	BGN + 20% DDS (incl. VAT)	
Ypoc 250 series				
	YPOC 250 BASIC 250W Discharge lamp: 11 dichroic colorfilter + white, 12 bicolors slow rotation to fast rainboweffekt; 9 static gobos + open, 2 glass gobos, 7 metal gobos, all gobos interchangeable; Focus: 2 m - infinity (manually adjustable); Projection angle: 15°; Mechanical dimmer 0-100%; Mechanical high-speed shutter 0-10Hz; 4.5 mW laserdiode with DMX control; Pan: 540°; Tilt: 280°, 16bit (position feedback); Dimension: 375 x 430 x 450 mm; Weight: 20 kg	450,00	540,00	BGN
	YPOC 250 Lamp: MSD 250/2 Philips, CSD 250/2/SE GE, HSD 250/78 Osram; Colorwheel: 11 dichroic colorfilter + white, 12 bicolors slow rotation to fast rainboweffekt; Gobowheel: 6 rotating and positionable gobos + open 2 glass gobos, 4 metal gobos, all gobos interchangeable; Focus: 2 m - infinity (motorized); Projection angle: 15° (optional 18°); Rotating and positionable 3-facet prism slow to very fast rotation; Mechanical dimmer 0-100%; Mechanical high-speed shutter 0-10Hz; Laser: 4.5 mW red laserdiode with DMX control; Pan: 540°, Tilt: 280°, 16bit (position feedback); Dimension: 375 x 430 x 450 mm; Weight: 21,5 kg	1.753,00	2.103,60	BGN
	YPOC 250 PRO Lamp: MSD 250/2 Philips, CSD 250/2/SE GE, HSD 250/78 Osram; Colorwheel: 11 dichroic colorfilter + white, 12 bicolors slow rotation to fast rainboweffekt; Gobowheel 1: 6 rotating and positionable gobos + open 2 glass gobos, 4 metal gobos, all gobos interchangeable; Gobowheel 2: 9 static gobos + open all gobos interchangeable; Focus: 2 m - infinity (motorized); Projection angle: 15° (optional 18°); Rotating and positionable 3-facet prism slow to very fast rotation; Mechanical dimmer 0-100%; Mechanical high-speed shutter 0-10Hz; Iris; Laser: 4.5 mW red laserdiode with DMX control; Pan: 540°, Tilt: 280°, 16bit (position feedback); Dimension: 375 x 430 x 450 mm; Weight: 21,5 kg	2.023,00	2.427,60	BGN
Accessories				
3105	Case for 2x Ypoc 575	1.105,00	1.326,00	BGN
28-002-0206	Omega Clamp für Ypoc 575 Range	43,00	51,60	BGN
9500	AVR Programmer	156,00	187,20	BGN
Lamps				
MSD 250W /PH/	PHILIPS MSD 250 1CT/4	180,00	216,00	BGN
HSD 250W/60 /OS/	OSRAM 4ArXS HSD 250/60 250W GY9,5 10X1	133,00	159,60	BGN
MSD 250W/65 /XENO/	XENOPOW NSD 250 250W/94V, 6500K, Metal Halide SE	78,00	93,60	BGN
MSD 250W/2 /PH/	PHILIPS MSD 250/2 1CT/4	158,00	189,60	BGN
MSD 250W/2 8000 /OS/	OSRAM 4ArXS HSD 250W/80 GY9,5 10	127,00	152,40	BGN
MSD 250W/2 8000 /XENO/	XENOPOW NSD 250/2 250W/94V, 8000K, Metal Halide SE	78,00	93,60	BGN
SCANNERS				
	JUNIOR SCAN 2 (black) Discharge lamp HSD 150/70 3000h/7000k (Osram) or CDM/SA-T 150W 6000h/4200k (Philips); 15 Dichroic colors + white; 2 Multicolor effects: Rainbow effect; 19 Gobos; High speed shutter (14Hz); Red laserdiode 4,5mW (positional with mirror); Manual focus; Projection angle 16°; Pan 230° / Tilt 110°; Dimension: 535 x 305 x 210mm; Weight: 7,5 kg	673,00	807,60	BGN
Accessories				
6611	Case for 2x Junior Scan 1 / 2	835,00	1.002,00	BGN
Lamps				
CDM 150 /PH/	PHILIPS CDM-SA/T 150W/942 1CT/12	90,00	108,00	BGN
MSD 150W/2 /PH/	PHILIPS MSD 150/2	174,00	208,80	BGN
HSD 150W/70 /OS/	OSRAM 4ArXS HSD 150W/70 G12 FHS1	106,00	127,20	BGN
MSD 150W/80 /XENO/	XENOPOW NSD 150T 150W/115V, 8000K, Metal Halide SE	78,00	93,60	BGN
ROTO-HEAD				
	Patend Light 700W 700 MSR lamp (750 hours duration of life); Extraordinary High light-output Through a High quality optical components; Regularly ray of light; 9 Dichroic colors, 10 bi-colors; 2 Gobo wheels (Gobo wheel 1: 4 Rotating and positionable Gobos / 2 Fixed Gobos; Gobowheel 2: 4 Rotating Gobos / 1 fixed Gobo and 1CTC Filter (5600K/3300K); Effectwheel With 2 Rotating prism (3x/5x); Frost effect High-speed iris 100%-4% (aperture time of 0,2sec.); Mechanical Dimmer 0%-100%; Shutter up to 8Hz; Motorfocus; Projection angle 16°; Roto-Head technique (2 x 360° without any stop); 1 Round per 8 minutes minimum speed. 7 Rounds per 1 second maximum speed; Dimensions: 596 x 474 x 395mm; Weight 42 kg	9.312,00	11.174,40	BGN
Lamps				
MSR GOLD 700W/DE/75	PHILIPS MSR GOLD 700 SA/2 DE 1CT/4 (136.0mm) (included)	280,00	336,00	BGN
HTI 700W/D4/60 /OS/	OSRAM SHARXS HTI 700W/D4/60 SFc10-4 10X1 (136.0mm)	233,00	279,60	BGN
HTI 700W/D4/75 /OS/	OSRAM SHARXS HTI 700W/D4/75 SFc10-4 10X1 (136.0mm)	233,00	279,60	BGN
STARTUBE				
	startube 4 HiRes 120cm 4x tube T8 36W red,green,blue,white, High Resolution 4 x T8 fluorescent tubes 36W or 4 x T8 fluorescent tubes 58W (available red, green,blue,white); RGB - color mixing; DMX-512 control; 0-100% dimming; Instant start system; Camloc - quick fix system; Fixtures connected by multicore cable; 36W: 1290 x 133 x 161mm, 11 kg; 58W: 1590 x 133 x 161mm, 13 kg	1.551,00	1.861,20	BGN
startube 4 150cm	4x tube T8 58W red,green,blue,white	1.306,00	1.567,20	BGN
startube LED 20° Spot	1680x high lightoutput 5mm LED	3.360,00	4.032,00	BGN
starblind 4	840x high lightoutput 5mm LED	1.888,00	2.265,60	BGN
starblind 8	1680x high lightoutput 5mm LED	3.360,00	4.032,00	BGN
4003	startube splitter 3pol	134,00	160,80	BGN
4005	startube splitter 5pol	134,00	160,80	BGN
Accessories				
4100	startube 4 extension cable 0,5m	74,00	88,80	BGN
4101	startube 4 extension cable 1 m	77,00	92,40	BGN
4102	startube 4 extension cable 2m	84,00	100,80	BGN
4105	startube 4 extension cable 5m	107,00	128,40	BGN
4110	startube 4 extension cable 10m	134,00	160,80	BGN
4120	startube 4 extension cable 20m	169,00	202,80	BGN
4210	startube 4 plexiglas cover 120cm frosted	53,00	63,60	BGN
4211	startube 4 plexiglas cover 120cm transparent	53,00	63,60	BGN
4212	startube 4 plexiglas cover 150cm frosted	61,00	73,20	BGN
4213	startube 4 plexiglas cover 150cm transparent	61,00	73,20	BGN
4214	startube 4 plexiglas cover 120cm frosted high	61,00	73,20	BGN
4215	startube 4 plexiglas cover 150cm frosted high	80,00	96,00	BGN
4221	startube 4 safety cover metal 120cm	39,00	46,80	BGN
4222	startube 4 safety cover metal 150cm	53,00	63,60	BGN
28-002-0206	omega bracket for Ypoc range / Startube	39,00	46,80	BGN

Model	Description	BGN Netto (ex. VAT)	BGN + 20% DDS (incl. VAT)	
ION SPOT				
	ion.spot RGB (black)	with 40Watt Lamina Titan®high power LED-module	1.619,00	1.942,80 BGN
	ion.spot RGB (silver)	with 40Watt Lamina Titan®high power LED-module	1.619,00	1.942,80 BGN
	ion.spot RGB (red)	with 40Watt Lamina Titan®high power LED-module	1.619,00	1.942,80 BGN
	ion.spot RGB (green)	with 40Watt Lamina Titan®high power LED-module	1.619,00	1.942,80 BGN
	ion.spot RGB (blue)	with 40Watt Lamina Titan®high power LED-module	1.619,00	1.942,80 BGN
	ion.spot cold-white (black)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot cold-white (silver)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot cold-white (red)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot cold-white (green)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot cold-white (blue)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot warm-white (black)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot warm-white (silver)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot warm-white (red)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot warm-white (green)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN
	ion.spot warm-white (blue)	with 40Watt Lamina Titan®high power LED-module	1.822,00	2.186,40 BGN

ION-SYSTEM				
	ion.tube 120cm with cable	with 10 Pixel RGB 3Watt IP65	1.147,00	1.376,40 BGN
	ion.tube 120cm with connector	with 10 Pixel RGB 3Watt IP65	1.147,00	1.376,40 BGN
	ion.tube 240cm with cable	with 20 Pixel RGB 3Watt IP65	2.011,00	2.413,20 BGN
	ion.tube 240cm with connector	with 20 Pixel RGB 3Watt IP65	2.011,00	2.413,20 BGN
	ion.control.one	1024 DMX channels or 2048 channels	1.336,00	1.603,20 BGN
	ion.control.pc 16	16 DMX universes	2.011,00	2.413,20 BGN
	ion.control.pc 64	up to 64 DMX universes	4.046,00	4.855,20 BGN
	ion.control VISO VX01	architecture controller	2.294,00	2.752,80 BGN
	ion.supply	2x output for each 150 pixel	1.741,00	2.089,20 BGN
	Accessories			
	5201	ion.tube extension cable 1 m	77,00	92,40 BGN
	5202	ion.tube extension cable 2 m	84,00	100,80 BGN
	5205	ion.tube extension cable 5 m	107,00	128,40 BGN
	5206	ion.tube extension cable 6 m	115,00	138,00 BGN
	5208	ion.tube extension cable 8 m	127,00	152,40 BGN
	5042	Case for 30x ion.tube 240cm	3.103,00	3.723,60 BGN

DIMMER				
	MDP 1012	12x10A DMX / Modul Dimmerpack 10 x 12 Amp fully dimmable outputs; Modular design allows easy maintenance; Ability to swap channels individually in case of problems; 2 selectable dimmer curves per channel; Adjustable preheat per channel of 0-15%; Onboard memory; Large LCD display for easy configuration; C style circuit breakers; Control via DMX 512, MIDI or 0-10V analog; Fan cooled; Weight 20.5 kg; 19 Inch rackmount design; 4U high	2.686,00	3.223,20 BGN
	MDP 1012/III	12x10A DMX / Modul Dimmerpack 12 x 10 Amp fully dimmable outputs; 3 selectable dimmer curves per channel; Adjustable preheat per channel of 0-20%; Ability to set maximum output levels from 30-100%; Temperature display with over-heating protection; Master / Slave mode for full racks; Built in memory for 24 scenes and 10 shows; LCD display for easy onboard configuration; Modular design allows easy maintenance; Ability to swap channels individually in case of problems; C style circuit breakers; Control via DMX 512, MIDI or 0-10V analog; Fan cooled; Full test functionality; Weight 20.5 kg; 19 Inch rackmount design; 4U high	1.876,00	2.251,20 BGN
	Accessories			
	6607	Case for MDP 1012	633,00	759,60 BGN
	6336	Harting Distributor for MDP1012	296,00	355,20 BGN

POWER DISTRIBUTION				
	Power distribution PDP-1	input CEE 32A	471,00	565,20 BGN
	Power distribution PDP-2/16	Input CEE 16A; Solid steel panel body 2U; 3x protective switch in C-characteristics 16A (Made in Germany); 3-phases indicator lamps; High quality connectors used; Integrated schuko outlets	403,00	483,60 BGN
	Power distribution PDP-2/32	32 input CEE 32A; Solid steel panel body 2U; 3x protective switch in C-characteristics 16A (Made in Germany); 3-phases indicator lamps; High quality connectors used; Integrated schuko outlets	511,00	613,20 BGN
	Power distribution PDP-3/DFI32	DFI32 input CEE 32A; Solid steel panel body 3U; Protective switch in C-characteristics 16A (Made in Germany); 2x integrated FI-switch 4pin 63A / 0,03A (Made in Germany); 3-phases indicator lamps; Earth screw lying outside; High quality connectors used	768,00	921,60 BGN
	Power distribution PDP-3/DFI63	DFI63 input CEE 63A; Solid steel panel body 3U; Protective switch in C-characteristics 16A and 32A (Made in Germany); 2x integrated FI-switch 4pin 63A / 0,03A and 40A / 0,03A (Made in Germany); 3-phases indicator lamps; Earth screw lying outside; High quality connectors used	916,00	1.099,20 BGN
	Power distribution PDP-3/DFI63-16	DFI63-16 input CEE 63A; strong metal housing 3U; Miniature circuit breaker with C-characteristica 16A (made in germany); 2x residual current operated circuit breaker 4-way 40A / 0,03A (made in germany); 3-phase control lamp; Outside earth connection; All used connectors are high quality components	808,00	969,60 BGN
	Power distribution PDP-3/S	S input CEE 63A; Solid steel panel body 3U; Protective switch in C-characteristics 16A and 32A; Integrated FI-switch 4pin 63A / 0,03A (Made in Germany); 3-phases indicator lamps; Earth screw lying outside; High quality connectors used; Integrated schuko outlets	943,00	1.131,60 BGN
	Accessories			
	6562	Case 2RU	471,00	565,20 BGN
	6563	Case 3RU	511,00	613,20 BGN
	6564	Case 4RU ID 40cm doubledoorack for power distribution	565,00	678,00 BGN
	6565	Case 8RU ID 40cm doubledoorack for power distribution	646,00	775,20 BGN
	6566	Case 5RU ID 50cm doubledoorack for Dimmerpack	606,00	727,20 BGN
	6567	Case 9RU ID 50cm doubledoorack for Dimmerpack	660,00	792,00 BGN
	6568	Case 10RU ID 50cm doubledoorack for Dimmerpack	754,00	904,80 BGN

Model	Description	BGN Netto (ex. VAT)	BGN + 20% DDS (incl. VAT)	
CONTROLLERS				
 NEW Creation II 4096 channels	4096 DMX channels sent ArtNet and 2048 channels sent by DMX; Based on custom-built embedded Linux; Internal 5.7" Full Color Touchscreen; 4 x Bourns high-endurance Encoders; 11 x ALPS Faders; 10 x Genuine Digitast Flash Buttons; 5 x Internal Graphic LC-Displays; 189 x Cherry Buttons with Tactile Feedback; 295 x Colored Status LEDs; Industrial Single-Board Computer; Single-Level-Cell industrial grade Solid State Disk; 4 x DMX output (fully isolated, 5 pin XLR, RDM ready); 1 x DMX input (fully isolated, 5 pin XLR); 1 x gigabit ethernet through ethercon connector; 1 x external DVI monitor port; 2 x USB 2.0 port; Midi in/out/thru; Audio input; SMPTE input; 6 x switch input; Autoranging power input (100-240V, 50/60 Hz); Fully selective programming concept including selective presets, cuelists and effects; No limitation on the number or type (HTP/LTP) of simultaneously running memories; Powerful and comprehensive effects generator; Powerful fixture library; Dedicated media server section; Powerful networking options; Dimensions: 685 x 450 x 135mm; Tourpack Dimensions: 901 x 584 x 216mm; Weight: 16 kg	10.661,00	12.793,20	BGN
Accessories				
6630	Case for Creation II	889,00	1.066,80	BGN
 Scan Operator FX	Including brackets for 19" rack mount. 4 rack units Controls up to 12 moving lights, each with up to 16 channels; Powerful movement effects engine; 240 scene memories; 6 Chase masters, each with up to 250 steps; Full timing control of all parameters; Additional overlay pages give instant access to pre recorded override states; Encoder wheels give direct movement access; Full audio and MIDI control from external sources; Easy intuitive layout with LCD display; Power fail safe memory	673,00	807,60	BGN
 Light Operator 24	24 Channel Lightdesk With its 24 faders it controls via softpatch 512 DMX channels; 96 Free programmable and direct retrieve programs on four banks; 4600 Scenes; DMX 512 Standard; Three working planes; I337Mix chase, single chase function; Blind-home-function; Speed fade control via fader; Assignable nexttime; Sound to light via in-built microphone or line in; Black out function; Weight: 4 kg; Dim: 710mm / 6HE / 80mm fitting size	296,00	355,20	BGN
 Light Operator 48	48 Channel Lightdesk With its 48 faders it controls via softpatch 512 DMX channels; 96 Free programmable and direct retrieve programs on four banks; 4600 Scenes; DMX 512 Standard; Three working planes; I337Mix chase, single chase function; Blind-home-function; Speed fade control via fader; Assignable nexttime; Sound to light via in-built microphone or line in; Black out function; Weight: 6,7kg; Dim: 710mm / 6HE / 80mm fitting size	479,00	574,80	BGN
ion.control.pc 16	16 DMX universes	2.011,00	2.413,20	BGN
ion.control.pc 64	up to 64 DMX universes	4.046,00	4.855,20	BGN
ion.control VISO VX01	architecture controller	2.294,00	2.752,80	BGN
Accessories				
 DB-4	4-way DMX splitter / buffer with single input and 4 outputs; 3 pin and 5 pin XLR connector for input and all outputs; Fully isolated from input to output and from output to output; Each output is fitted with its own independent driver; External termination switch; Weight 1.8kg / 4 lbs.; 19 Inch rackmount size with mounting tabs; 1U height	255,00	306,00	BGN
6603	Case for Light Operator 24	93,00	111,60	BGN
6604	Case for Light Operator 48	147,00	176,40	BGN