


Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE











Pro Sound & Lighting Solutions
 www.pro-technica.com

EUR
Effective June 1, 2012

 Subject to change without prior notice.
 All former price lists expire with the publishing of this version.
 All prices are suggested net retail prices; ex works.
 There are applicable our General Terms of Business, only.

Articles marked * will be discontinued soon!

E C P B R	Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)
1X1 Kits				
All 1X1 Kits include the following: 1X1 Fixture, Yoke, AC Power Supply w/ Power Cord and Power Supply Mounting Plate				
Standart				
N H N N B	903-1101	1X1 MONO Flood Daylight (5600K) Beam spread: 50 degree Only 44mm thick; Ultra lightweight & portable; 30.48cm square; Runs on AC adapter or battery; Heat-free & flicker-free; Dims 100% to 0 with minimal color shift; Remote dimmer available; 5600°K daylight version; Modular design for multipanel configuration; 100,000 hour rated lamp life; View-thru to see the talent; Litepanels award-winning LED technology; Optional Backpack PowerCell (1.75 hours); Ballast-free; Size: 30.48cm x 30.48cm x 4.4cm; Weight: 1.36kg; Power Draw: 40 Watts @24V, 45 Watts @ 12V; Power Supply: 18-28V, AC Adapter 100-240V	1.449,00	1.738,80 EUR
N H N N B	903-1102	1X1 MONO Spot Daylight (5600K) Beam spread: 30 degree Only 44mm thick; Ultra lightweight & portable; 30.48cm square; Runs on AC adapter or battery; Heat-free & flicker-free; Dims 100% to 0 with minimal color shift; Remote dimmer available; 5600°K daylight version; Modular design for multipanel configuration; 100,000 hour rated lamp life; View-thru to see the talent; Litepanels award-winning LED technology; Optional Backpack PowerCell (1.75 hours); Ballast-free; Size: 30.48cm x 30.48cm x 4.4cm; Weight: 1.36kg; Power Draw: 40 Watts @24V, 45 Watts @ 12V; Power Supply: 18-28V, AC Adapter 100-240V	1.449,00	1.738,80 EUR
N H N N B	903-1103	1X1 MONO Flood Tungsten (3200K) Beam spread: 50 degree Only 44mm thick; Ultra lightweight & portable; 30.48cm square; Runs on AC adapter or battery; Heat-free & flicker-free; Dims 100% to 0 with minimal color shift; Remote dimmer available; 3200°K incandescent version; Modular design for multipanel configuration; 100,000 hour rated lamp life; View-thru to see the talent; Litepanels award-winning LED technology; Optional Backpack PowerCell (1.75 hours); Ballast-free; Size: 30.48cm x 30.48cm x 4.4cm; Weight: 1.36kg; Power Draw: 40 Watts @24V, 45 Watts @ 12V; Power Supply: 18-28V, AC Adapter 100-240V	1.449,00	1.738,80 EUR
N H N N B	903-1104	1X1 MONO Super-Spot Daylight (5600K) Beam spread: 15 degree Only 44mm thick; Ultra lightweight & portable; 30.48cm square; Runs on AC adapter or battery; Heat-free & flicker-free; Dims 100% to 0 with minimal color shift; Remote dimmer available; 5600°K daylight version; Modular design for multipanel configuration; 100,000 hour rated lamp life; View-thru to see the talent; Litepanels award-winning LED technology; Optional Backpack PowerCell (1.75 hours); Ballast-free; Size: 30.48cm x 30.48cm x 4.4cm; Weight: 1.36kg; Power Draw: 40 Watts @24V, 45 Watts @ 12V; Power Supply: 18-28V, AC Adapter 100-240V	1.449,00	1.738,80 EUR
Bi-Color				
N H N N B	903-2113	1X1 Bi-Color Flood (Daylight 5600K to Tungsten 3200K & anywhere in between), 50 degree Size: 30.48cm x 30.48cm x 43mm; Weight: 1.36kg; Power Draw: 45 Watts @ 12-30V; Dial-up variable color; Dial-up brightness; Only 1'x1' square and just 1.75" thick; Ultra-lightweight; Cool to the touch; Integrated DMX (RJ45 connectors); Infinite dimmer dial; Preset or variable color settings; Runs on battery or AC; Optional 1hr snap-on battery pack; for wireless lighting	2.175,00	2.610,00 EUR
Bi-Focus				
N H N N B	903-2121	1X1 Bi-Focus - Daylight 5600K Spot (30 degree) and Daylight 5600K Flood (50 degree) Litepanels® introduces the 1x1 Bi-Focus, the first LED light fixture capable of variable spot and flood focusing. An alternative to energy inefficient Fresnel lights, the ultra-thin and portable 1x1 Bi-Focus offers a cool-to-the-touch, low energy draw solution that provides the flexibility to instantly vary the width of light beam. The fit-anywhere Bi-Focus runs on battery or AC power, including an optional 1.75 hour onboard battery pack. Like all Litepanels LED fixtures, the 1x1 Bi-Focus remains cool to the touch, and consumes a small fraction of the power used by traditional lighting fixtures.	2.175,00	2.610,00 EUR
N H N N B	LP1-BFS/SS	1X1 Bi-Focus - Daylight 5600K Spot (30 degree) and Daylight 5600K Super-Spot (15 degree) Litepanels® introduces the 1x1 Bi-Focus, the first LED light fixture capable of variable spot and flood focusing. An alternative to energy inefficient Fresnel lights, the ultra-thin and portable 1x1 Bi-Focus offers a cool-to-the-touch, low energy draw solution that provides the flexibility to instantly vary the width of light beam. The fit-anywhere Bi-Focus runs on battery or AC power, including an optional 1.75 hour onboard battery pack. Like all Litepanels LED fixtures, the 1x1 Bi-Focus remains cool to the touch, and consumes a small fraction of the power used by traditional lighting fixtures.	2.175,00	2.610,00 EUR
Low-Profile				
N H N N B	903-3101	1X1 MONO Low-Profile Flood Daylight (5600K) Beam spread: 50 degree Beam of light is set at a 40 degree angle on horizontal plane The 1x1 Low Profile fixtures stick down a scant three inches from the ceiling or wall surface where they are mounted. This results in practically no loss of headroom or room space. Since the LED bulbs on the Low Profile are tilted at 40 degrees off axis, light is projected forward from the fixture to softly light the subject.	1.595,00	1.914,00 EUR
N H N N B	903-3102	1X1 MONO Low-Profile Spot Daylight (5600K) Beam spread: 30 degree Beam of light is set at a 40 degree angle on horizontal plane The 1x1 Low Profile fixtures stick down a scant three inches from the ceiling or wall surface where they are mounted. This results in practically no loss of headroom or room space. Since the LED bulbs on the Low Profile are tilted at 40 degrees off axis, light is projected forward from the fixture to softly light the subject.	1.595,00	1.914,00 EUR
N H N N B	903-3103	1X1 MONO Low-Profile Flood Tungsten (3200K) Beam spread: 50 degree Beam of light is set at a 40 degree angle on horizontal plane The 1x1 Low Profile fixtures stick down a scant three inches from the ceiling or wall surface where they are mounted. This results in practically no loss of headroom or room space. Since the LED bulbs on the Low Profile are tilted at 40 degrees off axis, light is projected forward from the fixture to softly light the subject.	1.595,00	1.914,00 EUR
N H N N B	903-3104	1X1 MONO Low-Profile Super-Spot Daylight (5600K) Beam spread: 15 degree Beam of light is set at a 40 degree angle on horizontal plane The 1x1 Low Profile fixtures stick down a scant three inches from the ceiling or wall surface where they are mounted. This results in practically no loss of headroom or room space. Since the LED bulbs on the Low Profile are tilted at 40 degrees off axis, light is projected forward from the fixture to softly light the subject.	1.667,00	2.000,40 EUR

E C P B R	Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
1X1 Accessories					
N H N N B	 900-3000	6 Piece Gel Set CTO- includes Carrying Bag (for daylight fixtures, Full CTO, 1/2 CTO; 1/4 CTO; 1/8 CTO; Opal; Half White Diffusion)	145,00	174,00	EUR
N H N N B	 900-3001	6 Piece Gel Set CTB- includes Carrying Bag (for tungsten fixtures, Full CTB; 1/2 CTB; 1/4 CTB; 1/8 CTB; Opal; Half White Diffusion)	145,00	174,00	EUR
N H N N B	900-3002	6 Piece Gel Set for Bi-Color - includes Carrying Bag (includes 1/4 CTO; 1/8 CTO; 1/4 CTB; 1/8 CTB; Opal Diffusion; Half White Diffusion)	145,00	174,00	EUR
N H N N B	 900-3201	1X1 Individual Gel - FULL CTB	25,00	30,00	EUR
N H N N B	900-3202	1X1 Individual Gel - 1/2 CTB	25,00	30,00	EUR
N H N N B	 900-3203	1X1 Individual Gel - 1/4 CTB	25,00	30,00	EUR
N H N N B	900-3218	1X1 Individual Gel - 1/8 CTB	25,00	30,00	EUR
N H N N B	900-3204	1X1 Individual Gel - FULL CTO	25,00	30,00	EUR
N H N N B	900-3205	1X1 Individual Gel - 1/2 CTO	25,00	30,00	EUR
N H N N B	900-3206	1X1 Individual Gel - 1/4 CTO	25,00	30,00	EUR
N H N N B	900-3223	1X1 Individual Gel - 1/8 CTO	25,00	30,00	EUR
N H N N B	900-3250	1X1 Individual Gel - Half White Diffusion	25,00	30,00	EUR
N H N N B	900-3410	1X1 Individual Gel - Opal Frost	25,00	30,00	EUR
N H N N B	900-0001	Gel Carrying Bag for 1X1 Gels and Ringlite Mini Gels	25,00	30,00	EUR
N H N N B	 900-0002	1X1 and Ringlite Mini AC Adapter Power Supply 24V (100~240V) (Cord not included)	69,00	82,80	EUR
N H N N B	900-0013	6 ft. AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies	10,00	12,00	EUR
N H N N B	900-3005	1X1 Power Supply Mounting Bracket	52,00	62,40	EUR
N H N N B	900-3007	1X1 Base Plate with Deluxe Ball Head Shoe Mount	128,00	153,60	EUR
N H N N B	900-3008	1x1 3 Riser Fold-up Stand (transport length 76 cm; height 81 cm - 274 cm; weight 1,36 kg)	128,00	153,60	EUR
N H N N B	900-3010	2X1 Fixture Assembly Frame for (2) 1X1 Fixtures (use with 1X1 Plastic Housings - aka MONOs)	135,00	162,00	EUR
N H N N B	900-3029	1X1 Pole Assisted Yoke	335,00	402,00	EUR
N H N N B	900-3023	1X1 TVMP Replacement with T-Handle	19,00	22,80	EUR
N H N N B	 900-3016	1X1 6" 2-Pin D-Tap Cable Assembly for 900-3014 and 900-3015	30,00	36,00	EUR
N H N N B	 900-0005	DMX Kit for Standard 1X1 with Metal Housings, Ringlite Mini and MiniPlus Fixtures Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC)	205,00	246,00	EUR
N H N N B	900-0006	RJ45 to 5-Pin XLR (Male) Conversion Cable. Note: 5-Pin XLR Female versions are not available	50,00	60,00	EUR
N H N N B	900-3014	1X1 V-Mount Battery Adapter Plate (includes {1} 6" 2-Pin D-Tap Power Cable)	145,00	174,00	EUR
N H N N B	900-3015	1X1 AB Gold-Mount Battery Adapter Plate (includes {1} 6" 2-Pin D-Tap Power Cable)	138,00	165,60	EUR
N H N N B	 900-3017	1X1 Honeycomb Grid - 30°	135,00	162,00	EUR
N H N N B	900-3018	1X1 Honeycomb Grid - 45°	135,00	162,00	EUR
N H N N B	 900-3019	1X1 Honeycomb Grid - 60°	135,00	162,00	EUR
N H N N B	900-3020	1X1 Honeycomb Grid - 90°	135,00	162,00	EUR
N H N N B	900-3021	4-way barn doors for 1X1	155,00	186,00	EUR
N H N N B	 900-3022	1X1 Rain Cover	35,00	42,00	EUR
N H N N B	900-3026	1X1 Accessory Bag with zipper closure	24,00	28,80	EUR
N H N N B	900-3024	1X1 2-Lite Carrying Case (Includes (1) Accessory Bag)	130,00	156,00	EUR
N H N N B	900-3025	1X1 4-Lite Carrying Case (Includes (2) Accessory Bags)	290,00	348,00	EUR

New! Litepanels Hilio™

A High Output LED fixture well-suited for today's High Definition Production

N H N N B	 907-1101	Hilio High Output Daylight LED Light Kit KitKit Includes: (1) Hilio Daylight LED Light Fixture, (1) Yoke and (1) Power Supply	2.410,00	2.892,00	EUR
-----------	--	--	----------	-----------------	-----


Hilio Accessories




N H N N B	900-7000	Hilio Gel Carrying Bag	25,00	30,00	EUR
N H N N B	900-7001	Hilio 5-Piece Gel Filter Set with Carrying Bag (CTO)	130,00	156,00	EUR
N H N N B	900-7204	Hilio Individual Gel - Full CTO	10,00	12,00	EUR
N H N N B	900-7205	Hilio Individual Gel - 1/2 CTO	85,00	102,00	EUR
N H N N B	900-7206	Hilio Individual Gel - 1/4 CTO	25,00	30,00	EUR
N H N N B	900-7223	Hilio Individual Gel - 1/8 CTO	25,00	30,00	EUR
N H N N B	900-7250	Hilio Individual Gel - Half White Diffusion	25,00	30,00	EUR
N H N N B	900-7011	Hilio AC/DC Power Supply (100~240V) (cord not included)	25,00	30,00	EUR
N H N N B	900-7033	Hilio Power Supply Mounting Bracket	25,00	30,00	EUR
N H N N B	900-0013	Euro Power Supply Cord	65,00	78,00	EUR



New! Litepanels Sola Fresnel Series

The Fresnel for the 21st Century

N H N N B	 -1102	Sola ENG 3" Fresnel Daylight LED on camera Light with standard "hot-shoe" mount. Includes: 2-Pin D-Tap Power Cable, 2-way Barn Door/Gel Frame Assembly, Deluxe Ball Head Shoe Mount, Conversion Kit, 3 Piece Gel Filter Set (1/4 CTO, Full CTO and Diffusion), AC/DC Power Supply, Power Supply Cord and Carrying Case	550,00	660,00	EUR
-----------	---	---	--------	---------------	-----


E C P B R	Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)
Sola ENG Series Accessories				
N H N N B	 900-6104	Sola ENG Barn Door/Gel Frame Assembly	19,00	22,80 EUR
N H N N B	900-6103	Sola ENG 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion)	110,00	132,00 EUR
N H N N B	900-0013	Carrying Case for Sola ENG, MicroPro and Croma	27,00	32,40 EUR
N H N N B	900-6105	Sola ENG AC/DC Power Supply 18VDC (does not include power cord, sold separately 900-0003)	30,00	36,00 EUR
N H N N B	 900-0004	6 ft. AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies	28,00	33,60 EUR
N H N N B	900-0007	Sola ENG and Croma 2-Pin D-Tap Power Cable (coiled)	55,00	66,00 EUR
N H N N B	900-0008	Sola ENG Stand Adapter (TVMP) Includes T-Handle	10,00	12,00 EUR
N H N N B	 900-0015	Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, MicroPro Hybrid and Sola ENG	45,00	54,00 EUR
N H N N B	900-6100	Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG	58,00	69,60 EUR
N H N N B	900-6101	Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG	15,00	18,00 EUR

New! Litepanels Sola 4™

A focusable LED Fresnel that's lightweight and ballast-free


N H N N B	 906-4101	Sola 4 4" Fresnel Daylight LED Light Kit Power Consumption: 30W Power Requirements: 10-20VDC DC Power via 4-Pin XLR Kit Includes: (1) Sola 4 Fresnel Daylight LED Light Fixture, (1) Yoke, (1) Power Supply, (1) Euro Power Cord and (1) Barn Door	1.035,00	1.242,00 EUR
-----------	---	---	----------	--------------

Sola 4 Series Accessories


N H N N B	 900-6225	Sola 4 Gel Filter Set (5 piece) with Carrying Bag (Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion)	22,00	26,40 EUR
N H N N B	900-0204	Sola 4 Individual Gel - Full CTO	22,00	26,40 EUR
N H N N B	900-0205	Sola 4 Individual Gel - 1/2 CTO	22,00	26,40 EUR
N H N N B	900-0206	Sola 4 Individual Gel - 1/4 CTO	22,00	26,40 EUR
N H N N B	900-0223	Sola 4 Individual Gel - 1/8 CTO	110,00	132,00 EUR
N H N N B	900-0410	Sola 4 Individual Gel - Opal Frost Diffusion	22,00	26,40 EUR
N H N N B	900-6207	Sola 4/Sola 6 Gel Carrying Bag	22,00	26,40 EUR
N H N N B	900-6212	Sola 4 AC/DC Power Supply (100~240V) (cord not included)	70,00	84,00 EUR
N H N N B	900-0013	Euro Power Cord	10,00	12,00 EUR
N H N N B	900-0006	RJ45 to 5-Pin XLR (Male) Conversion Cable. Note: 5-Pin XLR Female versions are not available	50,00	60,00 EUR
N H N N B	900-6224	Sola 4 Barn Door	105,00	126,00 EUR

New! Litepanels New LED Sola 6


The Fresnel for the 21st Century











































N H N N B	 906-4101	Sola 6 6" Fresnel Daylight LED Light Fixture with Mounting Yoke and Power Cable Power Supply: Internal Universal PFC 85-245VAC <i>A true Fresnel fixture that produces soft, directional illumination; Litepanels proprietary heat free LED technology; High quality 6" Fresnel lens; Energy savings and extended bulb life provide a <3 year ROI in typical studio applications; Daylight Color temperature with no external ballast or restrike period required; AC/DC power with DC power via 3-pin XLR; Integrated DMX module with RJ45 (Ethernet) connectors for remote control using DMX 512 protocol; 100% to 0 dimming with no noticeable color shift; Focus control from 67" to 15" beam via on-fixture dial or DMX; Robust lightweight housing; Standard yoke for easy mounting and positioning; Perfect companion to Sola 4™ Fresnel; 104W draw, light output comparable to a 350W HMI output</i>	2.170,00	2.604,00 EUR
-----------	--	---	----------	--------------

Sola 4 Series Accessories


N H N N B	 900-6619	Sola 6 8-Leaf Barn Door	22,00	26,40 EUR
N H N N B	900-0006	Sola 6 Euro Power Supply Cord	25,00	30,00 EUR
N H N N B	900-6203	RJ45 to 5-Pin XLR (Male) Conversion Cable. Note: 5-Pin XLR Female versions are not available	25,00	30,00 EUR
N H N N B	900-6204	Sola 6 Pole Assisted Yoke	25,00	30,00 EUR
N H N N B	900-6205	Sola 6 Gel Filter Set (5 piece) with Carrying Bag (Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO, Opal Frost Diffusion)	169,00	202,80 EUR
N H N N B	900-6206	Sola 6 Individual Gel - FULL CTO	22,00	26,40 EUR
N H N N B	900-6223	Sola 6 Individual Gel - 1/2 CTO	50,00	60,00 EUR
N H N N B	900-6410	Sola 6 Individual Gel - 1/4 CTO	335,00	402,00 EUR
N H N N B	900-6200	Sola 6 Individual Gel - 1/8 CTO	140,00	168,00 EUR
N H N N B	900-6207	Sola 6 Individual Gel - Opal Frost Diffusion	25,00	30,00 EUR
N H N N B	900-6201	Sola 4/Sola 6 Gel Carrying Bag	25,00	30,00 EUR

MiniPlus Series

N H N N B	 901-1002	MiniPlus Camera Lite Kit (Daylight 5600K Spot) Kit Includes: MiniPlus Daylight 5600K Spot Fixture, 6 Piece Gel Set (CTO), Deluxe Ball Head Shoe Mount, 2-Pin D-Tap Power Cable	525,00	630,00 EUR
N H N N B	 901-1001	MiniPlus Camera Lite Kit (Daylight 5600K Flood) Kit Includes: MiniPlus Daylight 5600K Flood Fixture, 6 Piece Gel Set (CTO), Deluxe Ball Head Shoe Mount, 2-Pin D-Tap Power Cable	525,00	630,00 EUR
N H N N B	 901-2002	MiniPlus-One Lite Package (Daylight 5600K Spot) Kit Includes: MiniPlus Daylight 5600K Spot Fixture, 12V DC Rechargeable Battery, 100~240V AC/DC Power Supply Adapter with International Plug Set, 6 Piece Gel Set (CTO), Deluxe Ball Head Shoe Mount, Deluxe Ball Head Shoe Mount Conversion Kit, 12V DC 2" Jumper Cable, 2-Pin D-Tap Power Cable, Carrying Case	750,00	900,00 EUR


E C P B R	Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
N H N N B	 901-2001	MiniPlus-One Lite Package (Daylight 5600K Flood) <i>Kit Includes: MiniPlus Daylight 5600K Flood Fixture, 12V DC Rechargeable Battery, 100~240V AC/DC Power Supply Adapter with International Plug Set, 6 Piece Gel Set (CTO), Deluxe Ball Head Shoe Mount, Deluxe Ball Head Shoe Mount Conversion Kit, 12V DC 2" Jumper Cable, 2-Pin D-Tap Power Cable, Carrying Case</i>	750,00	900,00	EUR
N H N N B	 901-2003	MiniPlus-One Lite Package (Tungsten 3200K Flood) <i>Kit Includes: MiniPlus Tungsten 3200K Flood Fixture, 12V DC Rechargeable Battery, 100~240V AC/DC Power Supply Adapter with International Plug Set, 6 Piece Gel Set (CTB), Deluxe Ball Head Shoe Mount, Deluxe Ball Head Shoe Mount Conversion Kit, 12V DC 2" Jumper Cable, 2-Pin D-Tap Power Cable, Carrying Case</i>	750,00	900,00	EUR
N H N N B	 901-2005	MiniPlus-One Lite Package (Infrared) <i>Kit Includes: MiniPlus Infrared Fixture, 12V DC Rechargeable Battery, 100~240V AC/DC Power Supply Adapter with International Plug Set, IR Filter, Deluxe Ball Head Shoe Mount, Deluxe Ball Head Shoe Mount Conversion Kit, 12V DC 2" Jumper Cable, 2-Pin D-Tap Power Cable, Carrying Case</i>	755,00	906,00	EUR
MiniPlus Spare Parts and Accessories					
N H N N B	 900-1001	MiniPlus Litepanel Fixture (Flood Daylight 5600K) <i>Fixture only</i>	460,00	552,00	EUR
N H N N B	 900-1002	MiniPlus Litepanel Fixture (Spot Daylight 5600K) <i>Fixture only</i>	460,00	552,00	EUR
N H N N B	 900-1003	MiniPlus Litepanel Fixture (Flood Tungsten 3200K) <i>Fixture only</i>	460,00	552,00	EUR
N H N N B	 900-1005	MiniPlus Litepanel Fixture - Infrared <i>Fixture only</i>	480,00	576,00	EUR
N H N N B	 900-1007	MiniPlus 12V Rechargeable NiMH Battery (charger not included)	138,00	165,60	EUR
N H N N B	 900-1008	MiniPlus 100-240V AC Adapter Power Supply/Charger w/ International Plug Set	48,00	57,60	EUR
N H N N B	 900-1009	MiniPlus 2-Pin D-Tap Power Cable	47,00	56,40	EUR
N H N N B	 900-1010	MiniPlus 4-Pin XLR Power Cable	47,00	56,40	EUR
N H N N B	 900-1011	MiniPlus DV Battery Adapter Plate - Sony Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A	73,00	87,60	EUR
N H N N B	 900-1012	MiniPlus DV Battery Adapter Plate - Panasonic Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A	73,00	87,60	EUR
N H N N B	 900-1013	MiniPlus DV Battery Adapter Plate - Canon Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480	73,00	87,60	EUR
N H N N B	 900-1020	MiniPlus 6 Piece Gel Set CTO (for daylight fixtures, Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO; Opal Frost, Half White Diffusion)	30,00	36,00	EUR
N H N N B	 900-1021	MiniPlus 6 Piece Gel Set CTB (for tungsten fixtures, Full CTB; 1/2 CTB; 1/4 CTB; 1/8 CTB; Opal Frost, Half White Diffusion)	30,00	36,00	EUR
N H N N B	 900-1204	MiniPlus Individual Gel - FULL CTO	9,00	10,80	EUR
N H N N B	 900-1205	MiniPlus Individual Gel - 1/2 CTO	9,00	10,80	EUR
N H N N B	 900-1206	MiniPlus Individual Gel - 1/4 CTO	9,00	10,80	EUR
N H N N B	 900-1223	MiniPlus Individual Gel - 1/8 CTO	9,00	10,80	EUR
N H N N B	 900-1201	MiniPlus Individual Gel - FULL CTB	9,00	10,80	EUR
N H N N B	 900-1202	MiniPlus Individual Gel - 1/2 CTB	9,00	10,80	EUR
N H N N B	 900-1203	MiniPlus Individual Gel - 1/4 CTB	9,00	10,80	EUR
N H N N B	 900-1218	MiniPlus Individual Gel - 1/8 CTB	9,00	10,80	EUR
N H N N B	 900-1250	MiniPlus Individual Gel - Half White Diffusion	9,00	10,80	EUR
N H N N B	 900-1410	MiniPlus Individual Gel - Opal Frost	9,00	10,80	EUR
N H N N B	 900-1022	MiniPlus Infrared Gel (for MiniPlus Infrared fixture only)	14,00	16,80	EUR
N H N N B	 900-0004	Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use <i>Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG</i>	110,00	132,00	EUR
N H N N B	 900-0007	Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG	58,00	69,60	EUR
N H N N B	 900-0008	Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG	14,00	16,80	EUR
N H N N B	 900-0009	Base Plate Only with Screw	71,00	85,20	EUR
N H N N B	 900-1014	MiniPlus 12V 10 Ft. (3 m) Cigarette Adapter	9,00	10,80	EUR
N H N N B	 900-1015	MiniPlus 12V DC 10 Ft. (3 m) Jumper Cable	9,00	10,80	EUR
N H N N B	 900-1016	MiniPlus 12V DC 10 Ft. (3 m) Extension Cable	9,00	10,80	EUR
N H N N B	 900-1017	MiniPlus 12V DC 3 Ft. (0.9 m) Jumper Cable	9,00	10,80	EUR
N H N N B	 900-1018	MiniPlus 12V DC 2" (5 cm) Jumper Cable. (connects MiniPlus fixture to MiniPlus battery, providing power) <i>This item must be purchased if ordering the MiniPlus 12V Rechargeable NiMH Battery</i>	9,00	10,80	EUR
N H N N B	 900-1019	MiniPlus 12V Twin Socket	14,00	16,80	EUR
N H N N B	 900-1023	MiniPlus Gel Retainer Kit	27,00	32,40	EUR
N H N N B	 900-1024	1/4-20 Pin Adapter	12,00	14,40	EUR
N H N N B	 900-0005	DMX Kit for Standard 1X1 with Metal Housings, RingLite Mini and MiniPlus Fixtures <i>Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC)</i>	205,00	246,00	EUR
N H N N B	 900-1026	MiniPlus One-Lite Kit Case	55,00	66,00	EUR
N H N N B	 900-1027	MiniPlus Two-Lite Kit Case	80,00	96,00	EUR

Micro Series

N H N N B	 905-1002	Litepanels Micro Kit <i>Kit includes: (1) Micro Fixture with Flip-down Gel Holder, (1) 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion), (1) Set of AA Batteries</i> <i>Average Run-Time with "Heavy Duty" Alkaline or Re-Chargeable AA = 2 Hours (at highest output)</i> <i>Average Run-Time with Energizer e2 Lithium Ion AA = 8 Hours</i>	199,00	238,80	EUR
-----------	--	---	--------	---------------	-----

E C P B R	Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	
Micro Accessories & Replacement Parts					
N H N N B	900-5100	Micro 3 Piece Gel Set * (1/4 Correction, Full Correction & Diffusion)	19,00	22,80	EUR
N H N N B	900-0008	Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG	14,00	16,80	EUR
N H N N B	900-5000	AC Power Supply for Micro and MicroPro (includes International Plug Set)	33,00	39,60	EUR
N H N N B	900-5102	Micro Back Door Replacement	19,00	22,80	EUR
N H N N B	900-5103	Micro Dimmer Knob Replacement	2,00	2,40	EUR
N H N N B	900-0004	Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG	110,00	132,00	EUR
N H N N B	900-5104	Micro DV Battery Adapter Plate for Sony Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A	25,00	30,00	EUR
N H N N B	900-5105	Micro DV Battery Adapter Plate for Panasonic Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A	25,00	30,00	EUR
N H N N B	900-5106	Micro DV Battery Adapter Plate for Canon Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480	25,00	30,00	EUR


MicroPro Series

N H N N B	905-2002	 Litepanels MicroPro Kit <i>Kit includes: (1) MicroPro Fixture, (1) MicroPro Fixture, (1) 3 Piece Gel Set (1/4 Correction, Full Correction & Diffusion), (1) MicroPro Ball Head Shoe Mount, (1) Carrying Bag</i> <i>Average Run-Time with "Heavy Duty" Alkaline or Re-Chargeable AA = 1.5 hours (at highest output)</i> <i>Average Run-Time with Energizer e2 Lithium Ion AA = 6 hours</i>	299,00	358,80	EUR
-----------	----------	---	--------	--------	-----

MicroPro Accessories & Replacement Parts

N H N N B	900-0007	Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG	58,00	69,60	EUR
N H N N B	900-0008	Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG	14,00	16,80	EUR
N H N N B	900-0004	Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG	110,00	132,00	EUR
N H N N B	900-0015	Carrying Case for MicroPro and Croma	28,00	33,60	EUR
N H N N B	900-5000	AC Power Supply for Micro and MicroPro (includes International Plug Set)	33,00	39,60	EUR
N H N N B	900-5200	3 Piece Gel Set for MicroPro (1/4 Correction, Full Correction & Diffusion)	23,00	27,60	EUR
N H N N B	900-5201	Back Door Replacement for MicroPro	23,00	27,60	EUR
N H N N B	900-5202	Dimmer Knob Replacement for MicroPro	4,00	4,80	EUR
N H N N B	900-5203	MicroPro DV Battery Adapter Plate for Sony Accepts: "L" and "M" series batteries as well as Panasonic VW-VBD1 and Hitachi VMBP13A	44,00	52,80	EUR
N H N N B	900-5204	MicroPro DV Battery Adapter Plate for Panasonic Accepts: CGR-D120, CGR-D220, CGR-D08A, CGR-D16A	44,00	52,80	EUR
N H N N B	900-5205	MicroPro DV Battery Adapter Plate for Canon Accepts: BP-911/914/924 as well as Samsung SB-L110, SB-L220, SB-L160, SB-L320 and SB-L480	44,00	52,80	EUR

New! Litepanels Croma

N H N N B	905-4023	 Litepanels Croma Kit NEW!!! <i>Kit includes: Croma Fixture, Gel Diffusion, Deluxe Ball Head Shoe Mount, AC Power Supply, Croma Carrying Bag</i>	450,00	540,00	EUR
-----------	----------	---	--------	--------	-----




Croma Series Accessories






N H N N B	900-0007	Deluxe Ball Head Shoe Mount for Micro, MicroPro, Croma, MiniPlus and SolaENG	58,00	69,60	EUR
N H N N B	900-0008	Deluxe Ball Head Shoe Mount Conversion Kit for MiniPlus, Micro, MicroPro, Croma and SolaENG	14,00	16,80	EUR
N H N N B	900-0004	Base Plate with Deluxe Ball Head Shoe Mount for Off Camera Use Use with: MiniPlus, Micro, MicroPro, Croma and Sola ENG	110,00	132,00	EUR
N H N N B	900-6104	Sola ENG and Croma 2-Pin D-Tap Power Cable (coiled)	45,00	54,00	EUR
N H N N B	900-0015	Carrying Case for MicroPro and Croma	28,00	33,60	EUR
N H N N B	900-5001	AC Power Supply for Croma (includes International Plug Set)	60,00	72,00	EUR
N H N N B	900-5250	Croma Individual Gel - Half White Diffusion	10,00	12,00	EUR



Ringlite Mini Kits

Includes: Ringlite Mini Fixture (choice of: Daylight 5600K Spot, Daylight 5600K Flood or Tungsten 3200K Flood), 24V DC Power Supply with Cord, Adjustable Base Plate Mounting Bracket, Rail Mount Bracket, 24V Extension Cable, 5 Piece Gel Set with Carrying Bag, 10 ft. 4-Pin XLR Power Cable, Carrying Case

N H N N B	904-1102	 Ringlite Mini Kit (Spot Daylight 5600K) <i>Soft & directional; Lightweight, slimline design; Dims 100% to 0 with minimal color shift; 3 user selectable circuits; Heat-free; Flicker-free; 7 piece filter set including: 1/8, 1/4, 1/2, full CTO, 250, Lt. Grid diffusion, 1/8 minus green; Outer Diameter: 10.5" (26.7 cm); Inner Diameter: 5" (12.7 cm); Weight: 3.5 Lbs (1.58 kg); Depth: 2" (5.1 cm) thick; Power Draw: 40 Watts/3.5 amps @ 12VDC; Power Supply: 12-30V, AC Adapter 100-240V</i>	2.175,00	2.610,00	EUR
N H N N B	904-1101	 Ringlite-Mini Kit (Flood Daylight 5600K) - Special Order <i>Soft & directional; Lightweight, slimline design; Dims 100% to 0 with minimal color shift; 3 user selectable circuits; Heat-free; Flicker-free; 7 piece filter set including: 1/8, 1/4, 1/2, full CTO, 250, Lt. Grid diffusion, 1/8 minus green; Outer Diameter: 10.5" (26.7 cm); Inner Diameter: 5" (12.7 cm); Weight: 3.5 Lbs (1.58 kg); Depth: 2" (5.1 cm) thick; Power Draw: 40 Watts/3.5 amps @ 12VDC; Power Supply: 12-30V, AC Adapter 100-240V</i>	2.175,00	2.610,00	EUR
N H N N B	904-1103	 Ringlite-Mini Kit (Flood Tungsten 3200K) - Special Order <i>Soft & directional; Lightweight, slimline design; Dims 100% to 0 with minimal color shift; 3 user selectable circuits; Heat-free; Flicker-free; 7 piece filter set including: 1/8, 1/4, 1/2, full CTO, 250, Lt. Grid diffusion, 1/8 minus green; Outer Diameter: 10.5" (26.7 cm); Inner Diameter: 5" (12.7 cm); Weight: 3.5 Lbs (1.58 kg); Depth: 2" (5.1 cm) thick; Power Draw: 40 Watts/3.5 amps @ 12VDC; Power Supply: 12-30V, AC Adapter 100-240V</i>	2.175,00	2.610,00	EUR

E C P B R	Model	Description	EUR Netto (ex VAT)	EUR + 20% DDS (incl VAT)	EUR
		Ringlite Mini Accessories			
N H N N B	 900-4000	Ringlite-Mini Carrying Case	110,00	132,00	EUR
N H N N B	 900-4004	Ringlite-Mini 6 Piece Gel Set CTO - Includes Carrying Bag (for daylight fixtures, orange in color) <i>Includes: Full CTO, 1/2 CTO, 1/4 CTO, 1/8 CTO and Half White Diffusion</i>	142,00	170,40	EUR
N H N N B	 900-4005	Ringlite-Mini 6 Piece Gel Set CTB - Includes Carrying Bag (for tungsten fixtures, blue in color) <i>Includes: Full CTB, 1/2 CTB, 1/4 CTB, 1/8 CTB and Half White Diffusion</i>	142,00	170,40	EUR
N H N N B	900-4204	Ringlite Mini Individual Gel - FULL CTO	24,00	28,80	EUR
N H N N B	900-4205	Ringlite Mini Individual Gel - 1/2 CTO	24,00	28,80	EUR
N H N N B	900-4206	Ringlite Mini Individual Gel - 1/4 CTO	24,00	28,80	EUR
N H N N B	900-4223	Ringlite Mini Individual Gel - 1/8 CTO	24,00	28,80	EUR
N H N N B	900-4201	Ringlite Mini Individual Gel - FULL CTB	24,00	28,80	EUR
N H N N B	900-4202	Ringlite Mini Individual Gel - 1/2 CTB	24,00	28,80	EUR
N H N N B	900-4203	Ringlite Mini Individual Gel - 1/4 CTB	24,00	28,80	EUR
N H N N B	900-4218	Ringlite Mini Individual Gel - 1/8 CTB	24,00	28,80	EUR
N H N N B	900-4250	Ringlite Mini Individual Gel - Half White Diffusion	24,00	28,80	EUR
N H N N B	900-0001	Gels Carrying Bag for 1X1 Gels and Ringlite Mini Gels	25,00	30,00	EUR
N H N N B	 900-0002	1X1 and Ringlite Mini AC Adapter Power Supply 24V (100-240V) <i>(Cord not included, sold separately - part 900-0003)</i>	69,00	82,80	EUR
N H N N B	900-0013	6 ft. (1.8 m) AC Euro Power Cord for 1X1, Sola ENG and Ringlite Mini Power Supplies	10,00	12,00	EUR
N H N N B	900-0005	DMX Kit for Standard 1X1 with Metal Housings, Ringlite Mini and MiniPlus Fixtures <i>Contains 1-DMX Module (DMX) and 1-RJ45 Ethernet Cable to RJ45 (DMXEC)</i>	205,00	246,00	EUR
N H N N B	900-4006	10 Ft. (3 m) DC Power Extension Cable	29,00	34,80	EUR
N H N N B	900-4007	Ringlite Mini 10 Ft. (3 m) 4-Pin XLR Power Cable (compatible with 1X1's as well)	50,00	60,00	EUR
N H N N B	 900-4008	Adjustable Base Plate Mounting Bracket <i>Includes: (2) 1/4-20 x 1/2" Screw (2) 10-32 Socket Screw (1) Socket Screw Wrench</i>	88,00	105,60	EUR
N H N N B	900-4011	Film/Video Rod Mounting Bracket 15mm	317,00	380,40	EUR
N H N N B	900-4012	Film/Video Rod Mounting Bracket 19mm	317,00	380,40	EUR