



## Fresnel Luminaires

TEMPO F 650 PLUS



- 10601000 Black
- 10601001 White
- 10601002 Silver
- **type:** fresnel luminaire
- **watt:** 300/500/650
- **beam angle:** 7°- 60°
- **net weight:** 4 kg
- **lamp base:** GY9.5
- **throw:** 2-10m

SUONO F 650 PLUS



- 10601010 black
- 10601011 white
- 10601012 silver
- **type:** fresnel luminaire
- **watt:** 300/500/650
- **beam angle:** 7°- 60°
- **net weight:** 4,1 kg
- **lamp base:** GY9.5
- **throw:** 2-10m

ARIA F 1000 PLUS



- 10801000 black
- 10801001 white
- 10801002 silver
- **type:** fresnel luminaire
- **watt:** 650/1000/1200
- **beam angle:** 10°- 56°
- **net weight:** 5,6 kg
- **lamp base:** GX9.5
- **throw:** 2-15m

NOTA F 1200 PLUS



- 10851000 black
- 10851001 white
- 10851002 silver
- **type:** fresnel luminaire
- **watt:** 650/1000/1200
- **beam angle:** 10°- 56°
- **net weight:** 5,8 kg (230V) 6 kg (120V)
- **lamp base:** GX9.5 (230V) G22 (120V)
- **throw:** 2-15m

TONO F 2000 PLUS



- 10901000 230v black
- 10901000 120v black
- **type:** fresnel luminaire
- **watt:** 1200/2000/2500
- **beam angle:** 10°- 70°
- **net weight:** 9 kg (230V) 10,1 kg (120V)
- **lamp base:** G22 (230V) G38 (120V)
- **throw:** 3-20m

1

## Pebble - Convex Luminaires

TEMPO PC 650 PLUS



- 10602000 black
- 10602001 white
- 10602002 silver
- **type:** pebble-convex luminaire
- **watt:** 300/500/650
- **beam angle:** 7°- 58°
- **net weight:** 4,2 kg
- **lamp base:** GY9.5
- **throw:** 2-10m

SUONO PC 650 PLUS



- 10602010 black
- 10602011 white
- 10602012 silver
- **type:** pebble-convex luminaire
- **watt:** 300/500/650
- **beam angle:** 7°- 58°
- **net weight:** 4,3 kg
- **lamp base:** GY9.5
- **throw:** 2-10m

ARIA PC 1000 PLUS



- 10802000 black
- 10802001 white
- 10802002 silver
- **type:** pebble-convex luminaire
- **watt:** 650/1000/1200
- **beam angle:** 8°- 60°
- **net weight:** 6 kg
- **lamp base:** GX9.5
- **throw:** 2-17m

NOTA PC 1200 PLUS



- 10852000 black
- 10852001 white
- 10852002 silver
- **type:** pebble-convex luminaire
- **watt:** 650/1000/1200
- **beam angle:** 8°- 60°
- **net weight:** 6,2 kg (230V) 6,4kg (120V)
- **lamp base:** GX9.5 (230V) G22 (120V)
- **throw:** 2-17m

TONO PC 2000 PLUS



- 10902000 230v black
- 11902000 120v black
- **type:** pebble-convex luminaire
- **watt:** 1200/2000/2500
- **beam angle:** 9°- 70°
- **net weight:** 10,3 kg (230V) 11,4 kg (120V)
- **lamp base:** G22 (230V) G38 (120V)
- **throw:** 3-20m

## Profiles

SUONO 10/28 PLUS



- 10604020 black
- 10604021 white
- 10604022 silver
- **type:** double condenser profile
- **watt:** 300/500/650
- **beam angle:** 10°- 28°
- **net weight:** 7,5 kg
- **lamp base:** GY9.5
- **throw:** 2-15m

SUONO 20/40 PLUS



- 10604030 black
- 10604031 white
- 10604032 silver
- **type:** double condenser profile
- **watt:** 300/500/650
- **beam angle:** 20°- 40°
- **net weight:** 7 kg
- **lamp base:** GY9.5
- **throw:** 2-15m

NOTA 8/22



- 10853020 black
- 10853021 white
- 10853022 silver
- **type:** double condenser profile
- **watt:** 650/1000/1200
- **beam angle:** 8°- 22°
- **net weight:** 14,3 kg
- **lamp base:** GX9.5
- **throw:** 5-25m

NOTA 18/36



- 10853030 black
- 10853031 white
- 10853032 silver
- **type:** double condenser profile
- **watt:** 650/1000/1200
- **beam angle:** 18°- 36°
- **net weight:** 12,3 kg
- **lamp base:** GX9.5
- **throw:** 5-18m

NOTA 30/55



- 10853040 black
- 10853041 white
- 10853042 silver
- **type:** double condenser profile
- **watt:** 650/1000/1200
- **beam angle:** 30°- 55°
- **net weight:** 11,9 kg
- **lamp base:** GX9.5
- **throw:** 4-12m

TONO 8/22



- 10903020 black
- **type:** double condenser profile
- **watt:** 2000
- **beam angle:** 8°- 22°
- **net weight:** 14,7 kg
- **lamp base:** GY16
- **throw:** 6-30m

TONO 18/36



- 10903030 black
- **type:** double condenser profile
- **watt:** 2000
- **beam angle:** 18°- 36°
- **net weight:** 14 kg
- **lamp base:** GY16
- **throw:** 6-23m

TONO 30/55



- 10903040 black
- **type:** double condenser profile
- **watt:** 2000
- **beam angle:** 30°- 55°
- **net weight:** 13,7 kg
- **lamp base:** GY16
- **throw:** 4-12m

CANTO 250 msd



- 10207080 black
- **type:** discharge followspot
- **watt:** 250, msd
- **beam angle:** 10°- 28°
- **net weight:** 13,6 kg
- **lamp base:** GY9.5
- **throw:** 2-15m

CANTO 250 HR MK2



- 10577180 black
- 10577181 white
- **type:** discharge followspot
- **watt:** 250, HR
- **beam angle:** 8°- 22°
- **net weight:** 15,1 kg
- **lamp base:** GZY9.5
- **throw:** 10-20m

CANTO 575 msd/msr MK2



- 10577180 black
- 11577180 white
- **type:** discharge followspot
- **watt:** 575, msd/msr
- **beam angle:** 8°- 22°
- **net weight:** 19,8 kg - ballast 16,5 /28 (120V)
- **lamp base:** GX9.5
- **throw:** 10-30m

## Discharge followspots

## Discharge followspots

CANTO 700 msd/msr MK2



- 10707180 black
- 10707181 white
- **type:** discharge followspot
- **watt:** 700, msd/msr
- **beam angle:** 8°- 22°
- **net weight:** 19,8 kg - ballast 16,5 /28 (120V)
- **lamp base:** G22
- **throw:** 10-35m

CANTO 1200 msd/msr MK2



- 10857180 black
- 10857181 white
- **type:** discharge followspot
- **watt:** 1200, msd/msr
- **beam angle:** 8°- 22°
- **net weight:** 19,8 kg - ballast 16,5 /28 (120V)
- **lamp base:** G22
- **throw:** 10-40m

CANTO 2000 msr FF



- 10907180 black
- **type:** discharge followspot
- **watt:** 2000, msr
- **beam angle:** 8°- 22°
- **net weight:** 20,5 kg - ballast 8,5 kg
- **lamp base:** PGJX50
- **throw:** 10-50m

## TH followspots

CANTO 1200 TH MK2



- 10857170 black
- 10857171 white
- **type:** tungsten-halogen followspot
- **watt:** 1200 (230V) - 1000 (120V)
- **beam angle:** 8°- 22°
- **net weight:** 18,0 kg
- **lamp base:** GX9.5 (230V) G22 (120V)
- **throw:** 10-20m

CANTO 2000 TH MK2



- 10907170 black
- 10907171 white
- **type:** tungsten-halogen followspot
- **watt:** 2000
- **beam angle:** 8°- 22°
- **net weight:** 18,0 kg
- **lamp base:** GY16
- **throw:** 10-30m

3

## Asymmetrical floods

RIMA A 500 F / PRO



- |                   |            |
|-------------------|------------|
| ■ 10506050 black  | ■ 10516050 |
| □ 10506051 white  | □ 10516051 |
| ■ 10506052 silver | ■ 10516052 |
- **type:** asymmetrical flood
  - **watt:** 200/300/500
  - **net weight:** 2,0 kg / 2,6 kg (PRO)
  - **lamp base:** R7s
  - **throw:** 2-5m

INNO A 1000



- |                   |                  |
|-------------------|------------------|
| ■ 10806050 black  | ■ 10806051 white |
| ■ 10806052 silver |                  |
- **type:** asymmetrical flood
  - **watt:** 650/1000/1250
  - **net weight:** 5,3 kg
  - **lamp base:** R7s
  - **throw:** 2-10m

## Symmetrical floods

SCENA 500



- 10305060 black
- **type:** IP54 symmetrical flood
- **watt:** 200/300/500
- **net weight:** 1,3 kg
- **lamp base:** R7s
- **throw:** 2-5m

SCENA 1000



- 10805060 black
- **type:** IP54 symmetrical flood
- **watt:** 1000/1250
- **net weight:** 3,3 kg
- **lamp base:** R7s
- **throw:** 2-10m

# THEATRICAL SECTION

RIMA S 500 F / PRO



- |                   |            |
|-------------------|------------|
| <b>F</b>          | <b>PRO</b> |
| ■ 10506060 black  | ■ 10516060 |
| □ 10506061 white  | □ 10516061 |
| ■ 10506062 silver | ■ 10516062 |
- **type:** symmetrical flood
  - **watt:** 200/300/500
  - **net weight:** 2,0 kg / 2,6 kg (PRO)
  - **lamp base:** R7s
  - **throw:** 2-5m

PALCO 56



- 10308010 black
- 10308110 polished
- **type:** par 56 can
- **watt:** 300
- **beam angle:** 24° (spot)
- **net weight:** 1,7 kg
- **lamp base:** GX16D
- **throw:** 2-5m

INNO S 1000



- 10806060 black
- 10806061 white
- 10806062 silver
- **type:** symmetrical flood
- **watt:** 650/1000/1250
- **net weight:** 5,3 kg
- **lamp base:** R7s
- **throw:** 2-10m

PALCO 64



- 10808010 black
- 10808110 polished
- **type:** par 64 can
- **watt:** 1000
- **beam angle:** 43° (spot)
- **net weight:** 1,8 kg
- **lamp base:** GX16D
- **throw:** 2-15m

## Symmetrical floods

## Par cans

# ARCHITECTURAL SECTION

RIMA A 70



- 10076050 black
- 10076051 white
- 10076052 silver
- **type:** discharge asymmetrical flood
- **watt:** 70, CDM
- **net weight:** 3,8 kg
- **lamp base:** RX7s
- **throw:** 2-5m

RIMA S 70



- 10076060 black
- 10076061 white
- 10076062 silver
- **type:** discharge symmetrical flood
- **watt:** 70, CDM
- **net weight:** 3,8 kg
- **lamp base:** RX7s
- **throw:** 2-5m

RIMA A 150



- 10156050 black
- 10156051 white
- 10156052 silver
- **type:** discharge asymmetrical flood
- **watt:** 150, CDM
- **net weight:** 3,8 kg
- **lamp base:** RX7s
- **throw:** 2-10m

RIMA S 150



- 10156060 black
- 10156061 white
- 10156062 silver
- **type:** discharge symmetrical flood
- **watt:** 150, CDM
- **net weight:** 3,8 kg
- **lamp base:** RX7s
- **throw:** 2-10m

## Discharge floods

## Discharge Fresnel luminaries

SOFFIO F 70



- 10071080 black
- 10071081 white
- 10071082 silver
- **type:** discharge fresnel luminaire
- **watt:** 70, CDM
- **beam angle:** 7°- 63°
- **net weight:** 5,5 kg
- **lamp base:** G12
- **throw:** 2-10m

SOFFIO F 150



- 10151080 black
- 10151081 white
- 10151082 silver
- **type:** discharge fresnel luminaire
- **watt:** 150, CDM
- **beam angle:** 7°- 63°
- **net weight:** 6 kg
- **lamp base:** G12
- **throw:** 2-15m

SUONO F 250 msd



- 10201080 black
- 10201081 white
- 10201082 silver
- **type:** discharge fresnel luminaire
- **watt:** 250, msd
- **beam angle:** 7°- 63°
- **net weight:** 8,6 kg
- **lamp base:** GY9.5
- **throw:** 2-20m

## Discharge profiles

SOFFIO 10/28 70W



- 10073020 black
- 10073021 white
- 10073022 silver
- **type:** discharge profile
- **watt:** 70, CDM
- **beam angle:** 10°- 28°
- **net weight:** 8,5 kg
- **lamp base:** G12
- **throw:** 2-10m

SOFFIO 20/40 70W



- 10073030 black
- 10073031 white
- 10073032 silver
- **type:** discharge profile
- **watt:** 70, CDM
- **beam angle:** 20°- 40°
- **net weight:** 8 kg
- **lamp base:** G12
- **throw:** 2-10m

SOFFIO 10/28 150W



- 10153020 black
- 10153021 white
- 10153022 silver
- **type:** discharge profile
- **watt:** 150, CDM
- **beam angle:** 10°- 28°
- **net weight:** 9 kg
- **lamp base:** G12
- **throw:** 2-15m

SOFFIO 20/40 150W



- 10153030 black
- 10153031 white
- 10153032 silver
- **type:** discharge profile
- **watt:** 150, CDM
- **beam angle:** 20°- 40°
- **net weight:** 8,5 kg
- **lamp base:** G12
- **throw:** 2-15m

SUONO D 10/28



- 10203020 black
- 10203021 white
- 10203022 silver
- **type:** discharge profile
- **watt:** 250, msd
- **beam angle:** 10°- 28°
- **net weight:** 12,4 kg
- **lamp base:** GY9.5
- **throw:** 2-20m

SUONO D 20/40



- 10203030 black
- 10203031 white
- 10203032 silver
- **type:** discharge profile
- **watt:** 250, msd
- **beam angle:** 20°- 40°
- **net weight:** 11,8 kg
- **lamp base:** GY9.5
- **throw:** 2-20m

## POLE-OPERATED + MOVING-YOKE SECTION

SOFFIO F 150 P.O.



- 12151080 black
- 12151081 white
- 12151082 silver
- **type:** P.O. discharge fresnel
- **watt:** 150, CDM
- **beam angle:** 7°- 63°
- **net weight:** 7,8 kg
- **lamp base:** G12
- **throw:** 2-15m

SUONO F 250 P.O.



- 12201080 black
- 12201081 white
- 12201082 silver
- **type:** P.O. discharge fresnel
- **watt:** 250 msd
- **beam angle:** 7°- 63°
- **net weight:** 10,4 kg
- **lamp base:** GY9,5
- **throw:** 2-20m

NOTA F 1200 P.O.



- 12851000 black
- 12851001 white
- 12851002 silver
- **type:** P.O. fresnel
- **watt:** 650/1000/1200
- **beam angle:** 10°- 56°
- **net weight:** 7,3 kg (230V) 7,5kg (120V)
- **lamp base:** GX9,5 (230V) G22 (120V)
- **throw:** 2-15m

TONO F 2000 P.O.



- 12901000 black
- **type:** P.O. fresnel
- **watt:** 1200/2000/2500
- **beam angle:** 10°- 70°
- **net weight:** 10,4 kg (230V) 11,5 kg (120V)
- **lamp base:** G22 (230V) G38 (120V)
- **throw:** 3-20m

INNO A 1000 P.O.



- 12806050 black
- 12806051 white
- 12806052 silver
- **type:** P.O. asymmetrical flood
- **watt:** 625/1000/1250
- **net weight:** 7 kg
- **lamp base:** R7s
- **throw:** 2-10m

INNO S 1000 P.O.



- 12806060 black
- 12806061 white
- 12806062 silver
- **type:** P.O. symmetrical flood
- **watt:** 625/1000/1250
- **net weight:** 7 kg
- **lamp base:** R7s
- **throw:** 2-10m

NOTA F/PC 1200 MOVING



- 14851000 black
- 14851001 white
- 14851002 silver
- **type:** moving fresnel
- **watt:** 1000/1200
- **beam angle:** 10°- 56°
- **net weight:** 15,5 kg including Xpress 19
- **lamp base:** GX9,5
- **throw:** 2-15m

TONO F/PC 2000 MOVING



- 14901000 black
- **type:** moving fresnel
- **watt:** 2000/2500
- **beam angle:** 9°- 70°
- **net weight:** 20,0 kg including Xpress 26
- **lamp base:** G22
- **throw:** 3-20m

## COLOUR SCROLLERS

XPRESS 13 DMX/RDM



- 20106013 black
- **mounting plate:** 160x160mm
- **front aperture:** 135mm
- **gel string capacity:** 8-11-16-21 frames
- **net weight:** 2,2 kg

XPRESS 19 DMX/RDM



- 20106019 black
- **mounting plate:** 253x253mm
- **front aperture:** 195mm
- **gel string capacity:** 8-11-16-21 frames
- **net weight:** 2,7 kg

XPRESS 26 DMX/RDM



- 20106026 black
- **mounting plate:** 313x313mm
- **front aperture:** 270mm
- **gel string capacity:** 8-11-16-21 frames
- **net weight:** 3,4 kg

COLOUR COMMANDER



- 20640000 black
- control for colour selection on 1 to 24 daisy-chained scrollers. Operated with 16- frame gel strings.
- net weight:** 0,4 kg

PDU 1



- 20106020 black
- power distribution unit for 1 or 1/6 scrollers
- power input:** 120/240V 50/60 Hz
- DMX input:** XLR 5-pin
- DMX output to scroller:** XLR 4-pin/24V
- net weight:** 1,3 kg

PDU 6M



- 20106260 black
- DMX/RDM power distribution unit for up to 6 scrollers
- power input:** 230V/115V 50/60Hz, selectable
- DMX input:** XLR 5-pin
- net weight:** 5,5 kg

PDU 24



- 20106024 black
- power distribution unit for 1 to 24 scrollers
- power input:** 210/240V 50/60 Hz
- DMX input:** XLR 5-pin
- DMX output to scroller:** XLR 4-pin/24V
- net weight:** 17,5 kg

## BRIEF CATALOGUE



PROFESSIONAL LIGHTING PRODUCTS

Via Berna 14 - Z.I. Bosco dell'Irta  
46042 Castel Goffredo (Mn) - Italy  
Tel. +39 0376 771 777  
Fax +39 0376 772 140  
E-mail: [info@ldr.it](mailto:info@ldr.it)  
Web: [www.ldr.it](http://www.ldr.it)