



Cable crossover

Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro-Sound & Lighting Solutions

www.musicworld.bg













Price List 09/2018


















Effective September 3-th, 2018












Subject to change without prior notice.
All former price lists expire with the publishing of this version.
All prices are suggested net retail prices; ex works.
There are applicable our General Terms of Business, only.














EUR

Articles marked * will be discontinued soon!

Model	Description	EUR Netto (ex. VAT)	Special Price Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Defender Box				
 85BOX	Defender Box - Transportbox Easy loading thanks to collapsible sides of the pallet cage Max. load bearing > 1t, Stackable, Foldable, Easy cleaning of the cable crossovers thanks to integrated water drain in the Defender Box, Steel structure undercoated and lacquered on weather, proof synthetic euro-pallet, Dimensions (W x H x D): 1250 x 1285 x 840 mm, Weight: 50.5 kg.	366,00		439,00 EUR
DEFENDER Compact				
 85100	Defender Compact - Cable Protector 7-channels, Not suitable for trucks! Length: 800 mm, Width: 430 mm, Height: 40 mm. Channels: 7, Width (Channels): 30 mm, Height (Channels): 30 mm.	46,00		55,00 EUR
 85103	Defender Compact - Base for 85100 Cable Protector 5-channels, Length: 80.40 cm, Width: 24.10 cm.	46,00		55,00 EUR
DEFENDER III				
 85099	Defender 3 - Lid for 85002 Cable Protector 3-channels	60,00		72,00 EUR
 85002	Defender 3 - Cable Protector 3-channels Basic module with approved and patented interlocking lid. Length: 100 cm, Width: 60 cm, Height: 7.3 cm. Channels: 3, Width (Channels): 52 mm, 45 mm, 56 mm, Height (Channels): 49 mm, 50 mm, 49 mm. Flame Class: B2, Load bearing: Approx 5 tons per typical tyre imprint (20 x 20 cm), The Cable-Crossover is oil, acid & petrol resistant, Operating Range: -30°C up to +60°C.	217,00		260,00 EUR
 85004	Defender 3 - Connector Plugs for 85002 Cable Protector 3-channels	20,00		24,00 EUR
 85008	Defender 3 - End Ramp for 85002 Cable Protector 3-channels	64,00		77,00 EUR
 85009	Defender 3 - 45° Curve for 85002 Cable Protector 3-channels Cable Crossover 45 degree curve with connection	128,00		154,00 EUR
Defender Midi				
 85300	Defender Midi 5 - Cable Protector 5-channels Basic module with approved and patented interlocking lid. Length: 89 cm, Width: 54.2 cm, Height: 5.2 cm. Channels: 5, Width (Channels): 3.4 cm, Height (Channels): 3.6 cm, Gradient: 17 degrees. Flame Class: B2. Load bearing: Approx 5 tons per typical tyre imprint (20 x 20 cm). The Cable-Crossover is oil, acid & petrol resistant. Operating Range: -30°C up to +60°C.	141,00		169,00 EUR
 85301	Defender Midi 4C- Cable Protector 4-channels Length: 89 cm, Width: 54.2 cm, Height: 5.2 cm. Channels: 4. Width (Channels): 3 x 3.4 cm + 1 x 8.0 cm, Height (Channels): 3.6 cm. Gradient: 17 degrees. Flame Class: B2. Load bearing: Approx 5 tons per typical tyre imprint (20 x 20 cm). The Cable-Crossover is oil, acid & petrol resistant. Operating Range: -30°C up to +60°C.	141,00		169,00 EUR
 85308	Defender Midi - End Ramp for 85300 Cable Protector 5-channels End ramp for Defender MIDI	52,00		62,00 EUR
 85310	Defender Midi - 45° Curve for 85300 Cable Protector 5-channels 45° curve for Defender MIDI	98,00		118,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special Price Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Defender Mini				
 85200	Defender Mini - Cable Protector 3-channels Length: 100 cm, Width: 29 cm, Height: 4.8 cm. Channels: 3, Width Channels: 35 mm. Height Channels: 30 mm, 35 mm, 30 mm. Material: PU (polyurethane). Shore A hardness: 88 ± 4 Flammability class: B2. Operating temperature: -30°C to +60°C. Load-bearing capacity: approx. 2 tons, for a surface area of 20 cm x 20 cm.	105,00		126,00 EUR
 85200BLK	Defender Mini - Cable Protector 3-channels with black Cap Length: 100 cm, Width: 29 cm, Height: 4.8 cm. Channels: 3. Material: PU (polyurethane). Shore A hardness: 88 ± 4. Flammability class: B2. Operating temperature: -30°C to +60°C. Load-bearing capacity: approx. 2 tons, for a surface area of 20 cm x 20 cm.	105,00		126,00 EUR
 85208F	Defender Mini - End Ramp female for 85200/85200BLK Cable Protector 3-channels End Ramp female for Cable Crossover Defender Mini.	25,00		30,00 EUR
 85208M	Defender Mini - End Ramp male for 85200/85200BLK Cable Protector 3-channels End Ramp male for Cable Crossover Defender Mini.	25,00		30,00 EUR
Defender Nano				
 85150	Defender Nano - Cable Protector 6-channels Length: 100 cm, Width: 28 cm, Height: 3.2 cm. Channels: 6. Channel diameter: 18 mm. Weight: 4,37 kg. Load bearing: approx. 2t for a surface area of 20 x 20 cm. Operating Temperature range: -30°C to +60°C. Flame Class: B2.	79,00		95,00 EUR
 85150BLK	Defender Nano - Cable Protector 6-channels with black Cap Length: 100 cm, Width: 28 cm, Height: 3.2 cm. Channels: 6. Channel diameter: 18 mm. Weight: 4,37 kg. Load bearing: approx. 2t for a surface area of 20 x 20 cm. Operating Temperature range: -30°C to +60°C. Flame Class: B2 .	79,00		95,00 EUR
 85158F	Defender Nano - End Ramp female for 85150/85150BLK Cable Protector 6-channels End Ramp female for Cable Crossover Defender Nano.	25,00		30,00 EUR
 85158M	Defender Nano - End Ramp male for 85150/85150BLK Cable Protector 6-channels End Ramp male for Cable Crossover Defender Nano.	25,00		30,00 EUR
Defender Office				
 85160	Defender Office - Cable Crossover 4-channels black Length: 870 mm, Width: 120 mm, Height: 21 mm. Channels: 4. Diameter (channels): 10 mm, 12 mm, 12 mm, 10 mm. Material: PU (Polyurethane). Fire protection classification: B1.	29,00		35,00 EUR
 85160GREY	Defender Office - Cable Crossover 4-channels grey Length: 870 mm, Width: 120 mm, Height: 21 mm. Channels: 4. Diameter (channels): 10 mm, 12 mm, 12 mm, 10 mm. Material: PU (Polyurethane). Fire protection classification: B1.	29,00		35,00 EUR
 85160YEL	Defender Office - Cable Crossover 4-channels yellow Length: 870 mm, Width: 120 mm, Height: 21 mm. Channels: 4. Diameter (channels): 10 mm, 12 mm, 12 mm, 10 mm. Material: PU (Polyurethane). Fire protection classification: B1.	29,00		35,00 EUR
 85161	Defender Office - 90° Curve for 85160 Cable Crossover 4-channels, black 90° curve for Defender Office. Channels: 4. Channels: 10 mm, 12 mm, 12 mm, 10 mm. Material: Polyurethane. Fire protection classification: B1.	10,00		12,00 EUR
 85161GREY	Defender Office - 90° Curve for 85160 Cable Crossover 4-channels, grey 90° curve for Defender Office. Channels: 4. Channels: 10 mm, 12 mm, 12 mm, 10 mm. Material: Polyurethane. Fire protection classification: B1.	10,00		12,00 EUR
 85161YEL	Defender Office - 90° Curve for 85160 Cable Crossover 4-channels, yellow 90° curve for Defender Office. Channels: 4. Channels: 10 mm, 12 mm, 12 mm, 10 mm. Material: Polyurethane. Fire protection classification: B1.	10,00		12,00 EUR
 85168	Defender Office - End Ramp for 85160 Cable Crossover 4-channels, black End ramp for Defender Office. Material: PU (Polyurethane). Fire protection classification: B1.	10,00		12,00 EUR
 85168GREY	Defender Office - End Ramp for 85160 Cable Crossover 4-channels, grey End ramp for Defender Office. Material: PU (Polyurethane). Fire protection classification: B1.	10,00		12,00 EUR
 85168YEL	Defender Office - End Ramp for 85160 Cable Crossover 4-channels, yellow End ramp for Defender Office. Material: PU (Polyurethane). Fire protection classification: B1.	10,00		12,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special Price Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Defender Ultra L				
 85600	Defender Ultra L - Cable Protector 2-channels Basic module with approved and patented interlocking lid (EU Patent No.: EP1366550). Length: 70 cm, Width: 78.3 cm, Height: 13.9 cm. Channels: 2 + 2. Material: PU (Polyurethane). Degree of Hardness: 88 Shore ± 4 A. Flame Class: B2. Load bearing: Approx 6 tons per typical tyre imprint (20 x 20 cm). The Cable-Crossover is oil, acid & petrol resistant. Operating Range: -30°C up to +60°C.	257,00		308,00 EUR
DEFENDER Wheelchair Ramp				
 85305SET	Defender Wheelchair Ramp - Ramp Module Set 1 Set is composed of: 6 Ramp pieces (3 Lines), 4 extremity pieces (2 left extremities / 2 right extremities), 1 blue pre-drilled Midi cable crossover. The Defender Wheelchair Ramp does not support vehicle traffic.	549,00		659,00 EUR
 85300BLUE	Defender Midi - Cable Protector 5-channels blue for 85305SET Wheel Chair Ramp Blue pre-drilled Defender Midi cable crossover. Blue Defender cable crossover is oil, acid, and petrol resistant. 1 Set is composed of: 6 Ramp pieces (3 Lines), 4 extremity pieces (2 left extremities / 2 right extremities), 1 blue pre-drilled Midi cable crossover. The Defender Wheelchair Ramp does not support vehicle traffic.	156,00		187,00 EUR
 85306	Defender Wheelchair Ramp - Ramp Module 1 Set is composed of: 6 Ramp pieces (3 Lines), 4 extremity pieces (2 left extremities / 2 right extremities), 1 blue pre-drilled Midi cable crossover. The Defender Wheelchair Ramp does not support vehicle traffic.	167,00		200,00 EUR
 85307L	Defender Wheelchair Ramp - Left Extremity Piece The extremity pieces are oil, acid, and petrol resistant. 1 Set is composed of: 6 Ramp pieces (3 Lines), 4 extremity pieces (2 left extremities / 2 right extremities), 1 blue pre-drilled Midi cable crossover. The Defender Wheelchair Ramp does not support vehicle traffic.	24,00		29,00 EUR
 85307R	Defender Wheelchair Ramp - Right Extremity Piece 1 Set is composed of: 6 Ramp pieces (3 Lines), 4 extremity pieces (2 left extremities / 2 right extremities), 1 blue pre-drilled Midi cable crossover. The Defender Wheelchair Ramp does not support vehicle traffic.	24,00		29,00 EUR
Defender XXL				
 85500	Defender XXL - Cable Protector 5-channels Length: 70.00 cm (with connectors 75.00), Width: 69.60 cm, Height: 8.7 cm. Channels: 5. Width (Channels): 6,1 cm, 6,2 cm, 6,0 cm, 6,2 cm, 6,1 cm. Height (Channels): 5,9 cm, 6,5 cm, 6,3 cm, 6,5 cm, 5,9 cm. Material: PU (Polyurethane). Degree of Hardness: 88 Shore ± 4 A. Flame Class: B2. Operating Range: -30°C up to +60°C. Load bearing: Approx 6 tons per typical tyre imprint (20 x 20 cm). The Cable-Crossover is oil, acid & petrol resistant.	226,00		271,00 EUR
 85504	Defender XXL - Two Connectors for 85500 Cable Protector 5-channel Two Connectors for Defender XXL	26,00		31,00 EUR
 85510	Defender XXL - End Ramp for 85500 Cable Protector 5-channels 5 channels with each a diameter of 6,3 cm and a channel height of 6,5 cm. Width: 69 cm, Depth: 20 cm, Height: 8,2 cm.	64,00		77,00 EUR
Rills Mat				
 85900	Defender 85900 - Fine-grooved Mat black 1 m x 10 m Fine-grooved rubber mat black, SBR quality, 2,6 mm (± 0,2 mm) thick. Width 100 cm, Length 10 m, Non-slip. Resilient covering for all high traffic areas. Weather proof. Lies flat. Coarsely patterned underside. Ideal for protecting cables of all types. Matting can be trimmed to the desired size.	75,00		90,00 EUR
 85970	Defender 85970 - Fine-grooved Mat black 0.7 m x 10 m Fine-grooved rubber mat black, SBR quality, 2,6 mm (± 0,2 mm) thick. Width 70 cm, Length 10 m. Non-slip. Resilient covering for all high traffic areas. Weather proof. Lies flat. Coarsely patterned underside. Ideal for protecting cables of all types. Matting can be trimmed to the desired size.	62,00		74,00 EUR

Model	Description	EUR Netto (ex. VAT)	Special Price Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
TELIKOU® Telikou Cable Crossover (HED)				
	CG2-A001 2 Channels Cable Guard / Crossover Made of 100% standard latex, Strollers, carts, passenger vehicles and small trucks can easily roll over these cable covers without causing any damage, Dimensions (L*W*H): 1000*250*45mm Usable dimensions (each channel): 997*30*30mm, Weight: 9.6 kg, Capacity: 3 tons	92,00		110,00 EUR
	CGCOR2-A001 2 Channels 30° Cable Guard / Crossover Corner Made of 100% standard latex, Strollers, carts, passenger vehicles and small trucks can easily roll over these cable covers without causing any damage, Corner 30 degrees with 2 channels, Usable dimensions (each channel): 30*30mm, Weight: 2 kg, Capacity: 3 tons	40,00		48,00 EUR
SKYMEAR Skymear Cable Guard / Crossover (HED)				
	85-2ch-1m HED (SKYCRCR2Y) Deffender 2 Channels: 3,0 x 2,5 cm; LxWxH: 100x25x5cm (Rubber) Made of 100% standard latex, Strollers, carts, passenger vehicles and small trucks can easily roll over these cable covers without causing any damage, Dimensions (L*W*H): 1000*250*50mm ;Usable dimensions (each channel): 100*30*25 mm, Weight: 9.0 kg, Capacity: 20 tons	56,00		67,00 EUR
	85-2ch-1m (PU) HED (SKYCPCR2Y-PU) Deffender 2 Channels: 3,0 x 2,5 cm; LxWxH: 100x25x5cm (PU) Made of 100% standard latex, Strollers, carts, passenger vehicles and small trucks can easily roll over these cable covers without causing any damage, Dimensions (L*W*H): 1000*250*50mm ;Usable dimensions (each channel): 100*30*25 mm, Weight: 4.5 kg, Capacity: 20 tons	65,00		78,00 EUR
	85-2ch Trolley HED (SKYCRT2) Transport Trolley for 50 pcs. Deffender 2 channel	399,00		479,00 EUR
	85-3ch-1m HED (SKYCRCR3Y) Deffender 3 Channels: 3,5x3,5 cm; LxWxH: 100x31x5,5cm (Rubber) Made of 100% standard latex, Strollers, carts, passenger vehicles and small trucks can easily roll over these cable covers without causing any damage, Dimensions (L*W*H): 1000*310*55mm; Usable dimensions (each channel): 100*35*35mm, Weight: 15.0 kg, Capacity: 20 tons	70,00		84,00 EUR
	85-3ch Trolley HED (SKYCRC3Y) Transport Trolley for 40 pcs. Deffender 3 channel	399,00		479,00 EUR
	85-5ch-77cm HED (SKYRCR5Y) Deffender 5 Channels: 4ch - 4,0 x4,2 cm + 1ch (middle) 1,8 x 4,2 cm; LxWxH: 77x49x6,5cm (Rubber) Made of 100% standard latex, Strollers, carts, passenger vehicles and small trucks can easily roll over these cable covers without causing any damage, Dimensions (L*W*H): 770*400*420mm Usable dimensions (each channel): 77*40*42mm (middle channel 77*18*42), Weight: 19 kg, Capacity: 20 tons	82,00		98,00 EUR
	85-5ch Trolley HED (SKYCRT5) Transport Trolley for 20 pcs. Deffender 5 channel	399,00		479,00 EUR
Crowd Barrier				
	Crowd Barrier 1 m Module HED Crowd Barrier - 1 m Module Revolutionary new aluminium barrier system, ideal for front of stage use and crowd control deployment Features: a. Extended back step - for safety and comfort b. Curved sections - no exposed sharp corners c. Easy to handle - units have their own wheels Material: Aluminum Size:1.0(W)*1.25(D)*1.2(H)m, Folding size : 1265*1100*18mm, Weight : 30kg	298,00	298,00	358,00 EUR
				
	Crowd Barrier Corner Module HED Crowd Barrer - Corner Module Size: 1x1,25x1,2m	475,00	475,00	570,00 EUR
	Crowd Barrier Gate Module HED Crowd Barrier Gate Module Size:1.0(W)*1.25(D)*1.2(H)m	400,00	400,00	480,00 EUR