



# QSC

## Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

**proTechnica**

Pro-Sound & Lighting Solutions

www.pro-technica.com

BUY ONLINE at [www.MusicWorld.bg](http://www.MusicWorld.bg)

## Price List 06/2015

**Effective June 1<sup>st</sup> 2015**

Subject to change without prior notice.

All former price lists expire with the publishing of this version.

All prices are suggested net retail prices; ex works.


There are applicable our General Terms of Business, only.

Articles marked \*\* will be discontinued soon!

Model	Description	BGL Netto (ex. VAT)	Special BGL + 20% DDS (ex. VAT)	BGL + 20% DDS (incl. VAT)
-------	-------------	------------------------	------------------------------------	------------------------------



## MIXERS

### Touchmix Series

	<b>NEW</b> TOUCHMIX-8	Touch-screen digital audio mixer with 8 mic/line inputs, 2 stereo inputs, 4 effects, 4 aux sends.	1.645,00	<b>1.974,00</b> BGN
	<b>NEW</b> TOUCHMIX-16	Touch-screen digital audio mixer with 16 mic/line inputs, 2 stereo inputs, 4 effects, 6 mono aux sends, 2 stereo aux sends.	2.322,00	<b>2.786,00</b> BGN
	<b>NEW</b> TMR-01	TouchMix-16 and TouchMix-8 Rack Mounting Kit/ BLK	143,00	<b>172,00</b> BGN

## LOUDSPEAKERS

### KW Series



	KW122	12" two-way, 1000W, 75° axisymmetric, active loudspeaker for main or monitor.	1.962,00	<b>2.354,00</b> BGN
	KW152	15" two-way, 1000W, 60° axisymmetric, active loudspeaker.	2.120,00	<b>2.544,00</b> BGN
	KW153	15" three-way, 1000W, 60° axisymmetric, active loudspeaker with 6.5" horn-loaded midrange.	2.617,00	<b>3.140,00</b> BGN
	KW181	18" ported, 1000W subwoofer with integrated casters.	2.539,00	<b>3.047,00</b> BGN


### KW Series Accessories

	KW SUS KIT 122	M10 forged-shoulder, steel eyebolt kit with solid aluminum pull-back bar for horizontal suspension of KW122.	133,00	<b>160,00</b> BGN
	KW122 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW122.	145,00	<b>174,00</b> BGN
	KW152 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW152.	145,00	<b>174,00</b> BGN
	KW153 COVER	Soft, padded cover made with heavy-duty Nylon/Cordura® material for KW153.	188,00	<b>226,00</b> BGN
	KW181 COVER	Soft cover made with heavy-duty Nylon/Cordura® material for KW181 with grille guard.	215,00	<b>258,00</b> BGN
	M10 KIT-W	Includes: 3x M10 forged-shoulder, steel eyebolt kit for suspending KW Series and AcousticPerformance loudspeakers.	78,00	<b>94,00</b> BGN










### K Series - activ speakers

	K8	1000W active, portable loudspeaker system; 8-inch woofer; 1.75-inch compression driver; 105 degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP.	1.144,00	<b>1.373,00</b> BGN
	K10	1000W active, portable loudspeaker system; 10-inch woofer; 1.75-inch compression driver; 90 degree conical waveguide; Tilt-Direct™ dual angle pole socket, DSP, for use as main or stage monitor speaker.	1.301,00	<b>1.561,00</b> BGN
	K12	1000W active portable loudspeaker system; 12-inch woofer; 1.75-inch compression driver; 75 degree conical waveguide; Tilt-Direct™ dual angle pole socket; DSP; for use as main or stage monitor speaker.	1.467,00	<b>1.760,00</b> BGN
	KSUB	1000W active, portable subwoofer; <b>dual 12-inch</b> woofers; 4 large, swivel casters; M20 threaded pole socket; speaker pole included.	1.956,00	<b>2.347,00</b> BGN

Model	Description	BGL Netto (ex. VAT)	Special BGL + 20% DDS (ex. VAT)	BGL + 20% DDS (incl. VAT)
<b>K Series Accessories</b>				
	K SERIES POLE EXTENSION	16 inch extension pole for use with K Series speaker pole and K8 or K10 loudspeaker. Not intended for any other K Series or KW Series loudspeaker.	30,00	36,00 BGN
	K10 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K10 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installa	84,00	101,00 BGN
	K10 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K10	147,00	176,00 BGN
	K10 YOKE	Powder coated steel yoke for mounting the K10 vertically or Horizontally to structures.	229,00	275,00 BGN
	K12 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K12 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installa	104,00	125,00 BGN
	K12 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K12	158,00	190,00 BGN
	K12 YOKE	Powder coated steel yoke for mounting the K12 vertically or Horizontally to structures.	244,00	293,00 BGN
	K8 OUTDOOR COVER	Nylon fabric and mesh cover for temporary outdoor use of K8 in adverse weather. Removable amplifier panel allows access to connectors and controls. Vented panel maintains airflow for proper heat management. Not intended for permanent outdoor installat	66,00	79,00 BGN
	K8 TOTE	Soft, padded tote made with weather resistant, heavy-duty Nylon/Cordura® material for K8	135,00	162,00 BGN
	K8 YOKE	Powder coated steel yoke for mounting the K8 vertically or Horizontally to structures.	215,00	258,00 BGN
	KSUB COVER	Soft, padded cover made with weather resistant, heavy-duty Nylon/Cordura® material for Ksub with grille guard	188,00	226,00 BGN
	M10 KIT-C	M10 forged-shoulder steel eyebolt kit for suspending K Series, KLA12 and AcousticDesign S8T, S10T and S12 loudspeakers.	78,00	94,00 BGN
<b>ISIS Series</b>				
	I-282H	Surface mount speaker, dual 8" weather resistant, 2-way, 90° x 60° rotatable, Speakon® connectors, ships with pole mount cup and yoke mount with monitor feet	1.320,00	1.584,00 BGN
<b>KLA Series - active Line Array</b>				
	KLA12-BK KLA12-WH	500W x 500W, two-way, active, line-array loudspeaker; 12-inch woofer, 1.75-inch compression driver; 90° x 18° nominal coverage angle; self contained rigging system, available in black or white.	3.554,00	4.265,00 BGN
	KLA181-BK KLA181-WH	18" ported, 1000W subwoofer with integrated flying hardware; available in black and white.	3.755,00	4.506,00 BGN
<b>KLA Series Accessories</b>				
	KLA AF12 TOTE	Tote bag for the KLA AF12.	174,00	209,00 BGN
	KLA AF12-BK KLA AF12-WH	Aluminum array frame for KLA Series enclosures; available in black and white.	1.574,00	1.889,00 BGN
	KLA12 TOTE	Soft padded tote for the KLA12 Loudspeaker made with heavy-duty Nylon/Cordura® material.	190,00	228,00 BGN
	KLA181 CASTER KIT	Caster Kit for the KLA181, includes four (4) individual caster wheels.	139,00	167,00 BGN
	KLA181 COVER	Soft padded cover for the KLA181 Subwoofer; constructed from heavy-duty Nylon/Cordura® material	203,00	244,00 BGN
	KLA181 M10 KIT	M10 forged-shoulder steel eyebolt kit for suspending KLA181 loudspeakers.	104,00	125,00 BGN
	KLA181 POLE	36" loudspeaker pole for use with the KLA181.	57,00	68,00 BGN
	M10 KIT-C	M10 forged-shoulder steel eyebolt kit for suspending K Series, KLA12 and AcousticDesign S8T, S10T and S12 loudspeakers.	78,00	94,00 BGN

Model	Description	BGL Netto (ex. VAT)	Special BGL + 20% DDS (ex. VAT)	BGL + 20% DDS (incl. VAT)
<b>Wideline Series</b>				
<b>WideLine - 10 Passive Line Array</b>				
	GP118-sw-BK GP118-sw-WH	18" portable subwoofer with the same acoustical performance as the WL118-sw regular enclosure with the 16 x M10 suspension points; available in black and white	2.691,00	3.229,00 BGN
	GP218-sw-BK GP218-sw-WH	Dual 18" subwoofer; same acoustical performance as the WL218-sw, rectangular enclosure with 16 x M10 suspension points; available in black and white	4.174,00	5.009,00 BGN
	WL2102-w-BK WL2102-w-WH	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure, available in black and white	7.643,00	9.172,00 BGN
	WL218-sw-BK WL218-sw-WH	Dual 18" portable subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, includes transportation dolly, available in black and white.	9.151,00	10.981,00 BGN
	<b>NEW</b> GP118-sw-TG	18" Portable subwoofer with 16x M10 suspension point, same acoustical specifications as the WL118-sw black, LINE-X finish	3.499,00	4.199,00 BGN
	<b>NEW</b> GP218-sw-TG	Dual 18" subwoofer; rectangular enclosure with 16 x M10 suspension point; same acoustical specifications as WL218-sw, black, LINE X finish	4.981,00	5.977,00 BGN
	<b>NEW</b> WL2102-TG	Wide angle, line array speaker, dual 10" drivers, 140° x 10°, plywood enclosure; black, LINE-X finish	8.451,00	10.141,00 BGN
	<b>NEW</b> WL218-sw-TG	Dual 18" portable subwoofer, can be ground stacked or suspended in arrays using integral array construction suspension hardware, includes transportation dolly; LINE-X finish	9.959,00	11.951,00 BGN
<b>WideLine - 10 Accessories</b>				
	AF-2102-LA-BK AF-2102-LA-WH	New Large Aluminum Array Frame for the Wideline 10 (WL2102) available in Black or White.	3.579,00	4.295,00 BGN
	CVR218	Padded transport cover for WL218-sw dual 18" subwoofer. Constructed of 1000 denier cordura nylon with heavy padding. Cutouts allow access to all handles, belly straps secure cover to enclosure when attached to transport dolly	436,00	523,00 BGN
	AF218-sw-BK AF218-sw-WH	Aluminum array frame for stacking four (4) or flying eight (8) WL218-sw subwoofers	5.273,00	6.328,00 BGN
	CP-218-0	Caster Pallet for transport of GP-218-sw Subwoofer	966,00	1.159,00 BGN
	CP-218-1	Caster Pallet & Padded soft cover for transport of GP-218-sw subwoofer	1.387,00	1.664,00 BGN
	CVR-GP218	Soft Cover for a single GP218 Sub-woofer.	444,00	533,00 BGN
<b>WideLine - 8 Passive Line Array</b>				
	WL3082-BK WL3082-WH	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; available in black or white	5.574,00	6.689,00 BGN
	WL212-sw-BK WL212-sw-WH	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; available in black or white	5.289,00	6.347,00 BGN
	GP212-sw-BK GP212-sw-WH	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10 suspension points; M20 screw-in pole socket; available in black or white	3.657,00	4.388,00 BGN
	<b>NEW</b> WL3082-TG	Ultra compact high performance line array module; dual neodymium 8" (200 mm) cone LF; 3" (75 mm) titanium diaphragm, neodymium magnet HF compression driver, 140° horizontal coverage, integral array-building hardware; LINE-X finish	6.380,00	7.656,00 BGN
	<b>NEW</b> WL212-sw-TG	Ultra compact dual 12" (300 mm) bandpass subwoofer designed specifically for use with the WL3082; can be ground-stacked or suspended and arrayed with WL3082; integral array-building hardware; LINE-X finish	4.467,00	5.360,00 BGN
<b>NEW</b> GP212-sw-TG	Ultra compact, dual 12" (300 mm) bandpass subwoofer; acoustically identical to WL212-sw; 6 x M10 suspension points; M20 screw-in pole socket; LINE-X finish	6.098,00	7.318,00 BGN	

<i>Model</i>	<i>Description</i>	<i>BGL Netto (ex. VAT)</i>	<i>Special BGL + 20% DDS (ex. VAT)</i>	<i>BGL + 20% DDS (incl. VAT)</i>
<b>WideLine - 8 Accessories</b>				
AF3082-L-BK AF3082-L-WH	Large array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or four (4) WL212-sw and twelve(12) WL3082; available in black or white	3.745,00		<b>4.494,00 BGN</b>
	AF3082-S-BK AF3082-S-WH	Small array frame for use with WL3082 and WL212-sw; accommodates arrays of up to twelve (12) WL3082 or two (2) WL212-sw and eight (8) WL3082; can also be used in conjunction with EB3082 to construct arrays with WL212-sw suspended behind WL3082; available	2.116,00	<b>2.539,00 BGN</b>
AF8-10-BK AF8-10-WH	Transition Array Frame - allows WL3082 WideLine-8 enclosures to be suspended beneath WL2102 or WL2102-w WideLine-10 enclosures	2.648,00		<b>3.178,00 BGN</b>
	CP212-2	Castor Pallet & Padded cover for transporting 2 x WL212sw or 2 GP212sw	1.498,00	<b>1.798,00 BGN</b>
CP3082-4	Caster pallet for transport of 4 WL3082; includes padded nylon cover	1.166,00		<b>1.399,00 BGN</b>
EB3082-BK EB3082-WH	Extension bar - used in conjunction with two (2) AF3082-S array frames allows arrays of WL212-sw subwoofers to be suspended behind arrays of WL3082 line array modules; available in black or white	2.030,00		<b>2.436,00 BGN</b>
PB3082-BK PB3082-WH	Pullback bar for adjusting aiming angle of WideLine-8 arrays; may also be used to suspend small arrays; available in black or white	1.146,00		<b>1.375,00 BGN</b>
<b>CSM Series</b>				
	CSM12	Low profile, high performance 12" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	6.323,00	<b>7.588,00 BGN</b>
CSM15	Low profile, high performance 15" stage monitor. Selectable pattern control; 3" (75 mm) compression driver; integral angle adjustment hardware.	6.656,00		<b>7.987,00 BGN</b>
<b>POWER AMPLIFIERS</b>				
<b>PLD Series</b>				
<b>xx= NA (North America), EU (Europe), UK (United Kingdom), IN (India), AU (Australia)</b>				
PLD4.2-xx	2000W Amplifier using FAST channel combining technology. 4 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω, 600 watts/ch at 2Ω.	2.376,00		<b>2.851,00 BGN</b>
	PLD4.3-xx	4000W Amplifier using FAST channel combining technology. 4 channels, 900 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 1200 watts/ch at 2Ω	3.483,00	<b>4.180,00 BGN</b>
PLD4.5-xx	8000W Amplifier using FAST channel combining technology. 4 channels, 1200 watts/ch at 8Ω, 2000 watts/ch at 4Ω, 1600 watts/ch at 2Ω.	4.594,00		<b>5.513,00 BGN</b>
<b>PLD &amp; CXD Series Accessories</b>				
PC13L1M-NA	Accessory, North American Power Cord, 14AWG, 1M, LOCKING IEC	25,00		<b>30,00 BGN</b>
	PC13L1M-EU	Accessory, European Power Cord, 14AWG, 1M, LOCKING IEC	25,00	<b>30,00 BGN</b>
PC13L1M-UK	Accessory, United Kingdom Power Cord, 1.0MM^2, 1M, LOCKING IEC	25,00		<b>30,00 BGN</b>
PC13L1M-IN	Accessory, India Power Cord, 1.0MM^2, 1M, LOCKING IEC	25,00		<b>30,00 BGN</b>
PC13L1M-AU	Accessory, Australia/New Zealand Power Cord, 1.0MM^2, 1M, LOCKING IEC	25,00		<b>30,00 BGN</b>
<b>GX Series</b>				
	GX3	2 channels, 300 watts/ch at 8Ω, 425 watts/ch at 4Ω	628,00	538,00 <b>646,00 BGN</b>
GX5	2 channels, 500 watts/ch at 8Ω, 700 watts/ch at 4Ω	804,00	694,00	<b>833,00 BGN</b>
GX7	Light weight, professional power amplifier, 2 channels, 725 watts/ch at 8Ω, 1000 watts/ch at 4Ω.	1.209,00	1.056,00	<b>1.267,00 BGN</b>
<b>GXD Series</b>				
	GXD4	Light weight, class-D professional power amplifier with DSP, 2 channels, 400 watts/ch at 8Ω, 600 watts/ch at 4Ω, total power capacity of 1600 watts.	1.009,00	890,00 <b>1.068,00 BGN</b>
GXD8	Light weight, class-D professional power amplifier with DSP, 2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, total power capacity of 4500 watts.	1.616,00	1.428,00	<b>1.714,00 BGN</b>

<i>Model</i>	<i>Description</i>	<i>BGL Netto (ex. VAT)</i>	<i>Special BGL + 20% DDS (ex. VAT)</i>	<i>BGL + 20% DDS (incl. VAT)</i>
<b>PLX2 Series</b>				
PLX1104	Dual channel amplifier with PowerLight technology, lightweight (13 lbs / 5.9 kg), 325 watts/ch at 8Ω, 550 watts/ch at 4Ω	1.271,00		<b>1.525,00 BGN</b>
 PLX1804	Dual channel amplifier with PowerLight technology, lightweight (13 lbs / 5.9 kg), 600 watts/ch at 8Ω, 900 watts/ch at 4Ω	1.467,00		<b>1.760,00 BGN</b>
PLX1802	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user configurable signal processing, 330 watts/ch at 8Ω, 575 watts/ch at 4Ω, 900 watts/ch at 2Ω	1.760,00		<b>2.112,00 BGN</b>
PLX2502	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 450 watts/ch at 8Ω, 750 watts/ch at 4Ω, 1250 watts/ch at 2Ω	1.917,00	1.496,00	<b>1.795,00 BGN</b>
 PLX3102	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 600 watts/ch at 8Ω, 1000 watts/ch at 4Ω, 1550 watts/ch at 2Ω	2.128,00	1.758,00	<b>2.110,00 BGN</b>
PLX3602	Dual channel amplifier with PowerLight technology, lightweight (21 lbs / 9.5 kg), user selectable crossover for driving a subwoofer and top box with one amplifier, 775 watts/ch at 8Ω, 1250 watts/ch at 4Ω, 1800 watts/ch at 2Ω	2.548,00	2.099,00	<b>2.519,00 BGN</b>
<b>Powerlight™ 3 Series</b>				
 PL325	2 channels, 475 watts/ch at 8Ω, 825 watts/ch at 4Ω, 1250 watts/ch at 2Ω	2.224,00		<b>2.669,00 BGN</b>
PL340	2 channels, 800 watts/ch at 8Ω, 1200 watts/ch at 4Ω, 2000 watts/ch at 2Ω	3.032,00		<b>3.638,00 BGN</b>
PL380	2 channels, 1500 watts/ch at 8Ω, 2600 watts/ch at 4Ω, 4000 watts/ch at 2Ω	4.479,00		<b>5.375,00 BGN</b>
<b>RMX Series</b>				
RMX850a	2 channels, 200 watts/ch at 8Ω, 300 watts/ch at 4Ω, 430 watts/ch at 2Ω	778,00		<b>934,00 BGN</b>
 RMX1450a	2 channels, 280 watts/ch at 8Ω, 450 watts/ch at 4Ω, 700 watts/ch at 2Ω	997,00		<b>1.196,00 BGN</b>
RMX2450a	2 channels, 500 watts/ch at 8Ω, 750 watts/ch at 4Ω, 1200 watts/ch at 2Ω	1.402,00		<b>1.682,00 BGN</b>
RMX4050a	2 channels, 850 watts/ch at 8Ω, 1400 watts/ch at 4Ω, 2000 watts/ch at 2Ω, 4000 watts/ch at 4Ω (bridged)	2.369,00		<b>2.843,00 BGN</b>
RMX5050a	2 channels, 1100 watts/ch at 8Ω, 1800 watts/ch at 4Ω, 2500 watts/ch at 2Ω, 5000 watts/ch at 4Ω (bridged)	2.879,00		<b>3.455,00 BGN</b>
<b>Amplifier Accessories</b>				
 REAR RACK EAR KIT - 7"	7" Rear support rack ear kit.	78,00		<b>94,00 BGN</b>
REAR RACK EAR KIT - 3"	3" Rear support rack ear kit.	60,00		<b>72,00 BGN</b>
IT-42	Isolation Transformer – 25V, 70V , and 100V dual output transformer for CX302	477,00		<b>572,00 BGN</b>
XC-3	Crossover – Active 2-way crossover for bi-amped speakers. Can be used with LF-3 for tri-amp operation	374,00		<b>449,00 BGN</b>
<b>DIGITAL/NETWORK</b>				
<b>Digital Signal Processors</b>				
 SC-28	2 x 8 processor for QSC loudspeakers	2.394,00		<b>2.873,00 BGN</b>