



ETC Control Systems

Net Price List PROFESSIONAL USER

ALL PRICES AND SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

Pro Sound & Lighting Solutions

www.pro-technica.com

BUY ONLINE at www.MusicWorld.bg

Price List 3/2017

Effective March 20, 2016

Subject to change without prior notice.

All former price lists expire with the publishing of this version.

All prices are suggested net retail prices; ex works.

There are applicable our General Terms of Business, only.

EUR

Articles marked * will be discontinued soon!

EUR	EUR
Netto	+ 20% DDS
(ex. VAT)	(incl. VAT)

Model

Description

ColorSource



ColorSource Consoles

Available in two sizes with optional audiovisual output capability, ColorSource consoles give you hands-on control designed for the latest technology. These affordable, portable desks specialise in streamlined, plug-and-play setup; when you power up a console, it recognises intelligent lights in the rig and auto-populates them in patch. Simply use the on-board touchscreen drag each fixture into place on a customisable stage map, and you'll be programming in minutes. With the flick of a fader, you can run effects, mix LED colours, and – with the AV consoles – play sound and video effects. Now you can handle your small rig – with style.

7225A1000-EU	ColorSource 20 console, 20 Faders, 40 Channels or Devices	1.590,00	1.908,00	EUR
7225A1001-EU	ColorSource 40 console, 40 Faders, 80 Channels or Devices	2.450,00	2.940,00	EUR
7225A1100-EU	ColorSource 20 AV console, 20 Faders, 40 Channels or Devices, network, audio, and video features	2.700,00	3.240,00	EUR
7225A1101-EU	ColorSource 40 AV console, 40 Faders, 80 Channels or Devices, network, audio, and video features	3.600,00	4.320,00	EUR

Accessories

7225A4020	Dust cover CS20 and CS20 AV console	53,00	63,60	EUR
7225A4021	Dust cover CS40 and CS40AV console	60,00	72,00	EUR
7225K1002	19" Rack mount kit for CS20 and CS20AV	135,00	162,00	EUR
I1865	Pelican Case with foam for CS20 and CS20AV	475,00	570,00	EUR
I1866	Pelican Case with foam for CS40 and CS40AV	630,00	756,00	EUR
7225A2020-EU	External Power Supply (replacement)	80,00	96,00	EUR

SMART Family

SmartFade® Control Desks



7219A1001	SmartFade 1248 Control Desk w. external psu	1.360,00	1.632,00	EUR
7219A1296	SmartFade 1296 Control Desk w. external psu	1.640,00	1.968,00	EUR
7219A1002	SmartFade 2496 Control Desk w. external psu	1.725,00	2.070,00	EUR
7219A1401	SmartFade ML, 48 Channel + 24ML Control Desk w. external psu	2.860,00	3.432,00	EUR



SmartFade Accessories

7219K1001	SmartFade 19" Rack frame (1248 and 1296 only)	62,00	74,40	EUR
A118	Secure Digital (SD) Memory Card	55,00	66,00	EUR
7219A4013	Dust Cover 1248/1296 model (Spare)	52,00	62,40	EUR
7219A4014	Dust Cover 2496/ML model (Spare)	60,00	72,00	EUR
PS406-F	External Power Supply (For consoled before Q4 2011)	55,00	66,00	EUR
PS372	International Lockable Power Supply, replacement	55,00	66,00	EUR

EOS Family



Eos® Ti Control Desk

Each Eos Ti console ships in a collapsible wooden crate with mouse, three male to female IEC connectors, a dust cover, and two LED Littlite gooseneck lights. Supports up to 3 External DVI multi-touch displays (optional)






4350A1010-EU	Eos Titanium Control Desk, 16,000 Channels/Devices, 4,096 outputs (max is 16,384 outputs)		PoA	EUR
4250A0001	Eos Ti/Eos/Gio/RPU 1,024 Initial Output Upgrade		PoA	EUR
4250A0000	Eos Ti/Eos/Gio/RPU 1,024 After-Sales Output Upgrade		PoA	EUR
4350A1015-EU	Eos RPU3 Remote Processor Unit, 4,096 outputs		PoA	EUR



Gio Control Desk

Each Gio console ships with a mouse, dust cover, and two LED Littlite gooseneck lights. Supports up to 3 External DVI multi-touch displays (optional)

4240A1012-EU	Gio Control Desk, 16,000 Channels/Devices, 2,048 Outputs (maximum is 8,192 outputs)		PoA	EUR
4250A0001	Eos Ti/Eos/Gio/RPU 1,024 Initial Output Upgrade		PoA	EUR
4250A0000	Eos Ti/Eos/Gio/RPU 1,024 After-Sales Output Upgrade		PoA	EUR
4310A1224	Ion RPU Remote Processor Unit, 2,048 Outputs (maximum is 2,048 outputs when used with Gio)		PoA	EUR
4350A1015-EU	Eos RPU3 Remote Processor Unit, 4,096 Outputs (maximum is 8,192 when used with Gio)		PoA	EUR

Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
	Gio @5 <i>Gio @5 consoles ship with a dust cover, two DisplayPort to DVI adapters, mouse, US English keyboard*, locking power cords IEC>UK13A and IEC>Schuko/NF and one LED Littlite.</i>		
			
4390A1010-EU	GIO @5 CONSOLE 2000 CHANNEL-EU		PoA EUR
4250A0001	Eos Ti/Eos/Gio/RPU 1,024 Initial Output Upgrade		PoA EUR
4250A0000	Eos Ti/Eos/Gio/RPU 1,024 After-Sales Output Upgrade		PoA EUR
4310A1224	Ion RPU Remote Processor Unit, 2,048 Outputs (<i>maximum is 2,048 outputs when used with Gio</i>)		PoA EUR
4350A1015-EU	Eos RPU3 Remote Processor Unit, 4,096 Outputs (<i>maximum is 8,192 when used with Gio</i>)		PoA EUR
Console Accessories			
4250A1022	Net3 Radio Focus Remote (RFR) Kit 2.4 GHz	2.472,00	2.966,40 EUR
4250A2025	Net3 Radio Focus Remote (RFR) 2.4GHz, Transmitter only	1.575,00	1.890,00 EUR
4250A2026	Net3 Radio Focus Remote (RFR) 2.4 GHz, Receiver only	1.230,00	1.476,00 EUR
iRFR & iRFR Preview	Touchscreen-based remote control via Apple iPhone, iPod Touch or iPad		PoA EUR
aRFR	Touchscreen-based remote control via Android mobile device		PoA EUR
4250A1217	RVI Remote Video Interface	2.830,00	3.396,00 EUR
4250A1130	RV13 Remote Video Interface		PoA EUR
4310A1002	Universal Fader Wing 2x10, Ion Black	1.490,00	1.788,00 EUR
4310A1003	Universal Fader Wing 2x20, Ion Black	2.080,00	2.496,00 EUR
RT202	LED Littlite 18", Angled (Eos, Ion, Element, and Congo jr)	110,00	132,00 EUR
4350A4113	Eos Ti Dust Cover (replacement)	147,00	176,40 EUR
4240A4120	Gio Dust Cover (replacement)	160,00	192,00 EUR
4390A4116	Gio @ 5 Dust Cover (replacement)		PoA EUR
PSR1068	Eos Ti/Cobalt 20 Combo flightcase		PoA EUR
PSR1064-2	Gio/Cobalt 10 Combo Flightcase, Navy Blue, Trolley Style		PoA EUR
PSR1078-EU	Gio @5 Flightcase, trolley style, black		PoA EUR
4250M1200	Eos User Manual, US English		PoA EUR
	Ion™ Control Desk, <i>New! Ion is now available with 16,000 Channels/Devices and up to 6,144 outputs. Now with Windows 7, new motherboard and Solid State Hard Drive, multi-touch monitor compatibility, as well as extra speed and stability. Each Ion console ships with a dust cover, mouse and mousepad. Supports up to 2 External DVI multi-touch displays (not included). Up to six fader wings may be connected.</i>		
4310A1112	Ion Control Desk, 16,000 Channels/Devices, 1,024 outputs (<i>maximum is 6,144 outputs</i>)		PoA EUR
4310A1224	Ion Remote Processor Unit (RPU), 2,048 Outputs (<i>maximum is 6,144 outputs</i>)		PoA EUR
4310A0000	Ion/Ion RPU Initial Output Upgrade (<i>Additional 512 Outputs, maximum is 6,144 outputs</i>)		PoA EUR
4310A1019	Ion/Ion RPU After-Sales Output Upgrade (<i>Additional 512 Outputs, maximum is 6,144 outputs</i>)		PoA EUR
Fader Wings (Up to six fader wings may be connected)			
	4310A1002	Universal Fader Wing 2x10, Ion Black	1.490,00 1.788,00 EUR
	4310A1003	Universal Fader Wing 2x20, Ion Black	2.080,00 2.496,00 EUR
	4310A1004	Universal Fader Module 1x20, Ion Black	1.115,00 1.338,00 EUR
Ion Accessories			
4250A1022	Net3 Radio Focus Remote (RFR) Kit 2.4 GHz	2.472,00	2.966,40 EUR
4250A2025	Net3 Radio Focus Remote (RFR) 2.4GHz, Transmitter only	1.575,00	1.890,00 EUR
4250A2026	Net3 Radio Focus Remote (RFR) 2.4 GHz, Receiver only	1.230,00	1.476,00 EUR
iRFR & iRFR Preview	Touchscreen-based remote control via Apple iPhone, iPod Touch or iPad		PoA EUR
aRFR	Touchscreen-based remote control via Android mobile device		PoA EUR
4250A1217	RVI Remote Video Interface 19" 2U	2.830,00	3.396,00 EUR
RT202	LED Littlite 18" angled XLR3 gooseneck lamp	110,00	132,00 EUR
4310A4025	Dust Cover (<i>replacement. Suitable for Ion/Congo jr/Universal Fader Wing 2x20/Congo jr MPF Wing</i>)	45,00	54,00 EUR
4310A4024	Universal Fader 2x10, Dust Cover (replacement)	40,00	48,00 EUR
4310A4026	Universal Fader 1x20, Dust Cover (replacement)	45,00	54,00 EUR
4310M1200	Ion User Manual, US English		PoA EUR
PSR1044	Ion/Congo jr Flightcase Model A, Navy Blue (<i>for desk only or desk with Universal fader Module 1x20</i>)		PoA EUR
PSR1037	Ion/Congo jr Flightcase Trolley Model B, Navy Blue (<i>for desk with MP Wing, Universal 2x20 Wing or 2x2x10 Wings</i>)		PoA EUR
	Element <i>Now with Windows 7, new motherboard and Solid State Hard Drive, multi-touch monitor compatibility, as well as extra speed and stability. Element control desks ship with a dust cover, mouse and mouse pad. An external keyboard is not shipped with the desk. Supports up to 2 External DVI multi-touch displays (not included).</i>		
4330A1120	Element 40 Control Desk, 250 Channels, 1,024 outputs	4.655,00	5.586,00 EUR
4330A1130	Element 60 Control Desk, 250 Channels, 1,024 outputs	5.620,00	6.744,00 EUR
4330A1019	Element 250-Channel Upgrade (<i>For a 250 channel desks only. Max. is 500 Channels</i>)	590,00	708,00 EUR

Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Element Accessories			
4250A1022	Net3 Radio Focus Remote (RFR) Kit 2.4 GHz	2.472,00	2.966,00 EUR
4250A2025	Net3 Radio Focus Remote (RFR) 2.4GHz, Transmitter only	1.575,00	1.890,00 EUR
4250A2026	Net3 Radio Focus Remote (RFR) 2.4 GHz, Receiver only	1.230,00	1.476,00 EUR
<i>iRFR & iRFR Preview</i>	Touchscreen-based remote control via Apple iPhone, iPod Touch or iPad		PoA EUR
<i>aRFR</i>	Touchscreen-based remote control via Android mobile device		PoA EUR
4250A1217	RVI Remote Video Interface	2.830,00	3.396,00 EUR
RT202	LED Littlite 18" angled XLR3 gooseneck lamp	110,00	132,00 EUR
4330A4007	Element/Congo Kid Dust Cover (replacement)	45,00	54,00 EUR
PSR1061	Element/Congo Kid Flightcase Model C, Navy Blue		PoA EUR
4330M1200	Element User Manual		PoA EUR

Windows 7 Upgrade Program - EOS Family

This service updates your Ion, Ion RPU, RVI, or Element 40/60 to Windows 7, upgrades the motherboard, and adds a Solid State Hard Drive. This adds multi-touch monitor compatibility as well as extra speed and stability to your console. Includes a conditional 2 year extended warranty. Contact ETC Technical Service for details.

4310K1010-ION	Ion Console Win7 Upgrade Kit		PoA EUR
4310K1010-RPU	Ion RPU Win7 Upgrade Kit		PoA EUR
4310K1010-ELE	Element Console Win7 Upgrade Kit		PoA EUR
4310K1010-RVI	RVI Win7 Upgrade Kit		PoA EUR



ETCnomad™

Computer-based lighting control software; Windows 7, Windows 8 and Macintosh OS X Mavericks compatible; USB Dongle allows output from Eos or Cobalt software on your computer; Net3/ACN/sACN and ArtNet output; DMX/RDM via ETC Gadget and Net3 Gateways; Nomad 256 dongles replace the previous Eos and Cobalt Client Software Kit. Software kits only, computer and I/O hardware are not included!

4380A1010	ETCnomad, 256 Output Kit (replaces the Client Software Kit)	480,00	576,00 EUR
4380A1011	ETCnomad 512 Output Kit (maximum is 6,144 outputs)	960,00	1.152,00 EUR
4380A0030	ETC Nomad 512 Initial Upgrade +512 Outputs	400,00	480,00 EUR
4380A0000	ETCnomad After-sales Upgrade, 512 Outputs	595,00	714,00 EUR
4380A0020	ETCnomad After-Sales Upgrade, 256 to 512 Outputs	480,00	576,00 EUR
4267A1004	Gadget II, USB to 2 DMX/RDM XLR ports	252,00	302,40 EUR
4380A1111	ETCnomad 512 / Gadget II Bundle	250,00	300,00 EUR
4240A1033-EU	Eos Programming Wing with ETCnomad 2,048 (Maximum is 6,144 Outputs)	4.400,00	5.280,00 EUR
4370A1063-EU	Cobalt Programming Wing with ETCnomad 2,048 (Maximum is 6,144 Outputs)	4.400,00	5.280,00 EUR



ETCnomad Puck

Nomad Puck is an ETC-provided mini-computer; 3 USB Ports, 1 Network Port and 2 HDMI video outputs; Supports both Eos and Cobalt software; Net3/ACN/sACN and ArtNet output; DMX/RDM via ETC Gadget and ETC Net3 Gateways; Net3 Show Control and I/O Gateways, OSC and UDP triggers. Monitors, keyboard, mouse and I/O hardware are not included!

4380A1120	ETCnomad Puck 256 Outputs	2.150,00	2.580,00 EUR
4380A1121	ETCnomad Puck 512 Outputs (Maximum is 2,048 Outputs)	2.630,00	3.156,00 EUR
4380A0030	ETC Nomad 512 Initial Upgrade +512 Outputs	400,00	480,00 EUR
4380A0000	ETCnomad After-sales Upgrade, 512 Outputs	595,00	714,00 EUR
4380A0020	ETCnomad After-Sales Upgrade, 256 to 512 Outputs	480,00	576,00 EUR
4267A1004	Gadget II, USB to 2 DMX/RDM XLR ports	252,00	302,40 EUR



Eos Programming Wing

The Eos Programming Wing is a dedicated user interface and output device for use with the ETCnomad, ETCnomad Puck, RPU and RVI control systems. The wing contains the entire backlit programming keypad for the Eos system, the main playback controls, fader controls, parameter encoders, level and rate controls.

4240A1020-EU	Eos Programming Wing	4.050,00	4.860,00 EUR
4240A1033-EU	Eos Programming Wing with ETCnomad 2,048 (Maximum is 6,144 Outputs)	4.400,00	5.280,00 EUR
4240A4149	Eos programming Wing Dust Cover (replacement)	120,00	144,00 EUR
I1916	Eos Programming Wing Flightcase, rugged, trolley style		PoA EUR



Eos Motorized Fader Wings

*Control at your fingertips - whenever you need it
Speed up your workflow with up to three add-on Motorized Fader Wings, bringing more hands-on playback control for Eos Family consoles, remote stations and ETCnomad systems.*

4240A1022-EU	Eos Motorized Fader Wing 20	6.370,00	7.644,00 EUR
4240A1021-EU	Eos Motorized Fader wing 10	4.100,00	4.920,00 EUR
4240A4150	Eos Motorized Fader Wing 10 Dust Cover (replacement)	120,00	144,00 EUR
4240A4151	Eos Motorized Fader Wing 20 Dust Cover (replacement)	120,00	144,00 EUR

Model

Description

EUR
Netto + 20% DDS
(ex. VAT) (incl. VAT)

Cobalt Family

**Cobalt 20 control desk**

Each Cobalt 20 control desk ships with 3-button mouse, three male- to-female IEC cables, a dust cover, and two LED Littlite gooseneck lights. Supports up to 3 External Monitors with optional touchscreen control (not included)

4370A1120-EU	Cobalt 20 control desk, 5000 control channels, 4,096 Outputs (maximum is 16,384 outputs)	PoA	EUR
4370A0001	Cobalt Initial Upgrade Package (additional 512 outputs (maximum is 16,384 outputs))	PoA	EUR
4370A0000	Cobalt After-Sales Upgrade Package (additional 512 outputs (maximum is 16,384 outputs))	PoA	EUR
4370A1130-EU	Cobalt Light Server, 4,096 Outputs (maximum is 16,384 outputs)	PoA	EUR
7310A1221	Congo Light Server Powered by Cobalt, 1024 Outputs (maximum is 6,144 outputs)	PoA	EUR
PSR1068	Eos Ti /Cobalt 20 Combo flightcase	PoA	EUR
4370M1200	Cobalt Family User Manual, US English	PoA	EUR

**Cobalt 10 control desk**

Each Cobalt 10 control desk ships with 3-button mouse, three male- to-female IEC cables, a dust cover and two LED Littlite gooseneck lights. Supports up to 3 External Monitors with optional touchscreen control (not included)

4370A1010-EU	Cobalt 10 control desk, 5000 control channels, 2,048 Outputs (maximum is 16,384 outputs)	PoA	EUR
4370A0001	Cobalt Initial Upgrade Package (additional 512 outputs (maximum is 16,384 outputs))	PoA	EUR
4370A0000	Cobalt After-Sales Upgrade Package (additional 512 outputs (maximum is 16,384 outputs))	PoA	EUR
4370A1130-EU	Cobalt Light Server, 4,096 Outputs (maximum is 16,384 outputs)	PoA	EUR
7310A1221	Congo Light Server Powered by Cobalt, 1024 Outputs (maximum is 6,144 outputs)	PoA	EUR
PSR1064-2	Gio/Cobalt 10 Combo Flightcase, Navy Blue, Trolley Style	PoA	EUR
4370M1200	Cobalt Family User Manual, US English	PoA	EUR

**Congo® jr, powered by Cobalt**

Congo jr offers the power of the Cobalt operating system in a compact, modular package.; Up to 3,072 devices/channels and 6,144 outputs/parameters; Supports up to two monitors, 2 x DVI or 1 x DVI + 1 x Display Port, which may be multi-touch. Each control desk ships with keyboard and 3-button mouse.

4320A1101	Congo jr Powered by Cobalt console, 3072 control channels, 1024 Outputs (maximum is 6,144 outputs)	PoA	EUR
7310A1221	Congo Light Server Powered by Cobalt, 1024 Outputs (maximum is 6,144 outputs)	PoA	EUR
4370A0001	Cobalt Initial Upgrade Package (additional 512 outputs (maximum is 16,384 outputs))	PoA	EUR
4370A0000	Cobalt After-Sales Upgrade Package (additional 512 outputs (maximum is 16,384 outputs))	PoA	EUR
4320A1002	Congo Jr Master Playback Wing	3.150,00	3.780,00 EUR
4310A1102	Universal Fader Wing 2x10, Congo Blue*	1.490,00	1.788,00 EUR
4310A1103	Universal Fader Wing 2x20, Congo Blue*	2.080,00	2.496,00 EUR
4310A1104	Universal Fader Module 1x20, Congo Blue*	1.115,00	1.338,00 EUR
PSR1044	Congo jr/Ion Flightcase Model A, Navy Blue (for desk only or desk with Universal fader Module 1x20)		PoA EUR
PSR1037	Congo jr/Ion Flightcase Trolley Model B, Navy Blue		PoA EUR
4370M1200	Cobalt Family User Manual, US English		PoA EUR

**Congo® Kid, powered by Cobalt**

Compact, full-featured control desk; Congo Kid control desks ship with a 3-button mouse and mouse pad included. An external keyboard is not shipped with the desk. Supports up to two monitors, 2 x DVI or 1 x DVI + 1 x Display Port, which may be multi-touch.

4340A1110	Congo Kid, 256 Channels (maximum is 512 Channels)	5.620,00	6.744,00 EUR
4340A1016	Congo Kid 256 Channel Upgrade (this upgrade will work for a 256 channel console only.)	590,00	708,00 EUR
7310A1221	Congo Light Server Powered by Cobalt, 1024 Outputs (maximum is 6,144 outputs)		PoA EUR
4330A4007	Element/Congo Kid Dust Cover (replacement)	45,00	54,00 EUR
4370M1200	Cobalt Family User Manual, US English		PoA EUR

Congo Light Server, powered by Cobalt

Congo Light Server is offered as a base unit with 3072 control channels and 1024 outputs (2 universes of DMX512); Supports up to two monitors, 2 x DVI or 1 x DVI + 1 x Display Port, which may be multi-touch. Compatible with Master Playback Wing and Universal Fader Wings



7310A1221	Congo Light Server, 3072 control channels, 1024 outputs (maximum is 6,144 outputs)		PoA EUR
4370A0000	Cobalt After-Sales Upgrade Package (additional 512 outputs (maximum is 16,384 outputs))		PoA EUR

Cobalt Family Accessories

4380A1010	Nomad 256 Output (replaces the Client Software Kit)	480,00	576,00 EUR
4250A1022	Net3 Radio Focus Remote (RFR) Kit 2.4 GHz	2.472,00	2.966,40 EUR
iRFR & iRFR Preview	Touchscreen-based remote control via Apple iPhone, iPod Touch or iPad		PoA EUR
aRFR	Touchscreen-based remote control via Android mobile device		PoA EUR
4250A1217	RVI Remote Video Interface	2.830,00	3.396,00 EUR

Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
4320A1002	Congo Jr Master Playback Wing	3.150,00	3.780,00 EUR
4310A1102	Universal Fader Wing 2x10, Congo Blue*	1.490,00	1.788,00 EUR
4310A1103	Universal Fader Wing 2x20, Congo Blue*	2.080,00	2.496,00 EUR
4310A1104	Universal Fader Module 1x20, Congo Blue*	1.115,00	1.338,00 EUR
RT202	LED LittleLite 18", Angled	110,00	132,00 EUR
4370A4050	Cobalt 20 Dust Cover, replacement	146,00	175,20 EUR
4370A4060	Cobalt 10 Dust Cover, replacement	110,00	132,00 EUR
4310A4025	Dust Cover (replacement) (Ion/ Congo jr/ Universal Fader Wing 2x20/ Congo jr MFP Wing)	45,00	54,00 EUR
4310A4024	Universal Fader Wing 2x10 Dust Cover (replacement)	40,00	48,00 EUR
4310A4026	Ion/ Congo jr with Universal Fader Module 1x20 Dust Cover (replacement)	45,00	54,00 EUR
SR1026	Congo flight case		PoA EUR
PSR1044	Congo jr/Ion Flightcase Model A, Navy Blue (for desk only or desk with Universal fader Module 1x20)		PoA EUR
PSR1037	Congo jr/Ion Flightcase Trolley Model B, Navy Blue		PoA EUR
PSR1061	Element/Congo Kid Flightcase Model C, Navy Blue		PoA EUR



Cobalt Programming Wing

The Cobalt Programming Wing is a dedicated user interface and output device for use with the ETCnomad and ETCnomad Puck control systems. The wing contains the entire backlit programming keypad for the Cobalt system, the main playback controls, fader controls and device encoders. The wing also includes 10 backlit endless pots for use as device controls or master playbacks.

4370A1045-EU	Cobalt Programming Wing	4.050,00	4.860,00 EUR
4370A1063-EU	Cobalt Programming Wing with ETCnomad 2,048 (Maximum is 6,144 Outputs)	4.400,00	5.280,00 EUR
4370A4157	Cobalt Programming Wing Dust Cover (replacement)	120,00	144,00 EUR
I1914	Cobalt Programming Wing Flight Case		PoA EUR



Cobalt Motorised Fader Wings

The Cobalt Motorised Fader Wings are dedicated Cobalt master playback controls for use with the ETCnomad and ETCnomad Puck control systems. The wings contain the master playbacks section from the Cobalt 10 and Cobalt 20 consoles.

4370A1047-EU	Cobalt Motorised Fader Wing 20	6.370,00	7.644,00 EUR
4370A1046-EU	Cobalt Motorised Fader Wing 10	4.100,00	4.920,00 EUR
4370A4163	Cobalt Motorized Fader Wing 20 Dust Cover (replacement)	120,00	144,00 EUR
4370A4162	Cobalt Motorized Fader Wing 10 Dust Cover (replacement)	120,00	144,00 EUR

Windows 7 Upgrade Program - Cobalt Family

This service updates your Congo jr, Congo Kid, Congo Light Server or RVI to Windows 7, upgrades the motherboard, and adds a Solid State Hard Drive. This adds multi-touch monitor compatibility as well as extra speed and stability to your console. Includes a conditional 2-year extended warranty. Contact ETC Technical Service for details

4310K1010-CJR	Congo jr Console Win7 Upgrade Kit		PoA EUR
4310K1010-KID	Congo Kid Win7 Upgrade Kit		PoA EUR
4310K1010-CLS	Congo Light Server Win7 Upgrade Kit		PoA EUR
4310K1010-RVI	RVI Win7 Upgrade Kit		PoA EUR

Net3™ Gateways



Net3 Four Port Gateway

Modular DMX port design providing easy configuration of port connector type and replacement. Supports Power over Ethernet (PoE 802.3af) as well as an external DC power supply.

4260A1113	Net3 Four Port DMX Gateway, with 4 blank plates	1.060,00	1.272,00 EUR
	Basic unit only. Choose options from the list below. Power supply NOT included. Supports PoE.		

Four Port Gateway Configuration Options

4260A1009	DMX Out Module for Net3 Four Port Gateway (Female 5-pin XLR connecto)	160,00	192,00 EUR
4260A1010	DMX In Module for Net3 Four Port Gateway (Male 5-pin XLR connector)	160,00	192,00 EUR
4260A1011	Term. Strip Module for Net3 Four Port Gateway (8-position screw terminal module)	172,00	206,40 EUR
	Includes DMX Prep Kit w/Screw Terminal Plug		
4260A1014	RJ45 Connector Module for Net3 Four Port Gateway (Cat5 connector)	160,00	192,00 EUR
4260K1002	Front Panel DMX 4 Out Kit (Requires 4 DMX Out Modules in Gateway)	290,00	348,00 EUR
	Does not include Rack Mount Kit for mounting		
4260K1003	Front Panel DMX 2 In / 2 Out Kit (Requires 2 In & 2 Out DMX Modules in Gateway)	290,00	348,00 EUR
	Does not include Rack Mount Kit for mounting.		
4260K1006	Front Panel DMX 4 In Kit (Requires 4 DMX In Modules in Gateway)	277,00	332,40 EUR
	Does not include Rack Mount Kit for mounting		
PS406-F	External Power Supply 100-240V AC In, 12 Vdc Out at 1.5A	55,00	66,00 EUR
4260K1001	Gateway Rack Mount Kit (Holds up to 2 gateways. Comes with a blanking plate for one gateway)	38,00	45,60 EUR
4260K1005	Gateway Hanging Bracket Kit (with U-bolt) (Mounts to single gateway bottom in 4 ways)	39,00	46,80 EUR




















Net3 Two Port DMX/RDM Gateway


Wall mount and Touring options. Supports Power over Ethernet (PoE 802.3af) as well as an external DC power supply

4261A1101	Net3 Two Port DMX/RDM Output Gateway	846,00	1.015,20 EUR
4261A1102	Net3 Two Port DMX/RDM Input Gateway	846,00	1.015,20 EUR
4261A1105	Net3 Two Port DMX/RDM Gateway, Hardwired	846,00	1.015,20 EUR

Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
4261A1103	Net3 Touring Two Port Output Gateway	1.086,00	1.303,20 EUR
4261A1104	Net3 Touring Two Port Input Gateway	1.086,00	1.303,20 EUR
PS406-F	External Power Supply 100-240V AC In,12 Vdc Out at 1.5A	55,00	66,00 EUR
4105A2002	Two-Port surface mount 3.5" deep back box	47,00	56,40 EUR
4261A3009	Two-Port masking cover plate	23,00	27,60 EUR
4105K1003	Gateway Hanging Bracket Kit (with U-Bolt)	42,00	50,40 EUR
	Net3 One Port DMX Gateway <i>Support for sACN and RDM transport via Ethernet; Supports Power over Ethernet (PoE 802.3af); Power, network and DMX status indicators</i>		
4264A1101	ETC One-Port DMX Output Gateway	355,00	426,00 EUR
4264A1102	ETC One-Port DMX Input Gateway	355,00	426,00 EUR
4264A1103	Net3 Touring One Port DMX Output Gateway	445,00	534,00 EUR
4264A1104	Net3 Touring One Port DMX Input Gateway	445,00	534,00 EUR
	Net3 I/O Gateway <i>Native Net3/ACN device; 16 SPDT relay contact closure outputs; 24 analogue/digital inputs (0-10V); Bidirectional RS-232 serial; Supports Power over Ethernet (PoE 802.3af) or external DC power supply.</i>		
4263A1001	Net3 I/O Gateway	1.300,00	1.560,00 EUR
PS406-F	External Power Supply 100-240V AC In,12 Vdc Out at 1.5A	55,00	66,00 EUR
4260K1001	Gateway Rack Mount Kit (<i>Holds up to 2 gateways. Comes with a blanking plate for one gateway</i>)	38,00	45,60 EUR
4260K1005	Gateway Hanging Bracket Kit (with U-bolt) (<i>Mounts to single gateway bottom in 4 ways</i>)	39,00	46,80 EUR
	Net3 Show Control Gateway <i>Native Net3/ACN device; SMPTE input via 3-pin XLR; MIDI In/Out/Thru ports; Supports Power over Ethernet (PoE 802.3af) or external DC power supply.</i>		
4262A1001	Net3 Show Control Gateway	1.177,00	1.412,40 EUR
PS406-F	External Power Supply 100-240V AC In,12 Vdc Out at 1.5A	55,00	66,00 EUR
4260K1001	Gateway Rack Mount Kit (<i>Holds up to 2 gateways. Comes with a blanking plate for one gateway</i>)	38,00	45,60 EUR
4260K1005	Gateway Hanging Bracket Kit (with U-bolt) (<i>Mounts to single gateway bottom in 4 ways</i>)	39,00	46,80 EUR
	Net3 Conductor <i>Living on the network, Net3 Conductor provides every networked lighting system with additional features and services. With the ability to store usage information, error status and system configuration for every part of your lighting system, Conductor puts all of your system data at your fingertips. It also provides network services for all devices, which reduces configuration time when new pieces are introduced to the system.</i>		
4266A1110	Net3 Conductor, Network Services Gateway		PoA EUR
4260K1011	Rackmount Kit		PoA EUR
	Gadget II <i>Two universe USB to DMX/RDM interface. Works with Net3 Concert and UpdaterAtoR software, available from the ETC website</i>		
4267A1004	Gadget II, USB to 2 DMX/RDM XLR ports	252,00	302,40 EUR
Response Gateways			
	Response 4 Port DMX/RDM Gateways <i>ETC's Response 4 Port Gateway is a DMX/RDM distribution device built on the quality and reliability of ETC's network development. This gateway is perfect for networking systems using the industry standard streaming ACN (sACN) protocol and is compatible with mounting and power supply accessories available for other ETC DMX/RDM gateways. The Response 4 Port Gateway does not have interchangeable sleds. This creates a lighter, and more affordable product.</i>		
			
4267A1021	Response 4 Port DMX/RDM Gateway - 4 XLR5 Outputs	920,00	1.104,00 EUR
4267A1022	Response 4 Port DMX/RDM Gateway - 4 XLR5 Inputs	920,00	1.104,00 EUR
4267A1023	Response 4 Port DMX/RDM Gateway - 1 XLR5 Input 3 XLR5 Outputs	920,00	1.104,00 EUR
4267A1024	Response 4 Port DMX/RDM Gateway - 4 Terminal Connectors	920,00	1.104,00 EUR
4267A1025	Response 4 Port DMX/RDM Gateway - 4 Neutrik RJ45 Ports	920,00	1.104,00 EUR
4260K1002	Front Panel DMX 4 Out Kit (<i>Requires 4 DMX Out Modules in Gateway</i>) <i>Does not include Rack Mount Kit for mounting</i>	290,00	348,00 EUR
4260K1003	Front Panel DMX 2 In / 2 Out Kit (<i>Requires 2 In & 2 Out DMX Modules in Gateway</i>) <i>Does not include Rack Mount Kit for mounting.</i>	290,00	348,00 EUR
4260K1006	Front Panel DMX 4 In Kit (<i>Requires 4 DMX In Modules in Gateway</i>) <i>Does not include Rack Mount Kit for mounting</i>	277,00	332,40 EUR
4260K1001	Gateway Rack Mount Kit (<i>Holds up to 2 gateways. Comes with a blanking plate for one gateway</i>)	38,00	45,60 EUR
4260K1005	Gateway Hanging Bracket Kit (with U-bolt) (<i>Mounts to single gateway bottom in 4 ways</i>)	39,00	46,80 EUR
PS406-F	External Power Supply 100-240V AC In,12 Vdc Out at 1.5A	55,00	66,00 EUR
	Response DIN-Rail Gateways <i>The Gateways can be mounted anywhere standard DIN rail is installed. An optional DIN rail mounting enclosure is also available. Supports Power over Ethernet (PoE 802.3af) or 9-28VDC external power supply</i>		
			
4260A1125	Response Four-Port DMX/RDM Gateway for DIN-rail mount	985,00	1.182,00 EUR
4264A1105	Response One-Port DMX/RDM Gateway for DIN-rail mount	440,00	528,00 EUR

Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
	ETC Response 0-10V Gateway <i>The ETC Response 0-10V Gateway accepts streaming sACN or DMX control input and provides 24 channels of 0-10V control output, making it ideal for both retrofit and new power-control system installations that use four-wire LED drivers and fluorescent ballasts.</i>		
4267A1002	ETC Response 0-10V (low voltage) Gateway	630,00	756,00 EUR
Unison® Mosaic™			
	Mosaic Tessera Touchscreen Controller <i>The Mosaic Tessera Touchscreen Controller (MTPC) is both a part of a greater networked system and a standalone full controller, in a compact local touchscreen. The Tessera is unique in handling complex lighting devices of all sorts (LEDs, conventionals, etc.) as well as impromptu show-control, other accessories, and non-lighting effects.</i>		
7180A1360-*	Mosaic Tessera Touchscreen Controller		PoA EUR
7180A1340	Tessera TPC-RIO Remote Input/ Output Interface		PoA EUR
7180A1392	Mosaic Tessera 19", 3U Rack Mount Kit		PoA EUR
	Mosaic Show Controller™ <i>The Mosaic Show Controller support DMX512 and DMX-Over-Ethernet protocols to control colour-mixing fixtures, conventional dimmable fixtures and automated lights. Each MSC has the same extensive range of external triggering interfaces, including Ethernet, RS232 / RS485 serial or DMX input triggering, MIDI, and tri-mode inputs.</i>		
7180A1361	Mosaic Show Controller MSC1 (512 channels)		PoA EUR
7180A1362	Mosaic Show Controller MSC2 (1024 channels)		PoA EUR
7180A1364	Mosaic Show Controller MSC4 (2,048 channels)		PoA EUR
	Mosaic Atlas <i>Unison Mosaic® controllers offer a network for nearly every application you can dream up -- lighting and LED arrays, kinetic-art displays, media and facility-wide special effects... But now is the time to dream bigger! The Mosaic Atlas™ Lighting Controller is capable of so much more. Mapping large LED pixel arrays such as building facades, bridges, and presentation walls is now possible. Play video content across your array or incorporate a range of creative, generative effects. With Mosaic Atlas you really can control the world.</i>		
7180A1550	MALC50 MOSAIC ATLAS 50 UNIV CONTROLLER		PoA EUR
7180A1551	MALC100 MOSAIC ATLAS 100 UNIV CONTROLLER		PoA EUR
7180A1552	MALC250 MOSAIC ATLAS 250 UNIV CONTROLLER		PoA EUR
7180A1553	MALC500 MOSAIC ATLAS 500 UNIV CONTROLLER		PoA EUR
7180A1554	MALC1000 MOSAIC ATLAS 1000 UNIV CONTRLER		PoA EUR
7180A1555	MALC1500 MOSAIC ATLAS 1500 UNIV CONTRLER		PoA EUR
	Mosaic Show Controller X™ <i>The MSC X is available in capacities ranging from 5,120 channels of DMX-over-Ethernet (10 universes) up to 50,000 channels (100 DMX universes, or, 17,000 RGB LEDs!) from a 19" rack-mounted 1U cabinet. For larger channel requirements, multiple MSCX Show Controllers can be networked together for even more control. Like its siblings MSC and MTPC, the MSCX has an extensive range of external triggering interfaces, including Ethernet, RS232 and Serial input. A built-in real-time clock triggers precise timed events, including "sunrise" and "sunset" astronomical cues.</i>		
7180A1520	Mosaic Show Controller X 10 (5,120 channels)		PoA EUR
7180A1521	Mosaic Show Controller X 20 (10,240 channels)		PoA EUR
7180A1522	Mosaic Show Controller X 30 (15,360 channels)		PoA EUR
7180A1523	Mosaic Show Controller X 40 (20,480 channels)		PoA EUR
7180A1524	Mosaic Show Controller X 50 (25,600 channels)		PoA EUR
7180A1525	Mosaic Show Controller X 60 (30,720 channels)		PoA EUR
7180A1526	Mosaic Show Controller X 70 (35,840 channels)		PoA EUR
7180A1527	Mosaic Show Controller X 80 (40,960 channels)		PoA EUR
7180A1528	Mosaic Show Controller X 90 (46,080 channels)		PoA EUR
7180A1529	Mosaic Show Controller X 100 (51,200 channels)		PoA EUR
7180A1530	Mosaic Show Controller Backup - hardware only		PoA EUR
	Mosaic Audio/Video Controller <i>The Unison Mosaic Audio/Video Controller provides audio and video capabilities using Digital Signal Processing (DSP) technology. The AVC can easily integrate with Mosaic Lighting Control for synchronised playback of A/V and Lighting elements.</i>		
7180A1303	Mosaic Audio/Video Controller		PoA EUR
Mosaic Remote Devices			
	Mosaic Audio/Timecode Module		
7180A1344	Mosaic Audio/Timecode Remote Device		PoA EUR
	Mosaic Remote DALI Device		
7180A1345	Mosaic DALI Remote Device		PoA EUR
	Mosaic Remote I/O Devices		
7180A1341	Mosaic Remote I/O - 8 In / 0 Out		PoA EUR
7180A1342	Mosaic Remote I/O - 4 In / 4 Out		PoA EUR
7180A1343	Mosaic Remote I/O - 0 In / 8 Out		PoA EUR
Mosaic Accessories			
	Mosaic Button Stations		
7180A1352	Mosaic 8-Button Station (metal) for UK 1 gang backbox		PoA EUR
7180A1352-1	Mosaic 8-Button Station, Cream (metal) for UK 1 gang backbox		PoA EUR
7180A1352-4	Mosaic 8-Button Station, Black (metal) for UK 1 gang backbox		PoA EUR
7180A1352-5	Mosaic 8-Button Station, White (metal) for UK 1 gang backbox		PoA EUR

	Model	Description	EUR Netto (ex. VAT)	EUR + 20% DDS (incl. VAT)
Mosaic Splitters and Switches				
	7180A1371	Mosaic Four-port DMX/RDM Opto-Splitter		PoA EUR
	7180A1372	Mosaic Five-port PoE Ethernet Switch		PoA EUR
Mosaic Installation Kits				
	7180A1392	Tessera Rack Mount Panel		PoA EUR
	7180A1304	Wall Mount Installation Kit		PoA EUR
	7180A1305	Mosaic Rack Mount Installation Kit, with opening for 1 MSC		PoA EUR
	7180A1307	Mosaic Rack Mount Installation Kit, with opening for 1 MSC and 2 Remote Devices or 2 MSC		PoA EUR
	7180A1300	Mosaic 48V Din Rail Power Supply Kit		PoA EUR
	PS362-F	DALI Power Supply, DIN rail-mount 120-240V		PoA EUR
	PS363-F	DALI Power Supply, Wall-mount 120-240V		PoA EUR
Mosaic Software				
		Unison Mosaic Designer Software (Free download from the ETC website)		Free
		Unison Mosaic TouchEditor Software (Free download from the ETC website)		Free
		Unison Mosaic Remote Manager Software (Free download from the ETC website)		Free
Unison Echo® Control Series				
Inspire Control Stations				
		<i>One-, two-, four-, six- or eight-button station configurations; Four-button station with fader available. Available in cream, black and white; Stations fit a standard backbox, including gang-able backboxes; Stations may be assigned to 1 of 16 spaces; Belden 8471 or Cat5 wiring, up to 1,640 feet of topology-free station wiring. Uses purpose-built ETC communication protocol; Inspire control stations include electronics assembly and faceplate.</i>		
	7186A1001-*	1 Button Inspire Station		PoA EUR
	7186A1002-*	2 Button Inspire Station		PoA EUR
	7186A1004-*	4 Button Inspire Station		PoA EUR
	7186A1006-*	6 Button Inspire Station		PoA EUR
	7186A1008-*	8 Button Inspire Station		PoA EUR
	7186A1104-*	4 Button with Fader Inspire Station		PoA EUR
	NOTE: Replace the suffix (-*) with -1 for cream, -4 for black, or -5 for signal white station faceplate colour.			PoA EUR
Preset Stations				
		<i>Low cost remote activation of presets found in EchoConnect enabled products; Plug-in and Play-back, two wire topology-free infrastructure; Up to six 5-button or 10-button stations may be used on one EchoConnect network; Keyed lockout station prevents use of button stations within a space when in the "locked out" position; Laser-marked station legends</i>		
	7140A1106-*	5-button Echo Preset Station		PoA EUR
	7140A1111-*	10-button Echo Preset Station		PoA EUR
	7140A1112-*	Echo Preset Station Lockout		PoA EUR
	NOTE: Replace the suffix (-*) with -1 for cream, -3 for grey, -4 for black, or -5 for signal white station faceplate colour. (The Echo Preset Station Lockout is not available in grey.)			PoA EUR
TimeClock				
		<i>Works with Echo and Sensor® systems; Supports 16 control spaces; Astronomical, real-time and manual control; Event-recurrence modes; Simple six-button interface and large backlit display; Built-in FlickWarn; Fully-configurable Daylight Saving Time and holidays; Two-wire, topology-free EchoConnect network plus auxiliary power; Meets ASHRAE-90.1 and Title 24 standards</i>		
	7186A1000-*	Echo TimeClock Station		PoA EUR
	NOTE: Replace the suffix (-*) with -1 for cream, -4 for black, or -5 for signal white station faceplate colour.			PoA EUR
Responsive Controls				
Vacancy / Occupancy Sensors				
	7186A1060-*	Vacancy Sensor for large rooms		PoA EUR
	7186A1061-*	Vacancy Sensor for high ceilings		PoA EUR
	7186A1062-*	Vacancy Sensor for small rooms		PoA EUR
	7186A1070-*	Occupancy Sensor for large rooms		PoA EUR
	7186A1071-*	Occupancy Sensor for high ceilings		PoA EUR
	7186A1072-*	Occupancy Sensor for small rooms		PoA EUR
Light Sensors				
	7186A1053-*	Light Sensor Controller with Light Sensor		PoA EUR
	7186A1054-*	Light Sensor Controller only		PoA EUR
	7186A1055-*	Light Sensor Head only		PoA EUR
	NOTE: Replace the suffix (-*) with -1 for pure white (RAL 9010), -4 for black (RAL 9004) sensor cover.			PoA EUR
Echo Interface Series				
DMX Scene Controller				
	7186A1111-1	Echo DMX Scene Controller, for DIN rail mount; Supports 32 presets of 512 DMX addresses		PoA EUR
EchoAccess Interface				
	7186A1114-*	EchoAccess Interface		PoA EUR
Echo Expansion Bridge				
	7186A1112	Echo Expansion Bridge		PoA EUR
	7186A1218	Echo Low-Voltage DIN rail Cover Kit		PoA EUR
		<i>EchoAccess Mobile App, Android (available for purchase and download from Google Play)</i>		PoA EUR
		<i>EchoAccess Mobile App, iOS (available for purchase and download from the Apple App Store)</i>		PoA EUR
	NOTE: Replace the suffix (-*) with -1 for cream, -4 for black, or -5 for signal white station faceplate colour.			PoA EUR

<i>Model</i>	<i>Description</i>	<i>EUR Netto (ex. VAT)</i>	<i>EUR + 20% DDS (incl. VAT)</i>
EchoConnect™ Power Supplies and Accessories			
	7186A1212	Echo DIN rail-mount Station Power Supply with Auxiliary	PoA EUR
	7186A1202	Echo Station Power Module (For DRd racks only)	PoA EUR
	7186A1203	Echo Wall-mount Station Power Supply	PoA EUR
	7186A1216	Echo Wall-mount Station Power Supply with Auxiliary	PoA EUR
	7186A1204	Echo Rack-mount Station Power Supply	PoA EUR
	7186A1217	Echo Rack-mount Station Power Supply with Auxiliary	PoA EUR
	7186A1205	Echo Cat5 Termination Box for use with Wall-mount Station Power Supply	PoA EUR
	7186A1206	Echo Cat5 Termination Tray for use with Rack-mount Station Power Supply	PoA EUR
	7186A1207	Echo Cat5 Station Termination Kit	PoA EUR
	7186A1208	Echo Cat5 Termination Kit	PoA EUR
NOTE: <i>An Echo Station Power Module supports up to 16 wall stations.</i>			